

BAB V

SIMPULAN

5.1 Simpulan

Berdasarkan pengelolahan data dan statistik, maka dapat ditarik kesimpulan sebagai berikut:

1. Pemberian ekstrak kurkumin 2mg/200gBB dari rimpang kunyit secara per oral dapat digunakan sebagai antiinflamasi pada tikus yang sudah diinduksi karagenan 1%.
2. Pemberian Kurkumin-MSN 10mg/200gBB secara per oral dapat digunakan sebagai antiinflamasi pada tikus yang sudah diinduksi karagenan 1%. Pada pemberian kurkumin-MSN menunjukkan persendaya inflamasi yang lebih besar dibandingkan kurkumin 2mg/200gBB dan natrium diklofenak 1mg/200gBB.

5.2 Alur Penelitian Selanjutnya

Dari hasil kesimpulan penelitian kali ini, maka saran untuk penelitian selanjutnya adalah penelitian uji toksisitas pada ekstrak kurkumin 2mg/200gBB dan kurkumin-MSN 10mg/200gBB

DAFTAR PUSTAKA

- Aggarwal, B.B., 2010, Targeting Inflammation-Induced Obesity and Metabolik Diseases by *Curcumin*and Other Nutraceuticals. *Annu Rev Nutr.* **21 (30)**: 173–199.
- Aggarwal, B.B. *Curcumin Derived From Turmeric (Curcuma longae)*: a Spice for All Seasons. Available at:http://diyhpl.us/~bryan/papers2/longevity/Curcumin_A_Spice_For_All_Seasons.pdf. (Accessed: March, 2013).
- Akbar, B., 2010, ‘*Tumbuhan dengan Kandungan SenyawaAktif yang Berpotensi Sebagai Bahan Antifertilitas*’. Adabia Press, Jakarta.
- Akram, M., Shahabudin., Ahmed, Afzal., Usmangani, K., Hannan, A., Mohiuddin, E., Asif, M., 2010. *Curcuma Longa* and Curcumin: a Review Article. *Rom J. Biol-PLANT BIOL* **55**: 65-70.
- Anand P, Thomas SG, Kunnumakkara AB, Sundaram C, Harikumar KB, Sung B, Tharakan ST, Misra K, Priyadarsini IK, Kallikat N, Rajasekharan KN &Anggarwal BB., 2008,Biological activities of curcumin and its analogues (Congernes) made by man and Mother Nature,*Biochemical Pharmacology* vol. **76**, pp 1590-1611.
- Anand, P., Kunnumakkara, AB., Newman, RA. & Aggarwal, BB., 2007, “Bioactivity of Curcumin : Problems and Promis”, *Molecular. Pharmaceutics*, **4 (6)**: 807- 918.
- Angka, SL, Suhartono MT., 2000,*Bioteknologi Hasil Laut*. Bogor: Pusat Kajian Sumber daya Pesisir dan Lautan, Institut Pertanian Bogor.
- Backer, H. J., 1980, *The Laboratory Rat*. Vol. I, Academic Press, Inc.,Florida, 8-9.
- Badan Pengawas Obat dan Makanan RI, 2005, ‘*Kriteria dan Tata Laksana Pendaftaran Obat Tradisional, Obat Herbal Terstandar dan Fitofarmaka*’.Badan Pengawas Obat dan Makanan RI, Jakarta.
- Bagschi, A., 2012, Extraction of *Curcumin*. *IOSR J. of Environ. Scien, Toxycol., and F. Tech.* ISSN: 2319-2404, ISBN:2319-2399, **Volume 1**
- Belcaro, G., Cesarone, M.R., Dugall, M., Pellegrini, L., Ledda, A., Grossi, M.G., Togni, S., Appendino, G., 2010, Efficacy and Safety of

- Meriva, a Curcumin-phosphatidylcholine Complex, During Extended Administration in Osteoarthritis Patients. *Altern Med Rev.* **15(4)**:337-44.
- Chainani. 2003. Safety and Anti-inflammatory Activity of Curcumin: a Component of Tumeric (*Curcuma Longa*). *The Journal of Alternative and Complementary Medicine* **9**: 161-168
- Chowdary, K.P.R., Mohaoatra, P., and Murali Krishna, M.N., 2006, evaluation Olibanum and its Resin as Rate Controlling Matrix for Controlled Release of Diclofenac, *Indian J. Pharmacol.*, 68 (4), 497-500.
- Corsini, E., Paola R.D., Viviani, B., Genovese, T., Mazzon, E., Lucchi, L., Galli, C.L, dan Cuzzorcrea, S., 2005, Increased Carrageenan-Induced Acute Lung Inflammation in Old Rats, *Immunology*, **115 (2)**:253-61.
- Derle, D.V., Gujar, K.n., and Sagar, B.S.H., 2006, Adverse Effect Assiciated with the Use of NonsteroidalAntiinflammatoryDrugs : An overview, *Indian J. Pharmacol.*, **68(4)** : 409-414.
- Fitriyani, Atik, Lina Winarti, Siti Muslichah, dan Nuri., 2011. Uji Antiinflamasi Ekstrak Metanol Daun Sirih Merah (*Piper crocatum* Ruiz & Pav) pada Tikus Putih *Majalah Obat Tradisional*, **16 (1)**: 34-42.
- Ganong, W. F., 2001, ‘Buku Ajar Fisiologi Kedokteran’. edisi 20, terjemahan Widjajakusuma, D., EGC, Jakarta.
- Glickman., 1983. *Food Hydrocolloid* vol 1I. Florida: CRC Press Inc Boca Raton.
- Guiseley KB, Stanley NF, Whitchouse PA., 1980. Carrageenan. *Di dalam:* Whistler RL (ed). *Handbook of Water Solube Gums and Resins*. New York: McGraw Hill Book Co.
- Gunawan, S. G., 2007, *Farmakologi dan Terapi*, edisi 5, Bagian Fakultas Kedokteran Universitas Indonesia, Jakarta, 230-233, 274.
- Guyton, A.C., & Hall, J.E. 2014. *Buku Ajar Fisiologi Kedokteran (Textbook of Medical Physiology)*.Alih bahasa Irawati *et al*; editor Luqman Y.R *et al* -Edisi-12. Jakarta:EGC.

- Hanson G.R., 2000, Analgesic, Antipyretic, and Anti Inflammatory Drugs, in Gennaro (Ed), *Remmington: The Science and Practice of Pharmacy*, 20th Edition, 1456, Lippincott Williams and Wilkins, USA.
- Hapsohdan Y. Hasanah, 2011. *Budidaya tanaman obat dan rempah*. USU-Press, Medan.
- Ignatus, G.E., Zarraga, M.D., dan Ernest R. S., 2007, Coxibs and Heart Disease, *Journal of The American College of Cardiology*, **49**, 1-14.
- Imeson AP. 2000. Carragenan. *Di dalam*: Phillips GO, Williams PA (Eds). *Handbook of Hydrocolloids*. Boca Raton: CRC Press.
- J.F. Dongyuan Zhao, Qisheng Hou, Nicholas Melosh, Glenn H. Fredrickson, Bradley F. Chmelka, Galen D. Stucky, 1998, Triblock Copolymer Syntheses of Mesoporous Silica with Periodic 50 to 300 Angstrom Pores, *Science*, Vol I :279, 548.
- Joenoes, Z. N. 2002. *Ars Prescribendi* Jilid 3. Airlangga University Press. Surabaya.
- Jurenka JS, Aspc MT., 2009, Anti-inflammatory properties of Curcumin, a Major Constituent Of *Curcuma longa* : AReview of Preclinical and Clinical Research.;**14 (2)**.
- K. Kaneko, 1994, Determination of pore size and pore size distribution 1. Absorbents and catalysts, *Journal of Membrane Science*, 96, 59-89.
- Katzung, B. G., 2015, *Farmakologi Dasar dan Klinik*, 13thed, McGraw-HillCompanies Inc, Singapore.
- Kee, J.L., and Hayes, E.R, 1996, *Pharmacology : ANursing Process Approach*, diterjemahkanoleh Peter Anugerah, 1st Edition, 310-321, PenerbitEgc, Jakarta.
- Kusuma, R.W. 2012. *Aktivitas Antioksi dan Antiinflamasi in vitro Serta Kandungan Curcuminoid dari Temulawak dan Kunyit Asal Wonogiri*.Departemen Biokimia Fakultas Matematika dan Ilmu Pengetahuan Alam Institut Pertanian Bogor.
- Lelo, A, 2001, *Pertimbangan yang muncul dari OAINS yang digunakan, dalam Naskah Lengkap Temu Ilmiah Reumatologi* eds. Setyoahadi B, Kasjmir YI. Jakarta, Ikatan Reumatologi Indonesia, 96-99.

- Lelo, A. dan D. S. Hidayat, 2004, *Penggunaan Antiinflamasi Non Steroid yang Rasional pada Penanggulangan Nyeri Reumatik*. <http://library.usu.ac.id/download/fk/farmakol> [Diakses tanggal 27 Juli 2015].
- Manjunatha, K.M., Ramana, M.V., and Satyanarayana, D., 2007, Design and Evaluation of Diclofenac Sodium Controlled Drug Delivery Systems, *Indian J. Pharmacol.* **69(3)**, 384-389.
- Minghetti, L. 2004. Cyclooxygenase-2 (COX-2) in Inflammatory and Degenerative Brain Disease. *Journal of Neuropathology and Experimental Neurology* **9**: 901-910.
- Mohanraj, V.J., Chen, Y., 2006, Nanoparticle – A Review. *Tropical Journal of Pharmaceutical Research* **5 (1)** :561-573.
- Moirano AL. 1977. Sulfated polysaccharides. Di dalam: Graham HD (ed). *Food Colloid*. Westport, Connecticut: The AVI Publishing Company Inc. Hal 347-381.
- Morris, CJ., 2003, Carrageenan-Induced Paw Edema in the Rat and Mouse dalam Winyard, PG., dan Wiloughby, Inflammation Protocols, *Journal Methods in Molecular Biology*, **225** : 115-121.
- Nandave, M.D., Ojha, S.K., and Arya, D.S., 2006, Should Selective Inhibitors be Used More?, *Indian J. Pharmacol.*, **68(3)** : 281-285
- Nuswantoro, OkyPonda, 2011, *Aktivitas Antiinflamasi Ekstrak Etanol Daun Sugi (Ploemeleangustifolia) pada Tikus Putih*.
- Paramitasari, Dyah. 2011. *Budidaya Rimpang Jahe, Kunyit, Kencur, Temulawak*. Yogyakarta: Cahaya Atma Pustaka.
- Patel, Mitul., Murugananthan, dan Shivalinge Gowda K, P. 2012. In Vivo Animal Models in Preclinical Evaluation of Anti-Inflammatory Activity A review. *Internasional Journal of Pharmaceutical Research and Allied Sciences*, Vol. **1** : 01 – 05.
- Pearce, E. C., 2004, *AnatomidanFisiologiuntukParamedis*, terjemahan H. Sri Yuliani dan K. Mohamad, Penerbit PT. Gramedia, Jakarta, 133-137.
- Pebrianata E. 2006. Pengaruh pencampuran kappa dan iota karagenan terhadap kekuatan gel dan viskositas karagenan campuran [skripsi]. Bogor: Program Studi Teknologi Hasil Perikanan, Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor.

- Phytomedica, 1993, *Penapisan Farmakologi, Pengujian Fitokimia dan Pengujian Klinik*, Pedoman Pengujian dan Pengembangan Fitofarmaka, Jakarta, 43-45.
- Rang, H. P., M. M. Dale., J. M. Ritter., R. J. Flower., 2007, Pharmacology. Sixth ed.Churchill Livingstone, New York, 202-223.
- Rang, H.P., Dale, M.M., Ritter, J.M., and Moore, P.K., 2003, *Pharmacology*, 5th ed., 231-237, 244-250, 562-567, Churchill Livingstone, London.
- Ravi, V., T. S. M. Saleem, S. S. Patel, J. Raamamurthy, and K. Gauthaman, 2009, Anti-inflammatory Effect of Methanolic Extract of *Solanum nigrum*Linn. Berries, *Inter. J. App. Res. Nat. Prod.*, **2**:2, 33-36.
- Rawat, M., Singh, D., Singh, S.S., Saraf, S. 2006. Nanocarriers : Promising Vehicle for Bioactive Drugs. *Niol. Phharm, Bull* **29 (9)** : 1790-1798.
- Rowe, R.C., Paul, J.S., and Marian, E.Q., 2009, *Handbook of Pharmaceutical Excipient Sixth Edition*.Chicago, London: Pharmaceutical Press.Hal.592-594.
- S.B.H. AmaraliPopat, Frances Stahr, Jian Liu, Shi Zhang Qiao and Gao Qing (Max) Lu, 2011, Mesoporous Silica Nanoparticle for Biodsorption, Enzyme Immobilisation, and Delivery Carriers, *Nanoscale*, **3** : 2801-2818.
- Sander, M.A., 2003, *Atlas Patologi Anatomi*, hal 12, UMM Press, Malang.
- Sandy, B Hartono., Lannie, H., Y. Yang, Anand, K..M., Antaresti , Luciana, T., Robby, W., Chengzhong Yu, 2015, Amine Functionalized Cubic Mesoporous Silica Nanoparticles as Oral Delivery System for Curcumin Bioavailability Enhancement, Australia.
- Sen, Saikat., Raja Chakraborty, Biplab De, T. Ganesh, H.G. Raghavendra Debnath. 2010. Analgesic and Antiinflammatory Herbs: A Potential Source of Modern Medicine. *International Journal of Pharmaceutical Scienes and Research, IJPSR* : Vol. **1 (II)** : 32-44
- Sharp, P. E., and M. C. La regina., 1998, The Laboratory Rat: A Volume in the Laboratory Animal Pocket Referensi Series, CRC Press, Florida.
- Sherwood, L., 2014, Human Physiology: From Cells to System. Eighthed, Thomson Higher Education, USA, 409-422

- Sigh Rajesh, lillardjr. J.W, 2009, Nanoparticle – Based Trgeted Drug Delivery.*Elsevier Inc* : 215 – 223.
- Siswanto, A., dan Nurulita N. A., 2005. *Daya Antiinflamasi Infus Daun Mahkota Dewa (Phaleria macrocarpa Scheff. Boerl) pada Tikus Putih (RattusNorvegicus) Jantan*, Prosiding Seminar Nasional TOI XXVII, 177-181.,
- Smith, J. B. dan S. Mangkoewidjojo., 1988, Pemeliharaan, Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis, Universitas Indonesia, Jakarta, 38,49-55.
- Soeratri, W, E. Tristiana, R. Diny, dan R. Noorina, 2014, Penentuan Dosis Asam p-metoksisinamat (APMS) Sebagai Antiinflamasi Topikal dan Studi Penetrasi APMS Melalui Kulit Tikus dengan dan Tanpa Stratum Korneum,. *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, **1(1)**.
- Suckow, M.A., Weisbroth, S.H., dan Franklin, C.L. (2006). The Laboratory Rat. Second edition. USA: American College of Laboratory Animal Medicine Series. Hal. 133.
- Sweetman, S.C., 2009, *Martindale The Complete Drug Reference*, Thirty Sixth Edition, Pharmaceutical Press, New York.
- Swingle, K. F., 1974, Antiinflammatory Agents, Academic Press, New York, 40-42.
- Syukur, C. danHernani. 2001. *Budidaya tanaman obat komersial*. Penebar Swadaya, Jakarta.
- Tan, H. T., K. Rahardja., 2007, *Obat-obat Penting : Khasiat, Penggunaan, dan Efek-efek Sampingan*, edisi keenam, PT. Elex Media Komputindo, Jakarta, 325-340.
- Thakare, M,, and Singh, K.K., 2006, Preparation and Evaluation of DiclofenacSodium Controlled Release Tablets Using Spray-drying Technology in Aqueous System, *Indian J. Pharmacol*, Jakarta.
- Tjay, T.H., danRahardja, K., 2002, *Obat-obatPenting*. 202-302, Edisi V, PT. Elex Media Komputindo, Jakarta.
- Towle. 1973. Carrageenan. Dalam: Whisler RL (ed). *Industrial Gums: Polysaccharides and Their Derivatives*. New York: Academic Press. Hal 83-114.

- Underwood, J. C. E., 2004, *General and Systematic Pathology*, Churchill Livingstone, Toronto, 202-219.
- Vogel, H. G., 2002, *Drug Discovery and Evaluation*, Springer-veilaag, Berlin, 759-761.
- Walters, AK., 2002, *Dermatological and Transdermal Formulations*, Marcel Dekker Inc, New York.
- Wang, X., Jiang, Y., Huang, M., Ho, C., Huang Q. 2007. Enhanching Anti-Inflammation Activity of CurcuminTrhough O/W Nanoemulsions. *Food Chemistry* **108**: 419-42.
- Winarno FG. 1996. *Teknologi Pengolahan Rumput Laut*. Jakarta: Pustaka Sinar Harapan.
- Winata J. 2008. Pengaruh rasio kappa karaginan dan iota karaginan terhadap karakteristik *marsh mallow* [skripsi]. Karawaci: Jurusan Teknologi Pangan, Fakultas Teknologi Pangan, Universitas Pelita Harapan.
- Y. Han and J.Y. Ying, 2005, Generalized Fluorocarbon – Surfactant – Mediated Synthesis of Nanoparticles with Various Mesoporous Structures, *Angewandte Chemie Internasional Edition* **44** : 288-292.