

BAB V

SIMPULAN DAN SARAN

5.1. Simpulan

1. Semakin tinggi konsentrasi ekstrak kental umbi bit merah (*Beta vulgaris L. var rubra*) (15%; 20% dan 25%) yang digunakan sebagai pewarna alami dalam formulasi sediaan lipstik ekstrak kental umbi bit merah (*Beta vulgaris L. var rubra*) dalam bentuk likuid berpengaruh terhadap peningkatkan nilai pH, viskositas, daya sebar, daya lekat, dan waktu kering dari sediaan lipstik.
2. Formula terbaik pada penelitian ini adalah formula 3 (25% ekstrak kental) yang telah memenuhi uji mutu fisik (organoleptis, pH, viskositas, homogenitas), uji efektivitas (daya oles, daya sebar, daya lekat, waktu kering), uji keamanan dan aseptabilitasnya.

5.2. Saran

Pada penelitian selanjutnya disarankan untuk melakukan modifikasi pada formula sediaan lipstik ekstrak kental umbi bit merah dalam bentuk likuid dengan *design expert* sehingga didapatkan formula yang optimum dan mengembangkan stabilitas ekstrak sehingga ketika diformulasikan menghasilkan sediaan yang lebih stabil.

DAFTAR PUSTAKA

- Al-mutairi, S. K. and Al-jasser, M. S. 2012, Effect of Using Rotary Evaporator on date dibs quality, *Journal of American Science*, **8(11)**: 588.
- Ali, SM. and Yosipovitch, G. 2013, Review Article Skin pH : From Basic Science to Basic Skin Care, *Journal Compilation Acta Demsto-Venereologica*, **93**: 261-267.
- Anwar, J. and Gurtavenko, A.A. 2009, Interaction of Ethanol with Biological Membranes: The Formulation of Non-Bilayer Structure within the Membrane Interior and Their Significace, *The Journal Of Physical Chemistry B*, **113(7)**: 1983-1992.
- Aswal, A., Kalra, M. and Rout, A. 2013, Preparation and Evaluation of Polyherbal Cosmetic Cream, *Der Pharmacia Lettre*, **84**: 6-12.
- Azeredo, M.C.H. 2009, Betalains: properties, sources, applications, and stability – a review, *International Journal of Food Science and Technology*, **44**: 2365-2376.
- Badan Standar Nasional. 2006, *Petunjuk Pengujian Organoleptik dan atau Sensori*, Jakarta: Standar Nasional Indonesia.
- Badan Pengawas Obat dan Makanan (BPOM), 2012, *Report to The Nation: Laporan Kinerja Badan Pengawas Obat dan Makanan Tahun 2012*, Semarang: Badan Pengawas Obat dan Makanan.
- Baki, G. and Alexander, K.S. 2015, *Introduction to Cosmetic Formulation and Technology*, John Wiley and Sons, Inc, Canada.
- Barel, A.O., Maibach, H. and Paye, M. 2001, *Handbook of Cosmetic Science and Technology*, Marcel Dekker, New York.
- Bilyk, A. 1981, Thin-layer chromatographic separation of beet pigments, *Journal of Food Science*, **46**: 298-299.
- Bucur, L., Taralunga, G. and Schroder, V. 2016, The Betalain Content and Antioxidant Capacity of Red Beet (*Beta Vulgaris* L. Subsp. *Vulgaris*) Root, *Farmacia*, **64(2)**: 401-413.
- Butler, H. 2000, *Poucher's Perfumes, Cosmetics and soaps*, 10th Edition, Kluwer Academic Publishers, London.

- Carter, S. J. 1975, *Dispensing for Pharmaceutical Students*, 12th Edition, Pitman Medical Publishing Co, Ltd, London, **214**: 230-245.
- Chairman, Wilma F., Bergfeld, M.D., F.A.C.P., Donald, V. B.M.D., Ronald, A. H.Ph.D., Curtis, D., Klaassen, Ph.D., Daniel, C.L.Ph.D., James, G., Marks, Jr.M.D., Ronald, C., Shank, Ph.D., Thomas, J.S.Ph.D., and Paul, W.S.D.V.M.Ph.D. 2013, ‘Safety Assessment of Polyvinyl Alcohol as Used in Cosmetics’, *Cosmetic Ingredient Review*, Washington DC, 3-15.
- Chauhan, S.P., Sheth, N.R., Rathod, I.S., Suhagia, B.N. and Maradia, R.B. 2013, Phytochemical Screening of Fruits of *Opuntia Elatior* mill, *American Journal of Pharmatech Research*, **3(2)**: 10-17.
- Delgado-Vargas, F., Jiménez, A. R. and Paredes-López, O. 2000, Natural Pigments: Carotenoids, Anthocyanins, and Betalains - Characteristics, Biosynthesis, Processing, and Stability, *Critical Reviews in Food Science and Nutrition*, **40(3)**: 173-289.
- Departemen Kesehatan RI, 1977, *Materia Medika Indonesia* Jilid I, Jakarta: Departemen Kesehatan Republik Indonesia.
- Dewantari, D.R. dan Sugihartini, N. 2015, Formulasi dan Uji Aktivitas Gel Ekstrak Daun Petai Cina (*Leucaena glauca*, Benth) sebagai Sediaan Obat Luka Bakar, *FARMASAINS*, **2(5)**: 217-222.
- Ditjen POM, 1985, *Formularium Kosmetik Indonesia*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Ditjen POM, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Jakarta: Departemen Kesehatan Republik Indonesia Direktorat Pengawas Obat dan Makanan.
- Ditjen POM, 2013, *Pedoman Teknologi Formulasi Sediaan Berbasis Ekstrak*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Dooley, L. 2007, ‘Lexicon Development For Lip Products Using Descriptive Sensory Analysis’, *Thesis*, Master of Science, Kansas State University, Kansas.
- Dwivedi, S. and Mishra, P. 2012, Formulation and Evaluation of Lipstick Containing Herbal Ingredients, *Asian Journal of Medical and Pharmaceutical Researches*, **2(3)**: 58-60.
- Elbandy, M.A., and Abdelfadeil, M.G. 2008, Stability of Betalain Pigments from Red Beetroot (*Beta vulgaris*), *Journal of Food Sciences and Technology*, **36**: 49 – 60.

- Engasser, P.G. 2000, Lip Cosmetic, *Dermatologic Clinics*, **18(4)**: 641-649.
- FDA. 2009, *Cosmetic Product Formulation Data*, **14**: 63-68.
- Fifield, F.W. and Kealey, D. 2000, *Principles and Practice of Analytical Chemistry*, 5th Edition, Blackwell Science, Ltd, Oxford.
- Fiume, M.M. 2012, Safety Assessment of Microbial Polysaccharide Gums as Used in Cosmetics, *Journal of Cosmetic Ingredient Review*, **10**: 5-17.
- Fiume, M.M., Heldreth, B.A., Bergfeld, W.F., Belsito, D.V. and Hill, R.A. 2014, Safety Assessment of Citric Acid Inorganic Citrate Salts, and Alkyl Citrate Esters as Used in Cosmetics, *International Journal of Toxicology*, **33**: 165-465.
- Gandjar, I. B., dan Rohman, A. 2012, *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Garg, A., Anggarwal, D., Garg, S. and Sigla, A.K. 2002, Spreading of Semisolid Formulation: An update, *Pharmaceutical Technology*, 84-104, diakses pada 27 juli 2005, <http://www.pharmtech.com>.
- Ginestar, J., Fitoussi, F., Mayor, M. and Valet, B. 2007, Colouring Agents in Cosmetic Products (Excluding Hair Dyes): Types of Decorative Cosmetic Products, *Analysis of Cosmetic Product*, **32(6)**: 150-152.
- Goncalves, L.C.P., Trassi, M.A.S., Lopes, N.B., Dorr, F.A., Santos, M.T., Baader, W.J., Oliveira, V.X. and Bastos, E.L. 2011, A Comparative Study of the Purification of Betanin, *Food Chemistry*, **131(1)**: 123-142.
- Harborne, J. B. 1987, *Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan*, edisi 2, Diterjemahkan dari Bahasa Inggris oleh Padmawinata, K. dan Sudiro I., Mansoor, S. (Editor), ITB, Bandung.
- Heinrich, M. 2009, *Farmakognosi dan Fitoterapi*, Diterjemahkan dari Bahasa Inggris oleh Syarief, W.R dan Hadinata A. H. (Editor). Kedokteran EGC, Jakarta.
- Irwan N., Praptowidodo V.S., Agustin S.P. dan Dewita R., 2008, Membran PVA-Chitosan Crosslinked untuk Pemisahan Campuran Etanol-Air Secara Pervaporasi, *Jurnal Teknik Kimia Indonesia*, **7(1)**: 53-62.

- Jahan-Parwar, B. and Meyers, A. D. 2013, ‘Lips and perioral region anatomy’, Diakses pada 5 September 2013, <http://emedicine.medscape.com/article/835209-overview#a1>.
- Kruthika, S., Ram, S., Ahmed S.A., Sadiq, S., Mallick, S.D. and Sree, T.R. 2014, Formulation and Evaluation of Natural Lipstick from Coloured Pigments of *Beta vulgaris* Taproot, *Journal Of Pharmachy and Pharmaceutical Sciences*, **3**: 65-71.
- Lutfia, M., Sutyningsih, dan Widayanti, A. 2014, ‘Pengaruh Peningkatan Konsentrasi Carnauba Wax Terhadap Sifat Fisik Lipstik Sari Buah Bit (*Beta vulgaris* L.)’, *Skripsi*, Fakultas Farmasi dan Sains Universitas Muhammadiyah Prof. Dr. Hamka, Jakarta.
- Markham, K.R. 1982, *Cara Mengidentifikasi Flavonoid*, Penerbit ITB, Bandung.
- Martin, A., Swarbrick, J. dan Cammarata, A. 1993, *Farmasi Fisik: Dasar-dasar Farmasi Fisik dalam Ilmu Farmasetika*, Volume I, Edisi IV, Diterjemahkan oleh Yoshita, Lea dan Fibiger, Universitas Indonesia Press, Jakarta, 1083-1087.
- Misha, S., Mat, S., Ruslan, M.H., Sopian, K., and Saleh, E. 2013, Review on the Application of Tray Dryer System for Agricultural products, *World Applied Science Journal*, **22(3)**: 424-433.
- Mithal, B.M., and Shaha, R.N. 2000, ‘Skin Colorant’, chapter 4 in *A Hand Book of Cosmetics*, 1st edition, Vallabh Prakashan, Delhi, 39-50.
- Nawanopparatsakul, S., Euasathien, J., Eamtawecharum, C., Benjasirimingokol, P., Soiputtan, S. and Pacchamud, P.T. 2005, Skin Irritation Test of Curcuminoids Facial Masks Containing Chitosan as a Binder, *Silpakorn University International Journal*, **5(1)**: 140-147.
- Nemzer, B., Z. Pietrzkowski, A. Sporna, P. Stalica, W. Thresher, T. Michalowski and S. Wybraniec, 2011, Betalainic and Nutritional Profiles of Pigment-Enriched Red Bit Root (*Beta vulgaris* L.) Dried Extracts, *Food Chemistry*, **127**: 42–53.
- Ninfali, P., and Angelino D., 2013, Review, Nutritional and Functional Potential of *Beta vulgaris* cicla and rubra, *Phytotherapy Research*, **89**:188–192.
- Nottingham, S. 2014, *Beet Root*, 1st Edition, London, diakses tanggal 21 Juli 2018, <http://stephennotttingham.co.uk>.

- Oliveira, W.P., Bott, R.F. and Labuza, T.P. 2010, Stability Testing of Sprayand Spouted Bed-Dried Extract of *Passiflora alata*, *Drying Technology: An International Journal*, **28**: 1255-1265.
- Pandey, D. and Wasule, D. 2016, Evaluation of silicon resin in color cosmetic, *World Journal of Pharmaceutical Sciences*, **35(4)**: 30-39.
- Polloth, C. F. 2005, Safety assessment on polyethylene glycols (PEGs) and their derivatives as used in cosmetic products, *Toxicology*, **214**: 3.
- Poucher, J. 2000, *Poucher's Perfume, Cosmetics and Soap*, 10th ed., Butler, H. (Ed.), Kluwer Academic Publishers, Dordrecht.
- PubChem. 2017, *Betalains*, diakses 16 Oktober 2018, <http://pubchem.ncbi.nlm.nih.gov>.
- Purnomo, H. dan Syamsul, E.S. 2017, *Statistika Farmasi (Aplikasi Praktis dengan SPSS)*, Gravika Indah, Yogyakarta.
- Rajalakshmi, D. and Narasimhan, S. 1985, 'Food Antioxidants: Sources and Methods of Evaluation', dalam D.L. Madhavi: *Food Antioxidant, Technological, Toxicological and Health Perspectives*, Marcel Dekker Inc, Hongkong, 76-77.
- Rieger, M. M. 2000, *Harry's Cosmeticology*, 8th ed., Chemical Publishing Company, New York.
- Robinson, T. 1995, *Kandungan Organik Tumbuhan Tinggi*, Edisi Keenam, Penerbit ITB, Bandung.
- Rohman, A. dan Gandjar, I.G. 2009, *Kromatografi untuk Analisis Obat*, Graha Ilmu, Yogyakarta, 1-2,5,45,53.
- Rowe, R. C., Sheskey, P. J. and Quinn, M. E. 2009, *Handbook of Pharmaceutical Excipients*, 6th Edition, Pharmaceutical Press, Washington.
- Saani, M. and Lawrence R. 2016, Evaluation Of Pigments As Antioksidant and Antibacterial Agents From *Beta vulgaris* Linn, *International Journal of Current Pharmaceutical Research*, **9(3)**: 37-41.
- Saefudin, A., Rahayu, dan Teruna, 2011, *Standarisasi Bahan Obat Alam*, Graha Ilmu, Yogyakarta.
- Seeley, R.R., Stephens, T.D., Tate, P., Akkaraju,S.R., Eckel, C.M. and Regan, J.L. 2008, *Digestive System. Anatomy and Physiology*. 8th Edition, The McGraw-Hill Company, Inc, New York, 874-876.

- Sherma, J., Fried, B. and Dekker, M. 2003, *Handbook of Thin-layer Chromatography*, 3rd Ed, Marcel Dekker, Inc, New York, XV, 997.
- Shukr, M.H., Metwally, G.F., 2013, Evaluation of Topical Gel Bases Formulated with Various Essential Oils for Antibacterial Activity against Methicillin-Resistant *Staphylococcus Aureus*, *Tropical Journal of Pharmaceutical Research*, **12(6)**: 877–884.
- Slavov, A., Vasil K., Petko D., Maria K., and Christo K. 2013, Antioxidant Activity of Red Beet Juices Obtained after Microwave and Thermal Pretreatments, *Czech Journal Food Sciences*, **31(2)**: 139–147.
- Soekarto, S. 2002, *Penilaian organoleptik untuk Industri Pangan dan Hasil Pertanian*, Bharata Karya Aksara, Jakarta.
- Steenis. 2005, *Buah Bit (Beta vulgaris L)*, Penerbit PT Gramedia Pustaka Umum, Jakarta.
- Stinzing, F.C., Herbach, K.M., and Carle, R. 2006, Betalain Stability and Degradation-Structural and Chromatic Aspects, *Journal Food Science*, **71**: 41-50.
- Stoenoiu, C.E., Bolboaca, A.D. and Jantschi, L. 2006, Mobile phase optimization for steroid separation, *Medical Informatics*, **18**: 17-24.
- Strack, D., Voigt, T., and Schliemann, W. 2003, Recent Advances in Betalain Research, *Phytochemistry*, **62**: 247-269.
- Suganyadevi, P., Saranvanakumar, M., Aravinthan, M., Arunkumar, A., Krishna, K.R. and Karthikeyani, S. 2010, Extraction Betacyanin from Red Beet Root (*Beta vulgaris L.*) and evaluate its antioxidant potential, *Journal of Pharmacy Research*, **3(11)**: 2693-2696.
- Swati, D., Manisha, S. and Sonia, S., 2013, Formulation and Evaluation of Natural Lipstick Prepared From *Bixa Orellana* Seeds And *Beta Vulgaris* Root Extract And Their Comparative Study, *International Journal of Phamacy and Pharmaceutical Science*, **5(9)**:501-531.
- Tay, S. 2009, *The Career's Cosmetics*, 6th Edition, Brooks/Cole, Cengage Learning, Boston.
- Tortora, G. J. and Derrickson, B. H. 2009, *Principles of Anatomy and Physiology*, 12th Edition, John Wiley and Sons, Inc, New Jersey.

- Tranggono, R.I., dan Latifah, F. 2007, *Buku Pegangan Ilmu Pengetahuan Kosmetik*, J.Djajadisastra (ed), PT. Gramedia Pustaka Utama, Jakarta, 6.
- Vieira, M.G.A., Silva, M.A.D. and Santos, L.O.D. 2011, Natural – based plasticizers and biopolymer films: A review, *European Polymer Journal*, **47**: 254-263.
- Voigt, R. 2000, *Pharmazeutische*, Birkenwaldstrabe, Stuttgart.
- Washington, N., Washington, C., Wilson, C. 2001, *Physiological Pharmaceutics: Barriers to Drug Absorption*, Taylor and Francis, London.
- Wasitaatmaja, S. M. 1997, *Penuntun Ilmu Kosmetik Medik*, Universitas Indonesia Press, Jakarta.
- Widayanti, A., Sarteka, F. dan Sutyasningsih. 2014, ‘Pengaruh Peningkatan Konsentrasi Cera Alba sebagai Wax terhadap Nilai Viskositas Lipgloss Sari Buah Bit (*Beta vulgaris* L.)’, *Skripsi*, Fakultas Farmasi dan Sains Universitas Muhammadiyah Prof. Dr. Hamka, Jakarta.
- Wilkinson, J. B. and Moore, R. J. 1973, *Harry's Cosmeticology*, 6th Edition, George Godwin, London.
- Winarno, F.G., 2008, *Kimia Pangan dan Gizi*, Penerbit Gramedia Pustaka Utama, Jakarta.
- Wypych, G. 2012, *Handbook of Plasticizers*, 2nd Edition, ChemTec Publishing, Canada.