

BAB 5

SIMPULAN DAN SARAN

5.1. Simpulan

1. Peningkatan konsentrasi ekstrak kering sari tebu (*Saccharum officinarum* L.) (5%, 10%, dan 15%) pada sediaan pelembab mempengaruhi mutu fisik dan efektifitas daya lembab antar formula dan bets.
2. Penambahan ekstrak kering sari tebu (*Saccharum officinarum* L.) pada formula 2 yang mengandung propilen glikol dan konsentrasi ekstrak kering sari tebu 10% telat terbukti dapat menambah peningkatan efektifitas daya lembab dan formula 2 telah memenuhi seluruh spesifikasi uji evaluasi yang dilakukan pada penelitian ini.

5.2. Saran

Pada penelitian selanjutnya, disarankan untuk melakukan pengujian stabilitas terhadap ekstrak kering sari tebu, dan dilakukan optimasi pada formula pelembab *stick* dengan bahan tambahan gliserin sebagai humektan sitentik.

DAFTAR PUSTAKA

- Agoes, G. 2009, *Teknologi bahan alam*, ITB, Bandung.
- Al-Rimawi, F. Yateem, H., and Afaneh, I. 2014, Formulation and evaluation of a moisturizing day cream containing olive oil leaves extract, *International Journal of Development Research*, **4(10)**: 1996-2000.
- Ahmed, M.S., and Gardezi, D.A. 2017, Multivariate analysis in determining morphologically diverse sugarcane genotypes (*Saccharum officinarum* L.) and their flowering response at Arja, Azad Kashmir, *Sarhad Journal of Agriculture*, **33(1)**: 90-102.
- Asif, H.M., Akram, M., Saeed, T., Khan, M.I., Akhtar, N., Rehman, R., Shah, S. M. A., Ahmed, K., and Shaheen, G., 2011, Carbohydrates, *International Research Journal of Biochemistry and Bioinformatics*, **1(1)**: 1-5.
- Ayustaningworo, F. 2014, *Teknologi Pangan Teori Praktis dan Aplikasi*, Graha Ilmu, Yogyakarta.
- Barel, A.O., Paye, M., and Maibach, H.I. 2009, *Handbook of Cosmetic Science and Technology*, 3rd ed, CRC Press, Taylor and Francis Group, New York.
- Bauman, L., Saghari, S., and Weisberg, E. 2009, *Cosmetic Dermatology Principles and Practice*, 2nded, MC Graw Hill Medical, New York.
- Baviskar, P., Jaiswal, S., Sadique, S., and Landged, A. 2013, Formulation and evaluation of lornoxicam suppositories, *The Pharma Innovation Journal*, **2(7)**: 20-28.
- Bolton, S., and Bon, C. 2004, *Pharmaceutical Statistics Pratical and Clinical Applications*, Vol. 135, Marcel Dekker, inc. New York.
- Butler, H. 2000, *Poucher's Perfumes, Cosmetics and soaps*, 10th ed, Kluwer Academic, London.
- Chinnadurai, C. 2017, *Potential health benefits of sugarcane*, Springer International Publishing AG, Tobago.
- Citrashanty, I., dan Prakoeswa, C. R. S. 2012, Kerusakan sawar kulit pada dermatitis atopik, *Berkala Ilmu Kesehatan Kulit dan Kelamin*, **24(1)**: 49-54.

- Clarys, P., and Barel, A.O. 2015, Measurement of skin surface hydration, *Springer International Publishing Switzerland*, **15**(1): 1-5.
- De, S., Dey, Y. N., and Ghosh, A.K., 2010, Phytochemical investigation and chromatographic evaluation of the different extracts of tuber of *Amorphophallus Paeoniifolius* (Araceae), *International Journal on Pharmaceutical and Biomedical Research*, **1**(5): 150-157.
- Departemen Kesehatan Republik Indonesia, 1977, *Materia Medika Indonesia*, Jilid 1, Jakarta. Direktorat Pengawasan Obat dan Makanan.
- Departemen Kesehatan Republik Indonesia, 1995, *Farmakope Indonesia*, Edisi V, Jakarta: Departemen Kesehatan Republik Indonesia.
- Dina, A., Pramono, S., Sugihartini, N., 2017, optimasi komposisi emulgator dalam formulasi krim fraksi etil asetat ekstrak kulit batang nangka (*Artocarpus heterophyllis* Lamk), *Jurnal Ilmu Kefarmasian Indonesia*, **15**(2): 134-139.
- Direktorat Jendral Pengawasan Obat dan Makanan, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Cetakan Pertama, Jakarta: Departemen Kesehatan Republik Indonesia.
- Draelos, Z.D. and Thaman, L.A. 2006, *Cosmetic Formulation of Skin Care Products*, Vol. 30, Taylor dan Francis Group, LLC, New York.
- Fernandes, M.R.V., Azzolini, A.E.C.S., Martinez, M.L.L., Souza, C.R.F., Lucisano-Valim, Y.M., and Oliveria, W.P. 2014, Assesment of Antioxidant Activity of Spray Dried Extracts of *Psidium guajava* Leaves by DPPH and Chemiluminescence Inhibition in Human Neutrophils, *Hindawi Publishing Corporation BioMed Research International*, **24**(1): 1-10.
- Fiume, M.M., and Helderth, B. 2011, *Triethanolamine and triethanolamine-containing ingredients as used in cosmetics*, Cosmetic Ingredient Review, Washington.
- Fiume, M.M., and Heldreth, B. 2013, *Safety assesment of monosaccharides and disaccharides as used in cosmetics*, Cosmetic Ingredient Review, Washington.
- Godshall, M.A., and Legendre, B.L. 2003, SUGAR/Sugarcane, *Journal Elsevier Science*. 5645-5650.
- Hari, K., Jebitta, S.R., and Sivaraman, K. 2013, Production and

- characterization of sugarcane juice powder, *Journal of Sugarcane Research*, **3(1)**: 20-34.
- Hajare, A.G., Choudhary, M.D., and Gupta, N.S. 2013, Plant review: phytochemical constituents and their important characterization of *butea monosperma* (Palash), *International Journal of Application or Innovation in Engineering and Managemet (IJAIE)*. **4(7)**: 1-7.
- Hendradi, E., Chasanah, U., Indriani, T., dan Flonnayuristy, F. 2013, Pengaruh ekstrak dan propilen glikol terhadap karakteristik fisik, kimia, dan spf sediaan krim tipe o/w ekstrak biji kakao (*Theobroma cacao* L.), *PharmaScientia*, **(2)1**: 31-42.
- Indrawanto, C., Purwono, Siswanto, Syakir, M., Munarso, S.J., Pitono, J., dan Rumini, W., 2012, *Budidaya dan Pascapanen Tebu*, Pusat Penelitian dan Pengembangan Perkebunan Badan Penelitian dan Pengembangan Perkebunan, Jakarta.
- Kalangi, S. J. R. 2013, Histofisiologi Kulit, *Jurnal Biomedik (JBM)*, **5(3)**: 12-20.
- Kikuchi, K., and Tagami, H. 2017, *Stratum Corneum Dynamic Hydration Test*, Springer International Publishing, Switzerland.
- Kuspratomo, A.D., Burhan, Fakhry, M. 2012. Pengaruh Varietas Tebu, Potongan dan Penundaan Giling Terhadap Kualitas Nira Tebu, *AGROINTEK*, **6(2)**: 123-132.
- Lambers, H., Piessens, S., Bloem, A., Pronk, H., and Finkel, P. 2006, Natural skin surface pH is on average below 5, which is beneficial for its resident flora, *International Journal of Cosmetic Science*, **28**: 359-370.
- Leyden, J. J. and Rawlings, A.V. 2002, *Skin Moisturization*, Vol. 25, Marcel Decker, inc, New York.
- Loden, M., and Maibach, H.I. 2006, *Dry skin and moisturizers chemistry and function*, 2nded, Taylor and Francis Group, New York.
- Marilati, N., dan Dwiyanti, S. 2013. Pengaruh Sumber AHA Berbahan Dasar Alami dan Presentase Terhadap Hasil Kosmetik Lulur, *e-journal edisi yudisium*, **2(2)**: 9-15.
- Mitsui, T. 1998, *New Cosmetic Science*, 2nd ed, Elsevier Science B.V. Amsterdam.
- Nagalakshmi, R., and Kaur, S. 2017. Formulation and Evaluation of

Medicated Analgesic Sticks, *Indo American Journal of Pharmaceutical Research*, **7(9)**: 471-477.

Nawanopparatsakul, S., Euasathien, J., Eamtawecharum, C., Benjasirimingokol, P., Soiputtan, S., and Pacchamud, P.T. 2013, Skin Irritation Test of Curcuminoids Facial Mask Containin Chitosan as a Binder, *Silpakorn University International Journal*, **7(1-2)**: 140-147.

Nishad, J., Selvan, C.J., Mir, S.A., and Bosco, S.J.D. 2017, Effect of spray drying on physical properties of sugarcane juice powder (*Saccharum officinarum L.*), *Journal of Food Science and Technology*, Springer India, **54(3)**: 687-697.

Ongin'jo, E., and Olweny, C.O., 2011, Determintation of Optimum Harvesting Age for Sugarcane Ratoon Crop at the Kenyan Coast, *Journal of Microbiology and Biotechnology Research*, **1(2)**: 113-118.

Osman, M.E., Yassen, H.H., Deng, J.D., Mustafa, R.O., and Hussein, S.M., 2014, General Phytochemical Screening and Antioxidant Activity of Some Sudanese Medicinal Plants, *Journal of Forest Products and Industries*, **3(6)**: 292-295.

Pandey, D. and Wasule, D. 2017, Evaluation of Sugar Alcohol: Humectant in Skin Care Cosmetic, *European Journal of Pharmaceutical and Medical Research*, **4(2)**: 715-718.

Page, D.S., 1985, *Principles of Biochemistry*, ed.2, Erlangga, Jakarta.

Phisut, N. 2012, Spray Drying Technique of Fruit Juice Powder: Some Factors Influencing the Properties of Product, *International Food Research Journal*, **19(4)**: 1297-1306.

Pimentel, F. B., Alves, R.C., Rodrigues, F., and Oliveria, M. B. P. P., 2017, Macroalgae-Derived Ingredients for Cosmetic Industry An Update, *MDPI*, **5(2)**: 1-18.

Pugunes, S., and Ugandar, E. 2013, Formulation and Evaluation of Natural Palm Oil Based Diclofenac Sodium Suppositories, *International Journal of Pharmaceutical Sciences and Research*, **(4)2**: 617-621.

Raone, B., Ravaioli, G. M., Dika, E., Neri, I., Gurioli, C., and Patrizi A., 2015, The Use of Emollients for Atopic Eczema, *Austin Journal of Allergy*, **2(1)**: 1-11.

- Rieger, M. M. 2000, *Harry's Cosmetiology*, 8th ed., Chemical Publishing Co., Inc, Boston.
- Rowe, R.C., Sheskey, P.J., Quinn, M.E. 2009, *Handbook of Pharmaceutical Excipients*, 6th ed, Pharmaceutical Press, Washington.
- Sayuti, N.A. 2015, Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L.), *Jurnal Kefarmasian Indonesia*, **5(2)**: 74-82.
- Sethi, A., Kaur, T., Malhotra, S.K., Gambhir, M.L., 2016, Moisturizers: The Slippery Road, *Indian Journal of Dermatology*, **61(3)**: 279-287.
- Shahtalebi, M.A., Bahrinajafi, R., and Nahavandi, S. 2014, Preparation and Pharmaceutical Evaluation of Nicotinamide Stick for Eradication od *Staphylococcus epidermidis*, *Journal of Research in Medical Sciences*, **14(9)**: 654-657.
- Singh, A., Lal, U.R., Mukhtar, H.M., Singh, P.S., Shah, G., and Dhawan, R.K. 2015, Phytochemical profile of sugarcane and its potential health aspects, *PHCOG REV, Plant Review*, **(9)17**: 45-54.
- Singh, M., Sharma, S., Khokra, S.L., Sahu, R.K., and Jangde, R. 2011, Preparation and Evaluation of Herbal Cosmetic Cream, *Pharmacologyonline*, **2(1)**: 1258-1264.
- Sirikudta, W., Kulthanan, K., Varothai, S., and Nuchkull, P. 2013, Moisturizers for Patients with Atopic Dermatitis: An Overview, *Journal of Allergy and Therapy*, **4(4)**: 1-6.
- Steenis, V.G.G.J. 2008, *FLORA: untuk sekolah di Indonesia*, Pradnya Paramita, Jakarta.
- Syamsuhidayat, Sugati, S., dan Hutapea, J.R. 1991. *Inventaris Tanaman Obat Indonesia I*, Jakarta, Departemen Kesehatan Republik Indonesia: Badan Penelitian dan Pengembangan Kesehatan.
- Takeiti, C.Y., Kieckbusch, T.G., and Collares-Queiroz, F.P. 2010, Morphologicak and Physicochemical Characterization of Commercial Maltodextrins with Different Degrees of Dextrose-Equivalent, *International Journal of Food Properties*, **13(2)**: 411-425.
- Tranggono, R.I., dan Latifah, R. 2007, *Buku Pegangan Ilmu Pengetahuan Kosmetik*, PT. Gramedia Pustaka Utama, Jakarta.

- Tricaesario, C. dan Widayati, R.I. 2016, Efektivitas Krim Almond Oil 4% Terhadap Tingkat Kelembapan Kulit, *Jurnal Kedokteran Diponegoro*, **5(4)**; 599-610.
- Uchenna, E.F., Adaeze, O.A., and Steve, A.C. 2015, Phytochemical and Antimicrobial Properties of the Aqueous Ethanolic Extract of *Saccharum officinarum* (Sugarcane) Bark, *Journal of Agricultural Science*, **7(10)**: 291-297.
- Yenny, S.W., Hakim, Z., Bramono, K., dan Indriatmi, W. 2008, Perbedaan Skin Capacitance dan Transepidermal Water Loss Pada Kulit Non-Lesi Pasien Pitiriasis Versikolor, *Majalah Kedokteran Andalas*, **2(32)**: 167-173.
- Zhou, M.M., Kimbeng, C.A., Edme, S.J., and Hale, A.L. 2013. Characterization of *Saccharum* Species Germplasm for Starch Content, *Journal of Plant Studies*, **2(1)**: 54-71.