

## **BAB 7**

### **KESIMPULAN DAN SARAN**

#### **7.1. Kesimpulan**

Berdasarkan hasil penelitian yang telah dilakukan dapat disimpulkan :

- a. Balsam cedarwood 10% dan 20 % dapat meningkatkan berat badan tikus yang diberi stresor.
- b. Efektivitas balsam cedarwood 30% dalam meningkatkan berat badan cenderung lebih lemah dari pada cedarwood 10% dan 20%.
- c. Pada pemberian balsam cedarwood 10%,20% dan 30% tidak memiliki perbedaan yang bermakna pada pemberian konsumsi pakan tikus yang diberi stresor.

#### **7.2. Saran**

- a. Melakukan penelitian yang lebih lama agar dapat melihat efek balsam cedarwood dalam jangka waktu panjang
- b. Melakukan penelitian dengan menggunakan sampel yang lebih banyak agar lebih terlihat hasil perbedaan antara variabel.
- c. Melakukan penelitian lebih lanjut terhadap mekanisme balsam cedarwood pada jalur fisiologis tubuh selain induksi GABA.

## DAFTAR PUSTAKA

1. W. A. Newman D. Kamus Saku Kedokteran Dorland. 2015.
2. Guyton AC, Hall JE. fisiologi kedokteran. 2006.
3. Fink G. Stress: Concepts, Cognition, Emotion, and Behavior [Internet]. 2016. Available from:  
<https://linkinghub.elsevier.com/retrieve/pii/C20130128425>
4. WHO. Depression and Other Common Mental Disorders. 2017.
5. RI K. Hasil Utama Riskedas 2018. Kementeri. Kesehat. Badan Penelit. dan Pengemb. Kesehat.2018;
6. Besral B, Widiantini W. Determinan Stres pada Pegawai Kementerian Kesehatan Republik Indonesia. Kesmas Natl Public Heal J 2016;9(3):222.
7. Saputri PA, Masdar H, Darmawi D, Rosdiana D, Chandra F. Depresi, ansietas dan stres serta hubungannya dengan obesitas pada remaja. J Gizi Klin Indones 2017;12(4):138.
8. Rabasa C, Dickson SL. Impact of stress on metabolism and energy balance. Curr Opin Behav Sci [Internet] 2016;9:71–7. Available from:  
<http://dx.doi.org/10.1016/j.cobeha.2016.01.011>
9. Ali B, Al-Wabel NA, Shams S, Ahamad A, Khan SA, Anwar F. Essential oils used in aromatherapy: A systemic review. Asian Pac J Trop Biomed [Internet] 2015;5(8):601–11. Available from:  
<http://dx.doi.org/10.1016/j.apjtb.2015.05.007>
10. Wilkinson SM, Love SB, Westcombe AM, Gambles MA, Burgess CC, Cargill A, et al. Effectiveness of aromatherapy massage in the management of anxiety and depression in patients with cancer: A multicenter randomized controlled trial. J Clin Oncol 2007;25(5):532–9.
11. E. F. The Use of Essential Oils as a Complementary Treatment for Anxiety. Am J Nurs Sci 2017;4(2):1.
12. Saab AM, Gambari R, Sacchetti G, Guerrini A, Lampronti I, Tacchini M, et al. Phytochemical and pharmacological properties of essential oils from Cedrus species. Nat Prod Res [Internet] 2018;32(12):1415–27. Available from: <http://doi.org/10.1080/14786419.2017.1346648>
13. Worwood VA. The complete book of essential oils and aromatherapy : over

- 800 natural, nontoxic, and fragrant recipes to create health, beauty, and safe home and work environments [Internet]. 2016;683. Available from: <http://www.worldcat.org/title/complete-book-of-essential-oils-and-aromatherapy-revised-and-expanded/oclc/961309519>
14. Farjon A, Farjon A. The conifers of the world, an introduction. In: A Handbook of the World's Conifers (2 vols.). 2017.
  15. Rusk J. Encyclopedia of Life [Internet]. [cited 2019 Apr 29];Available from: <https://eol.org/pages/1033602/media>
  16. Uehara A, Tommis B, Belhassen E, Satrani B, Ghanmi M, Baldovini N. Odor-active constituents of *Cedrus atlantica* wood essential oil. *Phytochemistry* [Internet] 2017;144:208–15. Available from: <https://doi.org/10.1016/j.phytochem.2017.09.017>
  17. Brunetti M, De Capua EL, Macchioni N, Monachello S. Natural durability, physical and mechanical properties of Atlas cedar ( *Cedrus atlantica* Manetti) wood from Southern Italy . *Ann For Sci* 2003;58(6):607–13.
  18. Aberchane M, Fechtal M. Analysis of Moroccan Atlas Cedarwood Oil ( *Cedrus atlantica* Manetti ). 2004;16(August 2002):542–7.
  19. Zhang Y, Wang JW, Qu FZ, Zhang YM, Su GY, Zhao YQ. Hair growth promotion effect of cedrol cream and its dermatopharmacokinetics. *RSC Adv* 2018;8(73):42170–8.
  20. Zrira S, Ghanmi M. Chemical Composition and Antibacterial Activity of the Essential of *Cedrus atlantica* (Cedarwood oil). *J Essent Oil-Bearing Plants* 2016;19(5):1267–72.
  21. Rhind J. Essential oils : a handbook for aromatherapy practice 2nd ed. 2012.
  22. Derwich E, Benziane Z, Boukir A. Chemical composition and in vitro antibacterial activity of the essential oil of *Cedrus atlantica*. *Int J Agric Biol* 2010;12(3):381–5.
  23. Tisserand R. Essential Oil Safety Biography. 2nd ed. 2014.
  24. Rhafouri R, Strani B, Zair T, Ghanmi M, Aafi A, El Omari M, et al. Chemical composition, antibacterial and antifungal activities of the *Cedrus atlantica* (Endl.) Manettiex Carrière seeds essential oil. *Mediterr J Chem*

- 2014;3(5):1027–36.
25. Nunes D, Linck V, Da Silva A, Figueiro M, Elisabetsky E. Psychopharmacology of Essential Oils. 2010.
  26. Zoubi YEZ, El-akhal F, Farah A, Taghzouti K, El A, Lalami O. Chemical composition and larvicidal activity of Moroccan Atlas Cedar ( *Cedrus atlantica* Manetti ) against *Culex pipiens* ( Diptera : Culicidae ) ARTICLE INFO Chemical composition and larvicidal activity of Moroccan Atlas Cedar ( *Cedrus atlantica* Manetti ) . (August 2017).
  27. Kagawa D, Jokura H, Ochiai R, Tokimitsu I, Tsubone H. The sedative effects and mechanism of action of cedrol inhalation with behavioral pharmacological evaluation. *Planta Med* 2003;69(7):637–41.
  28. Zamyad M, Abasnejad M, Esmaeili-Mahani S, Mostafavi A. Alpha-Pinene as the Main Component of *Ducrosia anethifolia* (Boiss) Essential Oil is Responsible for its Effect on Locomotor Activity in Rats. *Avicenna J Neuro Psych Physiol* 2016;3(2).
  29. Chaudhary A, Das P, Mishra A, Kaur P, Singh B, Goel RK. Naturally occurring himachalenes to benzocycloheptene amino vinyl bromide derivatives: As antidepressant molecules. *Mol Divers* 2012;16(2):357–66.
  30. Clarke S. Essential Chemistry for Aromatherapy. 2008.
  31. Sherwood L. Introduction to Human Physiology. 8th ed. 2013.
  32. Ghatei MA, Frost GS, Wren AM, Bloom SR, Seal LJ, Dhillon WS, et al. Ghrelin Enhances Appetite and Increases Food Intake in Humans. *J Clin Endocrinol Metab* 2014;86(12):5992–5992.
  33. Anuurad E, Shiwaku K, Nogi A, Kitajima K, Enkhmaa B, Shimono K, et al. The New BMI Criteria for Asians by the Regional Office for the Western Pacific Region of WHO are Suitable for Screening of Overweight to Prevent Metabolic Syndrome in Elder Japanese Workers. *J Occup Health* 2003;45(6):335–43.
  34. Chao AM, Jastreboff AM, White MA, Grilo CM, Sinha R. Stress, cortisol, and other appetite-related hormones: Prospective prediction of 6-month changes in food cravings and weight. *Obesity* 2017;25(4):713–20.
  35. Pijls L, Sjödin A, Astrup A, Hjorth MF, Geiker NRW, Markus CR. Does

- stress influence sleep patterns, food intake, weight gain, abdominal obesity and weight loss interventions and vice versa? *Obes Rev* 2017;19(1):81–97.
- 36. Craske MG, Rauch SL, Ursano R, Prenoveau J, Pine DS, Zinbarg RE. What is an anxiety disorder? *Depress Anxiety* 2009;26(12):1066–85.
  - 37. Hannibal KE, Bishop MD. Chronic Stress, Cortisol Dysfunction, and Pain: A Psychoneuroendocrine Rationale for Stress Management in Pain Rehabilitation. *Phys Ther* 2014;94(12):1816–25.
  - 38. Price L, Price S. Aromatherapy for Health Professionals. Churchill Livingstone; 2006.
  - 39. I. A, L. C, J. A. Sex Differences and the Role of Sex Steroids in Sympathoadrenal Medullary System and Hypothalamo-Pituitary Adrenal Axis Responses to Stress. *Sex Steroids* 2012;
  - 40. Sheth C, McGlade E, Yurgelun-Todd D. Chronic Stress in Adolescents and Its Neurobiological and Psychopathological Consequences: An RDoC Perspective. *Chronic Stress* (Thousand Oaks, Calif) [Internet] 2017;1. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/29527590> <http://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC5841253>
  - 41. Bernier NJ, Bedard N, Peter RE. Effects of cortisol on food intake, growth, and forebrain neuropeptide Y and corticotropin-releasing factor gene expression in goldfish. *Gen Comp Endocrinol* 2004;135(2):230–40.
  - 42. Sharp P, Villano J. The laboratory rat, second edition. 2012.
  - 43. Fauziah KR. PROFIL TEKANAN DARAH NORMAL TIKUS PUTIH ( *Rattus norvegicus* ) GALUR WISTAR DAN SPRAGUE-DAWLEY. 2016;1–27.
  - 44. Yankelevitch-Yahav R, Franko M, Huly A, Doron R. The Forced Swim Test as a Model of Depressive-like Behavior. *J Vis Exp* 2015;(97):1–7.
  - 45. Belovicova K, Bogi E, Csatlosova K, Dubovicky M. Animal tests for anxiety-like and depression-like behavior in rats. 2017;10(1):40–3.
  - 46. Can A, Dao DT, Arad M, Terrillion CE, Piantadosi SC, Gould TD. The Mouse Forced Swim Test. 2012;(January):4–8.
  - 47. Vinicius R, Contarteze L, De Barros Manchado F, Gobatto CA, Rostom De

- Mello MA. Biomarkers of stress in rats exercised in swimming at intensities equal and superior to the maximal estable lactate phase. Rev Bras Med Esporte [Internet] 2007;13:150–4. Available from: [http://www.scielo.br/pdf/rbme/v13n3/en\\_v13n3a08.pdf](http://www.scielo.br/pdf/rbme/v13n3/en_v13n3a08.pdf)
48. Webster I, Toit EF Du, Huisamen B. The effects of long term swim training on physiological stress levels in the rat. Med Technol South Africa 2010;24(2):37–40.
49. NRC. Guide for the Care and Use of Laboratory Animals: Eight Edition. 2011.
50. Surianarayanan R, Venkanna Babu U, Parmesh R, Udyavara Badya R. Herbal Balm Composition and Methods of Preparation Thereof. World Intellect Prop Organ Int Bur 2010;
51. LONG CC, FINLAY AY. The finger-tip unit—a new practical measure. Clin Exp Dermatol 1991;16(6):444–7.
52. Habif TP. Clinical Dermatology A Color Guide to Diagnosis and Therapy- Saunders. 6th ed. Elsevier; 2015.
53. Paget GE, Barnes JM. Evaluation of drug activities and pharmacometric. In: Toxicity test. 1964.
54. Siegel PS, Stuckey HL. The diurnal course of water and food intake in the normal mature rat 1. 1947;i:365–70.
55. Hoebel HG, Teitelbaum P. WEIGHT REGULATION IN NORMAL AND HYPOTHALAMIC HYPERPHAGIC RATS 1 Obesity Induced with Insulin. 1966;61(2):189–93.
56. Phipps H, Clinic P, Hospital JH. NUTRITIONAL REQUIREMENTS FOR NORMAL GROWTH REPRODUCTION IN RATS STUDIED SELF- SELECTION METHOD. 1938;4(1918):734–44.
57. Suckow M, Weisbroth S, Franklin C. The Laboratory Rat. 2006.
58. Arnolda GW, Boundy CAP. The Influence of Odour and Taste on the Food Preferences and Food Intake of Sheep. 1980;(Arnold 1966).
59. Lefebvre S. Influence of Ambient Scent Temperature on Food Consumption Behavior The Influence of Ambient Scent Temperature on Food Consumption Behavior. 2019;(April).

60. Vargas ML, Abella C, Hernandez J. Diazepam increases the hypothalamic-pituitary-adrenocortical ( HPA ) axis activity by a cyclic AMP-dependent mechanism. 2001;1355–61.
61. Marin MT, Cruz FC, Planeta CS. Chronic restraint or variable stresses differently affect the behavior , corticosterone secretion and body weight in rats. 2007;90:29–35.
62. Jeong JY, Lee DH, Kang SS. Original Article Effects of Chronic Restraint Stress on Body Weight , Food Intake , and Hypothalamic Gene Expressions in Mice. 2013;288–96.