

## **BAB 5**

### **KESIMPULAN DAN SARAN**

#### **5.1      Kesimpulan**

1. Perbedaan dalam metode sterilisasi permukaan seperti perbedaan kombinasi agen sterilisasi serta lama perendaman dapat mempengaruhi jumlah fungi endofit yang didapatkan dari tanaman Tapak dara (*Catharanthus roseus*). Kombinasi pelarut etanol 75% dan sodium hipoklorit 4% dengan lama perendaman masing-masing 1 dan 5 menit pada bagian daun tanaman Tapak dara (*Catharanthus roseus*) dapat menghasilkan jumlah fungi endofit paling banyak yaitu sebanyak 8 jenis fungi endofit.
2. Hasil isolasi dari bagian tanaman yang berbeda bisa menghasilkan fungi endofit yang sama namun juga bisa berbeda. Fungi endofit *Alternaria alternata* dapat ditemukan hampir di setiap bagian Tapak dara (*Catharanthus roseus*). Daun merupakan bagian penghasil fungi endofit yang paling banyak dan beragam.

#### **5.2      Saran**

Pada penelitian selanjutnya dapat dilakukan studi literatur mengenai pengaruh metode isolasi selain menggunakan teknik sterilisasi permukaan terhadap isolate fungi endofit dari tanaman tapak dara (*Catharanthus roseus*).

## DAFTAR PUSTAKA

- Abdalla, A. A. A., El-Baz, A. F., and Abbas, H. M. 2017, Isolation and identification of an endophytic fungus from *Ficus elastica decora* and investigation of the antioxidant and antifungal bioactivities of its fermentation extract, *Menoufia Journal of Agricultural Biotechnology*, **2(4)**: 81-85.
- Abed-Ashtiani, F., Narmani, A., and Arzanlou, M. 2018, Macrohomina phaseolina associated with grapevine decline in Iran, *Phytopathologia Mediterranea*, **57(1)**: 107-111.
- Agusta, A. 2009, *Biologi dan Kimia Jamur Endofit*, ITB, Bandung.
- An, C., Ma, S., Shi, X., Xue, W., Liu, C., and Ding, H. 2020, Isolation, diversity, and antimicrobial activity of fungal endophytes from *Rohdea chinensis* (Baker) N. Tanaka (synonym *Tupistra chinensis* Baker) of Qinling Mountains, *PeerJ*, **8**: e9342.
- Anjum, N., and Chandra, R. 2015, Endophytic bacteria optimization of isolation procedure from various medicinal plants and their preliminary characterization, *Asian Journal of Pharmaceutical and Clinical Research*, **8(4)**: 223-238.
- Arnold, A.E. and Herre A. E. 2003, Canopy cover and leaf age affect colonization by tropical fungal endophytes: Ecological pattern and process in *Theobroma cacao* (Malvaceae), *Mycologia* **95**: 388-398.
- Ayob, F. W., and Simarani, K. 2016, Endophytic filamentous fungi from a *Catharanthus roseus*: Identification and its hydrolytic enzymes, *Saudi Pharmaceutical Journal*, **24(3)**: 273-278.
- Ayob, F. W., Mohamad, J., and Simarani, K. 2019, Antioxidants and phytochemical analysis of endophytic fungi isolated from a medicinal plant *Catharanthus roseus*, *Borneo Journal of Sciences and Technology*, **1(2)**: 62-68.
- Bacon, C. W., and White, J. F. 2000, *Microbial Endophytes*, Marcel Dekker Inc., New York.
- Barrales-Cureño, H. J., Reyes, C. R., García, I. V., Valdez, L. G. L., De Jesús, A. G., Ruiz, J. A. C., Herrera, L. M. S., Caballero, M. C. C., Magallon, J. A. S., Perez, J. E. and Montoya, J. M. 2019, ‘Alkaloids of pharmacological importance in *Catharanthus roseus*’, in Kurek,J.,

*Alkaloids-Their Importance in Nature and Human Life*, IntechOpen, London, pp 9-26.

- Berdy, J. 2012, Thoughts and facts about antibiotics: where we are now and where we are heading, *Journal of Antibiotics*, **65**: 385–395.
- Bhagat, J., Kaur, A., Kaur, R., Yadav, A. K., Sharma, V., and Chadha, B. S. 2016, Cholinesterase inhibitor (*Altenuene*) from an endophytic fungus *Alternaria alternata*: optimization, purification and characterization, *Journal of Applied Microbiology*, **121**(4): 1015-1025.
- Das, S., Dutta, S., Chattopadhyay, A., and Mandal, B. 2017, First report of *Choanephora infundibulifera* causing blossom blight of teasle gourd in India, *Indian Phytopathology*, **70**(2): 265-267.
- De Barry,A. 1866, Morphologie und Physiologie der Pilze, Flechten und Myxomyceten, *Hofmeister's Handbook of Physiological Botany*, Vol.2, Leipzig.
- Dhayanithy, G., Subban, K., and Chelliah, J. 2019, Diversity and biological activities of endophytic fungi associated with *Catharanthus roseus*, *BMC Microbiology*, **19**(1): 22.
- Ding, Z., Tao, T., Wang, L., Zhao, Y., Huang, H., Zhang, D., Liu, M., Wang, Z., and Han, J. 2019, Bioprospecting of novel and bioactive metabolites from endophytic fungi isolated from rubber tree *Ficus elastica* leaves. *Journal of Microbiology and Biotechnology*, **29**(5): 731-738.
- Elfita, E., Muhamni, M., Munawar, M., and Aryani, S. 2012, Secondary metabolite from endophytic fungi *Aspergillus niger* of the stem bark of Kandis gajah (*Garcinia griffithii*), *Indonesian Journal of Chemistry*, **12**(2): 195-200.
- Fathoni, R., Radiastuti, N., dan Wijayanti, F. 2017, Identifikasi jenis cendawan pada kelelawar (*Ordo Chiroptera*) di Kota Tangerang Selatan, *Jurnal Mikologi Indonesia*, **1**(1): 28-37.
- Firakova, S., Sturdikova M., and Muckova, M. 2007, Bioactive secondary metabolites produced by microorganisms associated with plants, *Biologia*, **62**: 251-257.
- Frampton, G. K., Livoreil, B., and Petrokofsky, G. 2017, Eligibility screening in evidence synthesis of environmental management topics, *Environmental Evidence*, **6**(1): 1-13.

- Gandjar, I. 2006, *Mikologi dasar dan terapan*, Yayasan Obor Indonesia, Jakarta, **1**:44-46.
- Garrard, J. 2011, *Health Sciences Literature Review Made Easy, The Matrix Method*, 6<sup>th</sup> ed, Jones and Bartlett Learning, Burlington.
- Gouda, S., Das, G., Sen, S. K., Shin, H. S., and Patra, J. K. 2016, Endophytes: a treasure house of bioactive compounds of medicinal importance, *Frontiers in microbiology*, **7**: 1538.
- Güçlü, Ö., Büyükkaya, H., and Şahiner, A. 2010, Mycoflora identified from loggerhead turtle (*Caretta caretta*) egg shells and nest sand at Fethiye beach, Turkey, *African Journal of Microbiology Research*, **4(5)**: 408-413.
- Gunaratna, L. N. R., Deshappriya, N., Jayaratne, D. L., and Rajapaksha, R. G. S. A. S. 2019, Damping-off disease of big onion (*Allium cepa L.*) in Sri Lanka and evaluation of *Trichoderma asperellum* and *Trichoderma virens* for its control, *The Journal of the Society for Tropical Plant Research*, **6(2)**: 275–292.
- Guo-yin, T., Zhi-ling, Y., Zhi-lin, Y., and Shou-an, Z. 2013, Morphological, molecular and pathogenic characterization of *Alternaria longipes*, the fungal pathogen causing leaf spot on *Atractylodes macrocephala*, *African Journal of Microbiology Research*, **7(21)**: 2589-2595.
- Hallmann, J., Quadt-Hallmann, A., Mahaffee, W.F., and Kloepfer, J.W. 1997, Bacterial endophytes in agricultural crops, *Canadian Journal of Microbiology*, **43**: 895–914.
- Handayani, D. 2011, ‘Potensi *Aspergillus* dan *Penicillium* asal serasah dipterocarp sebagai endosimbion akar pelarut fosfat’, *Tesis*, Institut Pertanian Bogor, Bogor.
- Hao, Y., Aluthmuhandiram, J. V., Chethana, K. T., Manawasinghe, I. S., Li, X., Liu, M., ... and Zhang, W. 2020, Nigrospora species associated with various hosts from Shandong Peninsula, China, *Mycobiology*, **48(3)**: 169-183.
- Heijden, R. v. d., Jacobs, D. I., Snoeijer, W., Hallard, D., and Verpoorte, R. 2004, The *Catharanthus* alkaloids: pharmacognosy and biotechnology, *Current Medicinal Chemistry*, **11(5)**: 07-628.
- Hemmati, N., Azizi, M., Spina, R., Dupire, F., Arouei, H., Saeedi, M., and Laurain-Mattar, D. 2020, Accumulation of *ajmalicine* and *vinblastine*

- in cell cultures is enhanced by endophytic fungi of *Catharanthus roseus* cv. Icy Pink, *Industrial Crops and Products*, **158**: 112776.
- Huang, W. Y., Cai, Y. Z., Xing, J., Corke, H., and Sun, M. 2007, A potential antioxidant resource: endophytic fungi from medicinal plants. *Economic Botany*, **61**(1): 14.
- Ibrahim, S. R. M., Mohamed, G. A., Al Haidari, R. A., El-Kholy, A. A., and Zayed, M. F. 2018, Potential anti-malarial agents from endophytic fungi: A review, *Mini Reviews in Medicinal Chemistry*, **18**(13): 1110-1132.
- Integrated Taxonomic Information System (ITIS). 2011. *Catharanthus roseus* (L.) G. Don. Diakses pada 10 November 2020, [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=30168#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=30168#null).
- Janakiraman, V., and Govindarajan, K. 2018, Cytotoxic potential of the crude solvent extract of *Botryodiplodia theobromae* an endophytic fungi isolated from *Catharanthus roseus*, *International Journal of Pharmaceutical Research*, **10**(1): 45.
- Jasmine, D. J., and Agastian, P. 2013, In vitro antioxidant activity and in vivo alpha glucosidase activity of endophytic actinomycetes isolated from *Catharanthus roseus* (l.) G. Don. *Journal of Pharmacy Research*, **6**(6): 674-678.
- Kang, S. N., Kim, K. J., Park, J. H., Kim, K. T., and Lee, O. H. 2013, Effect of antimicrobial activity of sodium hypochlorite and organic acids on various foodborne pathogens in Korean ginseng root. *African Journal of Microbiology Research*, **7**(22): 2724-2729.
- Khan, K. S., Kunz, R., Kleijnen, J., and Antes, G. 2003, Five steps to conducting a systematic review, *Journal of the Royal Society of Medicine*, **96**(3): 118–121.
- Khan, R., Naqvi, S. T. Q., Fatima, N., and Muhammad, S. A. 2019, 30. Study of antidiabetic activities of endophytic fungi isolated from plants, *Pure and Applied Biology*, **8**(2): 1287-1295.
- Kumala, S. 2014, *Mikroba Endofit, Pemanfaatan Mikroba Endofit dalam Bidang Farmasi*, ISFI Penerbitan, Jakarta.

- Kunta, M., Salas, B., Gonzales, M., and da Graça, J. V. 2015, First report of citrus dry root rot caused by *Fusarium solani* on sour orange rootstock in Texas, *Journal Citrus Pathology*, **2**: 1-5.
- Lou, J., Yu, R., Wang, X., Mao, Z., Fu, L., Liu, Y., and Zhou, L. 2016, Alternariol 9-methyl ether from the endophytic fungus *Alternaria* sp. Samif01 and its bioactivities, *Brazilian Journal of Microbiology*, **47(1)**: 96-101.
- Maciel, C. G., Muniz, M. F. B., Mezzomo, R., and Reiniger, L. R. S. 2015, *Lasiodiplodia theobromae* associated with seeds of *Pinus* spp. originated from the northwest of Rio Grande do Sul, Brazil, *Scientia Forestalis*, **43(107)**: 639-646.
- Mishra, J. N., and Verma, N. K. 2017, A brief study on *Catharanthus roseus*: a review, *International Journal of Research in Pharmacy and Pharmaceutical Sciences*, **2(2)**: 20-23.
- Momsia, P., and Momsia, T. 2013, Isolation, frequency distribution and diversity of novel fungal endophytes inhabiting leaves of *Catharanthus roseus*. *International Journal of Life Sciences Biotechnology and Pharma Research*, **2**: 82-87.
- Nisar, A., Mamat, A. S., Hatim, M. I., Aslam, M. S., and Ahmad, M. S. 2016, An updated review on *Catharanthus roseus*: phytochemical and pharmacological analysis, *Indian Research Journal of Pharmacy and Science*, **3(2)**: 631-53.
- Özçelik, B., Kartal, M. and Orhan, I., 2011. Cytotoxicity, antiviral and antimicrobial activities of alkaloids, flavonoids, and phenolic acids, *Pharmaceutical Biology*, **49(4)**: 396-402.
- Palem, P. P., Kuriakose, G. C., and Jayabaskaran, C. 2015, An endophytic fungus, *Talaromyces radicus*, isolated from *Catharanthus roseus*, produces vincristine and vinblastine, which induce apoptotic cell death, *PloS One*, **10(12)**: e0144476.
- Pan, X., Qin, Y., and Yuan, Z. 2018, Potential of a halophyte-associated endophytic fungus for sustaining Chinese white poplar growth under salinity, *Symbiosis*, **76(2)**: 109-116.
- Pandey, S. S., Singh, S., Babu, C. V., Shanker, K., Srivastava, N. K., Shukla, A. K., and Kalra, A. 2016, Fungal endophytes of *Catharanthus roseus* enhance vindoline content by modulating structural and regulatory

- genes related to terpenoid indole alkaloid biosynthesis, *Scientific reports*, **6(1)**: 1-14.
- Pare, G. and Kitsiou, S. 2017, 'Methods for Literature Reviews', in Lau, F. and Kuziemsky, C., *Handbook of eHealth Evaluation: An Evidence-based Approach*, Victoria (BC), University of Victoria, pp 157-180.
- Petrini, O. 1991, 'Fungal endophytes of tree leaves', in Andrews, J. H. and Hirano, S. S., *Microbial Ecology of Leaves*, Springer-Verlag, New York, pp 179–197.
- Poursafar, A., Ghosta, Y., and Javan-Nikkhah, M. 2018,. An emended description of *Stemphylium amaranthi* with its first record for Iran mycobiota, *Phytotaxa*, **371(2)**: 93-101.
- Prajapati, N., Ojha, P., and Karki, T. B. 2015, Antifungal property of essential oil extracted from *Zanthoxylum armatum* (Timur), *Journal of Nutritional Health and Food Engineering*, **3(1)**: 96-100.
- Qi, Y. X., Pu, J. J., Zhang, X., Zhang, H., Lu, Y., Yu, Q. F., ... and Xie, Y. X. 2013, First report of dieback of mango caused by *Fusarium decemcellulare* in China, *Journal of Phytopathology*, **161(10)**: 735-738.
- Qu, Y., Safonova, O., and De Luca, V. 2019, Completion of the canonical pathway for assembly of anticancer drugs *vincristine/vinblastine* in *Catharanthus roseus*, *The Plant Journal*, **97(2)**: 257-266.
- Ramdhani, A., Ramdhani, M. A., and Amin, A. S. 2014, Writing a literature review research paper: A step-by-step approach, *International Journal of Basic and Applied Science*, **3(1)**: 47-56.
- Rangkuti, E. E., Wiyono, S., dan Widodo, W. 2017, Identifikasi *Colletotrichum* spp. Asal Tanaman Pepaya, *Jurnal Fitopatologi Indonesia*, **13(5)**: 175-175.
- Ravuri, M., and Shivakumar, S. 2020, Bioprospecting medicinal plants for the isolation and screening of lovastatin producing endophytic fungi, *Indian Journal of Natural Products and Resources [Formerly Natural Product Radiance]*, **11(1)**: 46-51.
- Rodriguez, R. J., White Jr, J. F., Arnold, A. E., and Redman, A. R. A. 2009, Fungal endophytes: diversity and functional roles, *New phytologist*, **182(2)**: 314-330.

- Samson, R. A., Noonim, P., Meijer, M., Houbraken, J. A. M. P., Frisvad, J. C., and Varga, J. 2007, Diagnostic tools to identify black *Aspergilli*, *Studies in Mycology*, **59**: 129-145.
- Sarwono, J., 2006. *Metode penelitian kuantitatif dan kualitatif*, Graha Ilmu, Jakarta.
- Selim, K. A., El-Beih, A. A., Abd El-Rahman, T. M., and El-Diwany, A. I. 2012, Biology of endophytic fungi, *Current Research in Environmental and Applied Mycology*, **2(1)**: 31–82.
- Shentu, X., Zhan, X., Ma, Z., Yu, X., and Zhang, C. 2014, Antifungal activity of metabolites of the endophytic fungus *Trichoderma brevicompactum* from garlic, *Brazilian Journal of Microbiology*, **45(1)**: 248-254.
- Singh, S., Pandey, S. S., Shanker, K., and Kalra, A. 2020, Endophytes enhance the production of root alkaloids ajmalicine and serpentine by modulating the terpenoid indole alkaloid pathway in *Catharanthus roseus* roots, *Journal of Applied Microbiology*, **128(4)**: 1128-1142.
- Strobel G, and Daisy B. 2003, Bioprospecting for microbial endophytes and their natural products, *Microbiology and Molecular Biology Reviews*, **67**: 491–502.
- Strobel G. 2003, Endophytes as sources of bioactive products, *Microbes and Infection*, **5**: 535–544.
- Sudharshana, T. N., Venkatesh, H. N., Nayana, B., Manjunath, K., and Mohana, D. C. 2019, Anti-microbial and anti-mycotoxicogenic activities of endophytic *Alternaria alternata* isolated from *Catharanthus roseus* (L.) G. Don.: molecular characterisation and bioactive compound isolation, *Mycology*, **10(1)**: 40-48.
- Sudirga, S. K. 2016, Isolasi dan identifikasi jamur *Colletotrichum* spp. isolat PCS penyebab penyakit antraknosa pada buah cabai besar (*Capsicum annuum* L.) di Bali, *Metamorfosa: Journal of Biological Sciences*, **3(1)**: 23-30.
- Sun, T., & Hsieh, F. 2015, First record of *Eutypella* sp. as a mycoparasite on *Fusarium oxysporum* f. sp. *cubense*, *Plant Protection Bulletinm Taiwan*, **57**: 25-30.

- Susatyo, J. H. 2016, Perbedaan pengaruh pengolesan dan perendaman alkohol 70% terhadap penurunan angka hitung kuman pada alat kedokteran gigi. *Jurnal Vokasi Kesehatan*, **2(2)**: 160-164.
- Tan, R.X., and W.X. Zou. 2001, Endophytes: a rich source of functional metabolites, *Natural Product Reports*, **18**: 448-459.
- Than, P. P., Jeewon, R., Hyde, K. D., Pongsupasamit, S., Mongkolporn, O., and Taylor, P. W. J. 2008, Characterization and pathogenicity of *Colletotrichum* species associated with anthracnose on chilli (*Capsicum* spp.) in Thailand, *Plant Pathology*, **57(3)**: 562-572.
- Tiong, S. H., Looi, C. Y., Hazni, H., Arya, A., Paydar, M., Wong, W. F., Cheah, S. C., Mustafa, M. R. and Awang, K. 2013, Antidiabetic and antioxidant properties of alkaloids from *Catharanthus roseus* (L.) G. Don, *Molecules*, **18(8)**: 9770-9784.
- Tolambiya, P., and Mathur, S. 2016, A study on potential phytopharmaceuticals assets in *Catharanthus roseus* L. (Alba), *International Journal of Life Sciences Biotechnology and Pharma Research*, **5(1)**: 1-6.
- Tolulope, R. A., Adeyemi, A. I., Erute, M. A., and Abiodun, T. S. 2015, Isolation and screening of endophytic fungi from three plants used in traditional medicine in Nigeria for antimicrobial activity, *International Journal of Green Pharmacy (IJGP)*, **9(1)**:58-62.
- University of Alabama Libraries, 2019, How to conduct a literature review: types of literature reviews. Diakses pada 19 Januari 2021, <https://guides.lib.ua.edu/c.php?g=39963&p=253698>.
- Utami, S. P., Mulyawati, E., dan Soebandi, D. H. 2016, Perbandingan daya antibakteri disinfektan instrumen preparasi saluran akar natrium hipoklorit 5, 25%, glutaraldehid 2%, dan disinfektan berbahan dasar glutaraldehid terhadap *Bacillus Subtilis*, *Jurnal Kedokteran Gigi*, **7(2)**: 151-156.
- Vasundhara, M., Reddy, M. S., and Kumar, A. 2019, ‘Secondary metabolites from endophytic fungi and their biological activities’, In *New and Future Developments in Microbial Biotechnology and Bioengineering*, Elsevier: Amsterdam,The Nertherlands, pp. 237-258.
- Verma, A. K., and Singh, R. R. 2010, Induced dwarf mutant in *Catharanthus roseus* with enhanced antibacterial activity, *Indian Journal of Pharmaceutical Sciences*, **72(5)**: 655.

- Wang, K. Shiwei, W. Bin, W. and Jiguang, W. 2014, Bioactive natural compounds from the mangrove endophytic fungi, *Medicinal Chemistry*, **14**: 370-391.
- Wati, M. S., Hadiwiyono and Yunus, A., 2019, Antagonism of endophytic fungi isolates *Artemisia annua* towards *Rhizoctonia solani*, Causal Agent Of Rice Sheath Blight, *International Journal of Innovations in Engineering and Technology*, **14(1)**: 75-79.
- Wee, J. I., Park, J. H., Back, C. G., You, Y. H., and Chang, T. 2016, First report of leaf spot caused by *Alternaria tenuissima* on black chokeberry (*Aronia melanocarpa*) in Korea, *Mycobiology*, **44(3)**: 187-190.
- Weir, B. S., Johnston, P. R., and Damm, U. 2012, The *Colletotrichum gloeosporioides* species complex, *Studies in Mycology*, **73**: 115-180.
- Wilson, D. 1995, Endophyte: the evolution of a term, and clarification of its use and definition. *Oikos*, **73**: 274–276.
- Yoo, J. H. 2018, Review of disinfection and sterilization—back to the basics, *Infection and Chemotherapy*, **50(2)**: 101.
- Zhai, X., Luo, D., Li, X., Han, T., Jia, M., Kong, Z., Ji, J., Rahman, K., Qin, L. and Zheng, C. 2018, Endophyte *Chaetomium globosum* D38 promotes bioactive constituents accumulation and root production in *Salvia miltiorrhiza*, *Frontiers in Microbiology*, **8**: 2694.
- Zhang, H. W., Song, Y. C., and Tan, R. X. 2006, Biology and chemistry of endophytes, *Natural Product Reports*, **23(5)**: 753-771.
- Zulkarnain, H. 2009, *Kultur Jaringan Solusi Perbanyak Tanaman Budidaya*, Bumi Aksara, Jakarta.