

BAB 5

KESIMPULAN DAN SARAN

5.1 Kesimpulan

Pemberian terapi kombinasi tocilizumab (setiap 4 minggu 8 mg/kg) iv dan metotreksat (setiap minggu 7,5 mg-30 mg) po dapat menurunkan peradangan, perbaikan dalam fungsi fisik, tingkat remisi yang sedikit lebih baik dan perkembangan kerusakan sendi yang lebih rendah sehingga dapat meningkatkan kualitas hidup pasien. Hal ini dapat dinilai dari aspek-aspek kualitas hidup yaitu meliputi aspek mobilitas atau energi, perawatan diri, suasana hati atau emosional dan kontak fisik.

5.2 Saran

1. Terdapat kekurangan dan keterbatasan pada hasil penelitian yang dilakukan sehingga disarankan perlu dilakukan penelitian lebih lanjut mengenai pengaruh penggunaan terapi kombinasi tocilizumab dan metotreksat terhadap kualitas hidup pada pasien *rheumatoid arthritis* yang pada penelitiannya menggunakan instrumen RAQoL, *Short Form-12*, *Short Form-36* dan *Health Assessment questionnaire* agar dapat lebih maksimal dalam mengamati perbaikan kualitas hidup pasien *rheumatoid arthritis*.
2. Perlu dilaksanakan kajian literatur dengan memperluas *database* yang digunakan sehingga artikel ilmiah yang digunakan untuk mengkaji pengaruh penggunaan terapi kombinasi tocilizumab dan metotreksat terhadap kualitas hidup pasien *rheumatoid arthritis* dapat semakin banyak dan dapat melakukan kajian secara lebih luas dan mendalam.

DAFTAR PUSTAKA

- Arthritis Foundation. Arthritis Foundation Scientific Strategy 2015-2020 [internet]. Atlanta: Arthritis Foundation; 2015 [disitasi tanggal 5 November 2018]. Tersedia dari <http://www.arthritis.org/Documents/arthritiscoundationscientific-strategy.pdf>.
- Astuti, N., Syamsiatun, N. Suryani, I. 2015, Faktor-Faktor yang Berhubungan dengan Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisa di Rumah Sakit Umum Daerah Panembahan Senopati Bantul, *Jurnal Nutrisia*, **17(1)**: 10-16.
- Bastida, C., Ruiz-Esquide, V., Pascal, M. 2018, Fixed Dosing of Intravenous Tocilizumab in Rheumatoid Arthritis. Results from A Population Pharmacokinetic Analysis. *British Journal Clinical Pharmacol*, **84(4)**: 716–725.
- Bello, A. E., Perkins, E. L., Jay, R., and Efthimiou, P. 2017, Recommendations for Optimizing , Methotrexate Treatment for Patients with Rheumatoid Arthritis, *Open Access Rheumatology: Research and Reviews Journal*, **9**: 67–79.
- Bird, P., Griffiths, H., and Littlejohn, G. 2014, Methotrexate in Rheumatoid Arthritis: Efficacy and Safety, *Journal of Pharmacovigilance*, **2(2)**:124-127.
- Borazan, N. H., Furst, D. E. 2014, Nonsteroidal Anti-Inflammatory Drugs, Disease-Modifying Antireumatic Drugs, Nonopioid Analgesics, and Drugs Used in Gout, *Basic and Clinical Pharmacology Journal*, International Edition, ed 13, McGraw-Hill Education: 618-641.
- Braun, J. 2017, Methotrexate: Optimizing The Efficacy in Rheumatoid Arthritis, *Therapeutic Advances in Musculoskeletal Diseases, Clinical Pharmacology Journal*, **3(3)**: 151-158.
- Buffer. 2010, *Rheumatoid Arthritis*, Diakses pada 13 oktober 2016, <http://www.rheumatoid arthritis.net/download.doc>.
- Burmester, G. R. and Pope, J. E. 2017, Targeted Treatments for Rheumatoid Arthritis 2 : Novel Treatment Strategies in Rheumatoid Arthritis, *The Latest News and Research Journal*, **389**: 2338–2348.

- Dargham, S. R., Zahirovic, S. 2018, Epidemiology and Treatment Patterns of Rheumatoid Arthritis in A Large Cohort of Arab Patients, *Pharmaceutical Journal* , **13(12)**: 1-12.
- Falah, M. N., Putranto, R., Setyohadi, B., Rinaldi, I. 2017, Uji Kendala dan Kesahihan Kuisioner Kualitas Hidup Short Form-12 Berbahasa Indonesia Pada Pasien Artritis Reumatoид, *Jurnal Penyakit Dalam Indonesia*, **4 (3)**.
- Febriana. 2015, Penatalaksanaan Fisioterapi Pada Kasus Rheumatoid Arthritis Ankle Bilateral di RSUD Saras Husada Purworejo, Naskah Publikasi Universitas Muhammadiyah Surakarta, **3(2)** 1-5.
- Gabay, C., Emery, P., Van, Vollenhoven., et al. 2013, Tocilizumab Monotherapy Versus Adalimumab Monotherapy for Treatment of Rheumatoid Arthritis (ADACTA), A Randomised, Double-Blind, Controlled Phase 4 Trial, *Lancet, International Journal of Medical Research & Health Sciences*, **381 (9877)**: 541–50.
- Haris, R. N. H., Makmur, R., Andayani, T. M., Kristina, S. A. 2019, Penilaian Properti Psikometrik Instrumen Kualitas Hidup (HRQoL) pada Populasi Umum: Tinjauan Sistematik, *Jurnal Penyakit Dalam Indonesia*, **9 (2)**.
- Hoffmann, T., Bennett, S., Mar, C. D. 2017, *Evidence Based Practice Across The Health Professions*, **3 (2)**.
- Hussein, Wijdan A. 2017, The Quality of Life in Patients with Rheumatoid Arthritis in Baghdad : A Cross-Sectional Study, *International Journal of Medical Research & Health Sciences*, **6(11)**: 20-34.
- Imran, M. Y., Khan, S. E. 2015, Depression in Rheumatoid Arthritis and Its Relation To Disease Activity, *Pakistan Journal of Medical Sciences*, **31(2)**: 193-9.
- Izumi, K., Kameda, H., Bridges L., Bannnuru, R. 2015, Tocilizumab is Clinically, Functionally, and Radiographically Effective and Safe Either with or without Low-Dose Methotrexate in Active Rheumatoid Arthritis Patients with Inadequate Responses to DMARDs and/or TNF inhibitors: A Single-Center Retrospective Cohort Study (KEIO-TCZ study) at Week 52, *International Journal of Medical Research & Health Sciences*, **25(1)**: 31-37.

- Kahlenberg, J. M. & Fox, D. A. 2011, Advances in The Medical Treatment of Rheumatoid Arthritis, *Division of Rheumatology*, 27(1): 11.
- Kaneko, Y., Izumi, K., Kato, M., Tanaka, Y. 2015, Tocilizumab is Clinically, Functionally, and Radiographically Effective and Safe Either with or without Low-Dose Methotrexate in Active Rheumatoid Arthritis Patients with Inadequate Responses to DMARDs and/or TNF Inhibitors, A Single-Center Retrospective Cohort Study (KEIO-TCZ study) at Week 52. *Modern Rheumatology Journal*, 25(1): 31-7.
- Kaneko, Y., Atsumi T., Miyata, M., Amano, K. 2016, Comparison of Adding Tocilizumab to Methotrexate with Switching to Tocilizumab in Patients with Rheumatoid Arthritis with Inadequate Response to Methotrexate: 52-Week Results from A Prospective, Randomised, Controlled Study (SURPRISE study), *Modern Rheumatology Journal* 75: 1917-1923.
- Kementerian Kesehatan RI, 2016, Profil Penyakit Tidak Menular 2016, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI, 2018, Riset Kesehatan Dasar 2018, Jakarta: Kementerian Kesehatan Republik Indonesia.
- Khalid, W., Rozi, S., Yamanaka, H. 2016, Quality of Life After Stroke in Pakistan, *Biomedical Science Neurology*, 16 (250).
- Kourilovitch, M., Maldonado C. G., and Prado, E. O. 2014, Diagnosis and Classification of Rheumatoid Arthritis, *Journal of Autoimmunity*, 48-49: 26-30.
- Khoirunnisa, S. M., Perwitasari, D. A. 2017, The Rheumatoid Arthritis Quality of Life (RAQoL) for Indonesia : Translation and Pilot Test, *International Series on Interdisciplinary Science and Technology*, 2(1): 10 -13.
- Kremer, M. J., Singer, G. N., Gill, D., Reiss, W. 2018, Sustained Response Following Discontinuation of Methotrexate in Patients with Rheumatoid Arthritis Treated with Subcutaneous Tocilizumab, A Randomized, Controlled Trial, *Arthritis and Rheumatology Journal*, 70: 1200-1208.
- Leeb, B. F., Peter, F., Michalska M., Rigby W. 2019, An Austrian Multicentre Study on the Effectiveness and Safety of Tocilizumab in Combination with Methotrexate Versus Tocilizumab for Mild/Moderate

- Rheumatoid Arthritis and An Inadequate Response to Methotrexate, **5**: 074.
- Listy, A. A. 2018, Gambaran Respon Psikologis Penderita Rheumatoid Arthritis di Komunitas, Naskah Publikasi Muhammadiyah Surakarta: 1-3.
- Liu, H., Lin, X., Shang, Y., Borm, A., Lafeber, G. 2015, Relationship Between Perceived Social Support and Quality of Life Among Kidney Transplant Recipient, *GSTF Journal Of Nursing and Health Care*, **3(1)**: 105-110.
- Majdah, Z. dan Ramli, N. 2016, *Penanganan Rematik dengan Pemeriksaan LED*: 31-48.
- Malm, K., Bergman S., Maria, L. E., Anderson, M. L. E., Bremander, A., and Larsson, I., 2017, Quality of life in patients with established rheumatoid arthritis: *A phenomenographic Journal*, **5(2)**: 1-8.
- Martin Sheppard,, Faidra Laskou., et al. 2017, Tocilizumab (Actemra), Human Vaccines & Immunotherapeutics, **13(9)**: 1972-1988.
- Moher, D., Liberati, A. 2009, Preferred Reporting Items For Systematic Reviews and Metaanalyses : the PRISMA Statement, *Research Method and Reporting*: 339.
- Munchey, R., Pongmesa, T., Laar, M., Denissen A. 2018, Health-Related Quality of Life and Functional Ability of Patients with Rheumatoid Arthritis: A Study from a Tertiary Care Hospital in Thailand, **15 C**: 76-81.
- Nishimoto, N., Ito, K., Takagi, N. 2010, Safety and efficacy profiles of tocilizumab monotherapy in Japanese patients with rheumatoid arthritis: meta-analysis of six initial trials and five long-term extensions, *Japan College of Rheumatology*, **20 (3)**: 222-322.
- Noor, Z. 2016, *Buku Ajar Gangguan Muskuloskeletal* (2nd ed), Penerbit Salemba Medika.
- Novitasari, L., Perwitasari, D. A., Khoirunisa, S. 2016, Validity of Short Form 36 (SF-36) Indonesian Version On Rheumatoid arthritis Patient, *Indonesian Journal of Medicine and Health*, **7 (3)**: 80-86.
- Pablos, J. L., Blanco, F. J., Alonso A., Rivero N. 2019, Efficacy of Tocilizumab Monotherapy After Response to Combined Tocilizumab

- and Methotrexate in Patients with Rheumatoid Arthritis, *European Journal of Rheumatology*, **37**: 437-444.
- Paul N. J., Kandy, H. I., and Krishnan, V. 2017, Pre-Rheumatoid Arthritis and Its Prevention, *European Journal of Rheumatology*, **16(6)**: 1-4.
- Perhimpunan Reumatologi Indonesia, 2014, Diagnosis dan Pengelolaan Arthritis Rheumatoid, Jakarta Pusat: Perhimpunan Reumatologi Indonesia.
- Pisetsky, D. S. 2017, Advances in The Treatment of Rheumatoid Arthritis: Costs and Challenges, *North Carolina Medical Journal*, **78(5)**: 337-340.
- Putra, T. R., Suega, K., Artana, I .G. N. B. 2013, Pedoman Diagnosis dan Terapi Ilmu Penyakit Dalam, Bagian/SMF Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Udayana, RSUP Sanglah.
- Putri, I. R. R., & Priyanto, S. 2019, Penerapan Terapi *Back Massage* Terhadap Penurunan Tingkat Nyeri Pada Keluarga dengan Rheumatoid Arthritis, Karya Tulis Ilmiah, Universitas Muhamadiyah Malang.
- Rebekah, H., Anjali, S., Peter, K., Cantalego M., Ivorra J. 2014, Tocilizumab in The Treatment of Rheumatoid Arthritis and Beyond, *Drug Design, Development and Therapy*, **3 (2)**.
- Riskesdas, 2018, Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018.
- Utami, D. T., Karim, D., Agrina. 2014, Faktor-Faktor yang Mempengaruhi Kualitas Hidup Pasien Diabetes Melitus dengan Ulkus Diabetikum, *Jurnal Online Mahasiswa Psikologi*: 1-7.
- Sakti, N. P. R., Muhlisin., A. 2019, Pengaruh Terapi Komplementer Meditasi Terhadap Respon Nyeri Pada Penderita Rheumatoid Arthritis, *The 9th University Research Colloquium (Urecol)*, **9(1)**.
- Sanmartí, R., Ruiz-Esquide,V., Petter F., Herrold M. 2018, Tocilizumab in The Treatment of Adult Rheumatoid Arthritis. *Immunotherapy*, **10(6)**: 447–464.
- Santosa, D., Hidayat, R., Prasetyo, M., Nugroho, P. 2016, Diagnostic Value of DAS28 and DAS28-squeeze in evaluating rheumatoid arthritis disease, *Indonesian Journal Rheumatology*, **8(2)**, 10-4.

- Setyohadi, B., Falah, N.M dan Putranto, R. 2017, Uji Keandalan dan Kesahihan Kuisioner Kualitas Hidup Short Form 12 Berbahasa Indonesia Pada Pasien Artritis Reumatoид, **4** (3).
- Singh J. A., Saag K. G., Bridges S. L., Lunzer R., Tekstra J. 2016, American College of Rheumatology guideline for The Treatment of Rheumatoid Arthritis. *Arthritis Rheumatol*, **68**(1): 1–26.
- Smolen, J. S., Breedveld, F. C., Burmester, G. R., Borg, E. 2016, Treating Rheumatoid Arthritis to Target: 2014 Update of The Recommendations of An International Task Force. *Ann Rheum Dis*, **75**(1): 3–15.
- Smolen, J. S., Aletaha, D., Murakawa Y., Nagasawa, H. 2018, Rheumatoid arthritis, *Nature Reviews Disease Primers*, **4**(18001): 1-23.
- Straus, S. E., Glasziou, P., Takeuchi, T., Haraoka, K. 2018, *Evidence Based Medicine How To Practice and Teach EBM*, Fifth Edition.
- Tabrizi, J. S., Yaghoubi, A., et al. 2012, Quality Of Life in Cardiovasculer Patients in Iran and Factors Affecting it, A Systematic riview, *Journal Of Cardiovascular and Thoracic Research*, **4**(4): 95-101.
- Tanaka, T., Narazaki, M., Kishimoto, T. 2014, IL-6 in Inflammation, Immunity, and Disease, *Cold Spring Harbor Perspectives in Biology*, **6**(10): a016295.
- Teitsma, X. M., Jacobs, W. G., Paul, B., Strasman M. 2017, Patient-Reported Outcomes in Newly Diagnosed Early Rheumatoid Arthritis Patients Treated to Target with A Tocilizumab- or Methotrexate-Based Strategy: Results from A Prospective Randomised Controlled Study (The Second Year of The SURPRISE Study).
- Verhoeven, M. A., Tekstra, J., Bijlsma J., Scram A. 2019, Initiating Tocilizumab, with or without Methotrexate, Compared with Starting Methotrexate with Prednisone within Step-up Treatment Strategies Vin Early Rheumatoid Arthritis: An Indirect Comparison of Effectiveness and Safety of The U-Act-Early and CAMERA-II Treat-to-Target Trials, **78**: 1333-1338.
- Wahono, R. S. 2016, Literatur review : Pengantar dan Metode, Posted by Romi Satria Wahono On 7 May, In Research Methodology.

- Weinblatt, M. E. 2013, Methotrexate in Rheumatoid Arthritis: A Quarter Century Of Development, Transactions of the American Clinical And Climatological Association, **124**: 16-25.
- Welsing, M. J., Heurkens, H. M., Jacobs J., Borm, M. 2016, Early Rheumatoid Arthritis Treated with Tocilizumab, Methotrexate, or Their Combination (U-Act-Early): A multicentre, Randomised, Double-blind, Double-Dummy, Strategy trial.
- Widayati, D. dan Hayati, F. 2017, Peningkatan Kenyamanan Lansia dengan Nyeri Rheumatoid Arthritis Melalui Model Comfort Food for The Soul, *Jurnal Ilmu Keperawatan*, **5(1)**: 1–13.
- World Health Organisation, 2016, WHOQOL: Measuring Quality of Life, diakses pada 03 November 2018, <http://www.who.int/healthinfo/survey/whoqol-qualityoflife/en/.pdf>.
- Zeind, C. S., and Carvalho, M. G., (eds). 2018, *Applied Therapeutics: The Clinical Use of Drugs*, Eleventh edition, Wolters Kluwer Health, Philadelphia.