

Lampiran 1 Kuesioner

KUESIONER PENELITIAN

Pengaruh *Store Image*, *Store Atmospherics*, dan *Store Theatrics* Terhadap *Purchase Intention* Pada *The Body Shop Galaxy Mall* Surabaya

No. Responden: (diisi peneliti)

Responden yang terhormat,

Perkenalkanlah saya, Christian Hadi Wijaya, mahasiswa Jurusan Manajemen Konsentrasi Ritel Fakultas Bisnis Universitas Katolik Widya Mandala Surabaya, sedang melakukan penelitian untuk tugas akhir skripsi saya. Apabila Anda mengetahui dan mengerti, serta pernah berkunjung di *The Body Shop Galaxy Mall* dalam satu tahun terakhir, mohon kesediaan Anda untuk meluangkan waktu mengisi/menjawab daftar pernyataan di bawah ini dengan jujur dan benar. Data yang saya peroleh hanya akan digunakan untuk keperluan menyusun tugas akhir skripsi saja. Saya mengucapkan banyak terima kasih atas partisipasi yang anda berikan.

Hormat Saya,

Christian Hadi Wijaya

Nrp : 3103009064

Berilah tanda (x) pada jawaban yang anda pilih.

Bagian I

1. Apakah anda pernah membeli produk *The Body Shop*?
 - a. Pernah (Berhenti)
 - b. Tidak Pernah (Lanjut ke No.2)

2. Usia anda saat ini:
 - a. < 20 tahun
 - b. $20 - \geq 30$
 - c. $31 - \geq 40$
 - d. $41 - \geq 50$
 - e. > 50 tahun

3. Sudah berapa kali anda berkunjung ke *The Body Shop Galxy Mall* dalam kurun waktu 1 tahun terakhir?
 - a. 1-2 kali
 - b. 3-4 kali
 - c. 5-6 kali
 - d. Lebih dari 6 kali

Bagian II

- STS : Sangat Tidak Setuju
TS : Tidak Setuju
KS : Kurang Setuju
S : Setuju
SS : Sangat Setuju

No	Pernyataan	STS	TS	N	S	SS
Store Image (X₁)						
1	<i>The Body Shop Galaxy Mall</i> memiliki citra yang baik dalam benak saya.					
2	<i>The Body Shop Galaxy Mall</i> memiliki kualitas layanan yang memuaskan.					
3	Saya percaya <i>The Body Shop Galaxy Mall</i> merupakan tempat berbelanja yang lengkap untuk produk kosmetik.					
4	<i>The Body Shop Galaxy Mall</i> menyediakan produk yang berkualitas.					
Store Atmospheric (X₂)						
1	<i>Display</i> produk <i>The Body Shop Galaxy Mall</i> tertata rapi.					
2	Penataan produk di <i>The Body Shop Galaxy Mall</i> di kelompokkan sesuai dengan katagori barang.					
3	Alunan musik di <i>The Body Shop Galaxy Mall</i> mendukung suasana belanja yang nyaman.					
4	Area <i>The Body Shop Galaxy Mall</i> beraroma harum, sehingga dapat meningkatkan minat saya dalam berbelanja					
5	Pencahayaann pada barang dagangan di <i>The Body Shop Galaxy Mall</i> akan mempengaruhi keinginan saya untuk berbelanja.					
6	Suhu udara di dalam <i>The Body Shop Galaxy Mall</i> menciptakan kesegaran saat saya berkunjung.					

Store Theatric (X₃)					
1	<i>The Body Shop Galaxy Mall</i> mendekor ruangnya sesuai dengan tema-tema tertentu. (Seperti 17 Agustus, Imlek, Natal, Lebaran, dan sebagainya)				
2	<i>The Body Shop Galaxy Mall</i> menyediakan program demonstrasi produk tertentu kepada konsumen.				
3	<i>The Body Shop Galaxy Mall</i> memiliki program promosi pada event-event tertentu untuk meningkatkan frekuensi kunjungan konsumen.				
Purchase Intention (Y)					
1	Ketika ada produk-produk baru yang ditampilkan oleh <i>The Body Shop Galaxy Mall</i> , saya ingin membelinya.				
2	Saya ingin membeli produk dari <i>The Body Shop Galaxy Mall</i> , karena saya sadar akan kualitasnya.				
3	Saya percaya produk yang dijual di <i>The Body Shop Galaxy Mall</i> aman untuk kulit dan tubuh saya, sehingga saya ingin membelinya.				

Lampiran 2 Hasil Jawaban Responden

DATA FREKUENSI.sav

	USIA	KUNJUNGAN
1	1.00	4.00
2	3.00	1.00
3	3.00	1.00
4	3.00	1.00
5	1.00	2.00
6	2.00	2.00
7	2.00	3.00
8	5.00	1.00
9	4.00	1.00
10	5.00	1.00
11	3.00	4.00
12	1.00	1.00
13	3.00	1.00
14	3.00	1.00
15	4.00	1.00
16	2.00	1.00
17	3.00	1.00
18	1.00	1.00
19	2.00	1.00
20	3.00	1.00
21	4.00	4.00
22	3.00	1.00
23	3.00	2.00
24	1.00	2.00
25	2.00	2.00
26	4.00	2.00
27	2.00	2.00
28	2.00	2.00
29	2.00	4.00
30	2.00	1.00
31	4.00	2.00
32	2.00	2.00
33	2.00	1.00
34	1.00	1.00
35	3.00	1.00
36	4.00	4.00

DATA FREKUENSI.sav

	USIA	KUNJUNGAN
37	3.00	3.00
38	2.00	1.00
39	3.00	1.00
40	2.00	1.00
41	1.00	1.00
42	4.00	1.00
43	3.00	1.00
44	3.00	4.00
45	3.00	1.00
46	1.00	3.00
47	2.00	3.00
48	2.00	3.00
49	3.00	4.00
50	1.00	3.00
51	3.00	3.00
52	3.00	3.00
53	3.00	3.00
54	3.00	3.00
55	3.00	3.00
56	3.00	3.00
57	3.00	3.00
58	2.00	2.00
59	2.00	2.00
60	2.00	2.00
61	2.00	2.00
62	2.00	2.00
63	2.00	2.00
64	2.00	3.00
65	2.00	3.00
66	2.00	3.00
67	2.00	3.00
68	2.00	2.00
69	2.00	2.00
70	2.00	2.00
71	2.00	3.00
72	2.00	3.00

DATA FREKUENSI.sav

	USIA	KUNJUNGAN
73	2.00	3.00
74	2.00	3.00
75	2.00	2.00
76	2.00	2.00
77	2.00	2.00
78	2.00	3.00
79	2.00	3.00
80	2.00	3.00
81	2.00	3.00
82	2.00	2.00
83	2.00	3.00
84	2.00	2.00
85	2.00	3.00
86	2.00	3.00
87	2.00	2.00
88	2.00	3.00
89	2.00	3.00
90	2.00	3.00
91	2.00	3.00
92	2.00	3.00
93	2.00	3.00
94	2.00	3.00
95	2.00	3.00
96	2.00	3.00
97	2.00	3.00
98	2.00	3.00
99	2.00	3.00
100	2.00	3.00

TEST.sav

	X11	X12	X13	X14	X21	X22
1	4.00	4.00	2.00	5.00	2.00	4.00
2	4.00	5.00	5.00	5.00	5.00	5.00
3	2.00	4.00	4.00	4.00	4.00	4.00
4	3.00	5.00	2.00	3.00	2.00	4.00
5	4.00	4.00	2.00	5.00	1.00	5.00
6	4.00	4.00	4.00	4.00	4.00	4.00
7	2.00	4.00	4.00	4.00	4.00	4.00
8	4.00	5.00	5.00	5.00	5.00	5.00
9	3.00	5.00	5.00	5.00	5.00	5.00
10	4.00	5.00	5.00	5.00	5.00	5.00
11	3.00	4.00	2.00	3.00	2.00	4.00
12	4.00	4.00	2.00	4.00	2.00	4.00
13	2.00	4.00	2.00	3.00	2.00	4.00
14	3.00	2.00	2.00	5.00	3.00	5.00
15	2.00	2.00	2.00	4.00	3.00	5.00
16	4.00	4.00	4.00	3.00	3.00	4.00
17	4.00	5.00	5.00	3.00	1.00	3.00
18	1.00	5.00	2.00	4.00	3.00	5.00
19	2.00	4.00	2.00	2.00	1.00	4.00
20	4.00	4.00	2.00	2.00	2.00	4.00
21	5.00	4.00	4.00	3.00	3.00	4.00
22	3.00	4.00	3.00	2.00	2.00	5.00
23	5.00	2.00	2.00	3.00	3.00	4.00
24	4.00	5.00	5.00	4.00	4.00	4.00
25	2.00	5.00	5.00	4.00	4.00	4.00
26	4.00	4.00	5.00	2.00	2.00	3.00
27	4.00	2.00	4.00	1.00	1.00	2.00
28	2.00	2.00	4.00	3.00	4.00	5.00
29	4.00	5.00	4.00	4.00	5.00	3.00
30	3.00	3.00	5.00	3.00	2.00	2.00
31	4.00	4.00	5.00	2.00	1.00	3.00
32	4.00	2.00	4.00	4.00	3.00	5.00
33	4.00	3.00	3.00	3.00	2.00	3.00
34	4.00	4.00	2.00	5.00	3.00	4.00
35	4.00	4.00	5.00	2.00	4.00	2.00
36	4.00	4.00	4.00	3.00	4.00	5.00

TEST.sav

	X23	X24	X25	X26	X31	X32
1	4.00	4.00	4.00	4.00	4.00	2.00
2	5.00	5.00	5.00	5.00	5.00	4.00
3	4.00	4.00	4.00	4.00	3.00	4.00
4	4.00	4.00	4.00	3.00	4.00	3.00
5	5.00	5.00	5.00	5.00	2.00	2.00
6	4.00	4.00	4.00	4.00	2.00	4.00
7	4.00	4.00	4.00	4.00	1.00	4.00
8	5.00	5.00	5.00	5.00	4.00	4.00
9	5.00	5.00	5.00	5.00	5.00	3.00
10	5.00	5.00	5.00	5.00	3.00	4.00
11	4.00	4.00	4.00	4.00	5.00	3.00
12	4.00	4.00	4.00	4.00	5.00	4.00
13	5.00	3.00	4.00	4.00	3.00	2.00
14	2.00	5.00	4.00	4.00	3.00	3.00
15	3.00	4.00	2.00	2.00	3.00	2.00
16	5.00	5.00	4.00	4.00	4.00	4.00
17	4.00	2.00	5.00	5.00	3.00	2.00
18	5.00	3.00	4.00	4.00	2.00	1.00
19	2.00	5.00	2.00	2.00	4.00	2.00
20	3.00	4.00	3.00	3.00	5.00	4.00
21	5.00	5.00	4.00	4.00	3.00	3.00
22	2.00	2.00	3.00	3.00	2.00	3.00
23	4.00	3.00	4.00	4.00	3.00	3.00
24	5.00	2.00	5.00	4.00	4.00	1.00
25	3.00	5.00	5.00	4.00	5.00	2.00
26	5.00	4.00	3.00	3.00	5.00	2.00
27	3.00	3.00	2.00	2.00	5.00	4.00
28	4.00	4.00	3.00	4.00	4.00	4.00
29	2.00	3.00	4.00	5.00	4.00	4.00
30	1.00	2.00	2.00	3.00	4.00	2.00
31	3.00	4.00	3.00	5.00	5.00	4.00
32	5.00	5.00	4.00	2.00	5.00	4.00
33	3.00	3.00	4.00	2.00	4.00	4.00
34	5.00	4.00	5.00	2.00	4.00	2.00
35	2.00	3.00	4.00	3.00	4.00	4.00
36	2.00	2.00	5.00	4.00	5.00	4.00

TEST.sav

	X33	Y11	Y12	Y13	X1	X2
1	4.00	4.00	4.00	5.00	3.75	3.67
2	2.00	4.00	4.00	5.00	4.75	5.00
3	4.00	2.00	5.00	5.00	3.50	4.00
4	3.00	3.00	3.00	4.00	3.25	3.50
5	4.00	4.00	4.00	5.00	3.75	4.33
6	4.00	4.00	4.00	5.00	4.00	4.00
7	4.00	2.00	2.00	3.00	3.50	4.00
8	4.00	4.00	4.00	5.00	4.75	5.00
9	3.00	3.00	3.00	2.00	4.50	5.00
10	4.00	4.00	4.00	4.00	4.75	5.00
11	4.00	3.00	4.00	4.00	3.00	3.67
12	4.00	4.00	4.00	4.00	3.50	3.67
13	2.00	2.00	2.00	2.00	2.75	3.67
14	2.00	3.00	3.00	3.00	3.00	3.83
15	1.00	2.00	2.00	2.00	2.50	3.17
16	4.00	4.00	4.00	4.00	3.75	4.17
17	2.00	4.00	4.00	4.00	4.25	3.33
18	1.00	1.00	5.00	5.00	3.00	4.00
19	4.00	2.00	4.00	4.00	2.50	2.67
20	4.00	4.00	4.00	4.00	3.00	3.17
21	4.00	5.00	3.00	2.00	4.00	4.17
22	3.00	3.00	4.00	5.00	3.00	2.83
23	4.00	5.00	3.00	4.00	3.00	3.67
24	2.00	4.00	4.00	4.00	4.50	4.00
25	4.00	2.00	4.00	4.00	4.00	4.17
26	4.00	4.00	2.00	2.00	3.75	3.33
27	4.00	4.00	4.00	4.00	2.75	2.17
28	4.00	2.00	2.00	3.00	2.75	4.00
29	4.00	4.00	4.00	5.00	4.25	3.67
30	3.00	3.00	2.00	2.00	3.50	2.00
31	3.00	4.00	4.00	4.00	3.75	3.17
32	4.00	4.00	5.00	5.00	3.50	4.00
33	4.00	4.00	4.00	3.00	3.25	2.83
34	2.00	4.00	2.00	2.00	3.75	3.83
35	4.00	4.00	4.00	5.00	3.75	3.00
36	4.00	4.00	2.00	3.00	3.75	3.67

TEST.sav

	X3	Y	RES_1	X1TOTAL	X2TOTAL
1	3.33	4.33	0.71874	15.00	22.00
2	3.67	4.33	0.01689	19.00	30.00
3	3.67	4.00	0.25305	14.00	24.00
4	3.33	3.33	-0.10563	13.00	21.00
5	2.67	4.33	0.82373	15.00	26.00
6	3.33	4.33	0.57503	16.00	24.00
7	3.00	2.33	-1.15958	14.00	24.00
8	4.00	4.33	-0.11013	19.00	30.00
9	3.67	2.67	-1.58060	18.00	30.00
10	3.67	4.00	-0.31645	19.00	30.00
11	4.00	3.67	0.00559	12.00	22.00
12	4.33	4.00	0.07353	14.00	22.00
13	2.33	2.00	-0.95679	11.00	22.00
14	2.67	3.00	-0.19026	12.00	23.00
15	2.00	2.00	-0.64880	10.00	19.00
16	4.00	4.00	0.01958	15.00	25.00
17	2.33	4.00	0.70262	17.00	20.00
18	1.33	3.67	0.94723	12.00	24.00
19	3.33	3.33	0.28823	10.00	16.00
20	4.33	4.00	0.32369	12.00	19.00
21	3.33	3.33	-0.46223	16.00	25.00
22	2.67	4.00	1.03331	12.00	17.00
23	3.33	4.00	0.59296	12.00	22.00
24	2.33	4.00	0.48439	18.00	24.00
25	3.67	3.33	-0.58925	16.00	25.00
26	3.67	2.67	-1.00043	15.00	20.00
27	4.33	4.00	0.61644	11.00	13.00
28	4.00	2.33	-1.33308	11.00	24.00
29	4.00	4.33	0.32633	17.00	22.00
30	3.00	2.33	-0.71244	14.00	12.00
31	4.00	4.00	0.24315	15.00	19.00
32	4.33	4.67	0.66567	14.00	24.00
33	4.00	3.67	0.12271	13.00	17.00
34	2.67	2.67	-0.73115	15.00	23.00
35	4.00	4.33	0.61374	15.00	18.00
36	4.33	3.00	-0.99566	15.00	22.00

TEST.sav

	X3TOTAL	YTOTAL	E2	LnE2
1	10.00	13.00	0.52	-0.66
2	11.00	13.00	0.00	-8.16
3	11.00	12.00	0.06	-2.75
4	10.00	10.00	0.01	-4.50
5	8.00	13.00	0.68	-0.39
6	10.00	13.00	0.33	-1.11
7	9.00	7.00	1.34	0.30
8	12.00	13.00	0.01	-4.41
9	11.00	8.00	2.50	0.92
10	11.00	12.00	0.10	-2.30
11	12.00	11.00	0.00	-10.37
12	13.00	12.00	0.01	-5.22
13	7.00	6.00	0.92	-0.09
14	8.00	9.00	0.04	-3.32
15	6.00	6.00	0.42	-0.87
16	12.00	12.00	0.00	-7.87
17	7.00	12.00	0.49	-0.71
18	4.00	11.00	0.90	-0.11
19	10.00	10.00	0.08	-2.49
20	13.00	12.00	0.10	-2.26
21	10.00	10.00	0.21	-1.54
22	8.00	12.00	1.07	0.07
23	10.00	12.00	0.35	-1.05
24	7.00	12.00	0.23	-1.45
25	11.00	10.00	0.35	-1.06
26	11.00	8.00	1.00	0.00
27	13.00	12.00	0.38	-0.97
28	12.00	7.00	1.78	0.57
29	12.00	13.00	0.11	-2.24
30	9.00	7.00	0.51	-0.68
31	12.00	12.00	0.06	-2.83
32	13.00	14.00	0.44	-0.81
33	12.00	11.00	0.02	-4.20
34	8.00	8.00	0.53	-0.63
35	12.00	13.00	0.38	-0.98
36	13.00	9.00	0.99	-0.01

TEST.sav

	X11	X12	X13	X14	X21	X22
37	4.00	5.00	5.00	3.00	4.00	5.00
38	4.00	4.00	2.00	1.00	2.00	4.00
39	3.00	5.00	3.00	3.00	3.00	4.00
40	4.00	4.00	2.00	4.00	4.00	4.00
41	4.00	2.00	1.00	2.00	2.00	4.00
42	4.00	4.00	3.00	5.00	4.00	4.00
43	4.00	3.00	2.00	3.00	2.00	4.00
44	5.00	2.00	1.00	3.00	2.00	3.00
45	3.00	4.00	2.00	4.00	4.00	4.00
46	4.00	4.00	2.00	3.00	2.00	4.00
47	4.00	2.00	1.00	5.00	3.00	4.00
48	5.00	2.00	1.00	4.00	5.00	5.00
49	4.00	4.00	4.00	3.00	3.00	5.00
50	4.00	5.00	5.00	3.00	3.00	4.00
51	4.00	2.00	4.00	4.00	5.00	5.00
52	5.00	4.00	5.00	2.00	2.00	5.00
53	3.00	5.00	2.00	4.00	3.00	4.00
54	4.00	4.00	3.00	3.00	2.00	5.00
55	1.00	5.00	5.00	3.00	2.00	4.00
56	3.00	1.00	1.00	4.00	4.00	3.00
57	2.00	2.00	2.00	3.00	3.00	2.00
58	1.00	4.00	3.00	4.00	4.00	5.00
59	4.00	3.00	2.00	3.00	3.00	4.00
60	5.00	4.00	4.00	3.00	3.00	4.00
61	4.00	5.00	5.00	2.00	2.00	4.00
62	3.00	2.00	2.00	4.00	3.00	3.00
63	4.00	4.00	4.00	2.00	1.00	5.00
64	4.00	2.00	3.00	2.00	2.00	4.00
65	4.00	5.00	5.00	4.00	4.00	4.00
66	1.00	1.00	1.00	1.00	1.00	1.00
67	2.00	2.00	2.00	2.00	2.00	2.00
68	1.00	1.00	1.00	1.00	1.00	1.00
69	5.00	5.00	5.00	5.00	5.00	5.00
70	2.00	2.00	2.00	2.00	2.00	2.00
71	4.00	4.00	4.00	4.00	4.00	4.00
72	5.00	5.00	5.00	5.00	5.00	5.00

TEST.sav

	X23	X24	X25	X26	X31	X32
37	5.00	5.00	4.00	4.00	4.00	4.00
38	4.00	4.00	3.00	2.00	2.00	4.00
39	4.00	4.00	4.00	4.00	4.00	4.00
40	4.00	4.00	4.00	4.00	4.00	4.00
41	4.00	4.00	4.00	3.00	4.00	3.00
42	4.00	4.00	4.00	4.00	4.00	2.00
43	4.00	4.00	3.00	4.00	4.00	4.00
44	3.00	3.00	4.00	3.00	4.00	4.00
45	4.00	4.00	4.00	4.00	3.00	3.00
46	4.00	4.00	4.00	4.00	4.00	4.00
47	4.00	4.00	4.00	4.00	4.00	4.00
48	5.00	5.00	4.00	4.00	4.00	4.00
49	5.00	5.00	5.00	4.00	4.00	1.00
50	4.00	4.00	4.00	4.00	5.00	4.00
51	5.00	5.00	5.00	3.00	4.00	2.00
52	5.00	5.00	4.00	4.00	4.00	4.00
53	4.00	4.00	4.00	4.00	4.00	1.00
54	5.00	5.00	5.00	3.00	4.00	3.00
55	4.00	4.00	4.00	4.00	4.00	1.00
56	3.00	3.00	5.00	5.00	3.00	1.00
57	2.00	2.00	4.00	4.00	2.00	4.00
58	5.00	5.00	5.00	4.00	5.00	1.00
59	4.00	4.00	4.00	4.00	4.00	3.00
60	4.00	4.00	4.00	4.00	4.00	2.00
61	4.00	4.00	4.00	4.00	4.00	4.00
62	3.00	3.00	3.00	3.00	3.00	3.00
63	5.00	5.00	5.00	4.00	5.00	4.00
64	4.00	4.00	5.00	5.00	5.00	3.00
65	4.00	4.00	5.00	4.00	4.00	3.00
66	1.00	1.00	1.00	1.00	1.00	1.00
67	2.00	2.00	2.00	2.00	2.00	2.00
68	5.00	3.00	1.00	1.00	1.00	1.00
69	3.00	5.00	5.00	5.00	5.00	5.00
70	5.00	4.00	2.00	2.00	2.00	2.00
71	4.00	5.00	4.00	4.00	4.00	4.00
72	5.00	2.00	5.00	5.00	5.00	5.00

TEST.sav

	X33	Y11	Y12	Y13	X1	X2
37	4.00	4.00	4.00	4.00	4.25	4.50
38	4.00	4.00	2.00	3.00	2.75	3.17
39	4.00	3.00	4.00	4.00	3.50	3.83
40	4.00	4.00	5.00	5.00	3.50	4.00
41	4.00	4.00	1.00	2.00	2.25	3.50
42	4.00	4.00	3.00	3.00	4.00	4.00
43	4.00	4.00	4.00	4.00	3.00	3.50
44	5.00	5.00	1.00	5.00	2.75	3.00
45	3.00	3.00	3.00	2.00	3.25	4.00
46	4.00	4.00	4.00	4.00	3.25	3.67
47	4.00	4.00	4.00	5.00	3.00	3.83
48	2.00	5.00	4.00	3.00	3.00	4.67
49	3.00	4.00	2.00	5.00	3.75	4.50
50	4.00	4.00	4.00	4.00	4.25	3.83
51	2.00	4.00	2.00	3.00	3.50	4.67
52	2.00	5.00	3.00	4.00	4.00	4.17
53	3.00	3.00	4.00	5.00	3.50	3.83
54	4.00	4.00	5.00	5.00	3.50	4.17
55	2.00	1.00	4.00	4.00	3.50	3.67
56	1.00	3.00	1.00	3.00	2.25	3.83
57	2.00	2.00	4.00	4.00	2.25	2.83
58	2.00	1.00	5.00	5.00	3.00	4.67
59	4.00	4.00	3.00	3.00	3.00	3.83
60	4.00	5.00	5.00	2.00	4.00	3.83
61	3.00	4.00	4.00	5.00	4.00	3.67
62	3.00	3.00	3.00	4.00	2.75	3.00
63	4.00	4.00	4.00	5.00	3.50	4.17
64	4.00	4.00	3.00	5.00	2.75	4.00
65	4.00	4.00	3.00	5.00	4.50	4.17
66	1.00	1.00	1.00	2.00	1.00	1.00
67	2.00	2.00	2.00	2.00	2.00	2.00
68	1.00	1.00	1.00	1.00	1.00	2.00
69	5.00	5.00	5.00	5.00	5.00	4.67
70	2.00	2.00	2.00	3.00	2.00	2.83
71	4.00	4.00	3.00	4.00	4.00	4.17
72	5.00	5.00	5.00	5.00	5.00	4.50

TEST.sav

	X3	Y	RES_1	X1TOTAL	X2TOTAL
37	4.00	4.00	-0.19331	17.00	27.00
38	3.33	3.00	-0.22607	11.00	19.00
39	4.00	3.67	-0.17004	14.00	23.00
40	4.00	4.67	0.79269	14.00	24.00
41	3.67	2.33	-0.95591	9.00	21.00
42	3.33	3.33	-0.42497	16.00	24.00
43	4.00	4.00	0.37618	12.00	21.00
44	4.33	3.67	0.09680	11.00	18.00
45	3.00	2.67	-0.75706	13.00	24.00
46	4.00	4.00	0.26974	13.00	22.00
47	4.00	4.33	0.63499	12.00	23.00
48	3.33	4.00	0.36940	12.00	28.00
49	2.67	3.67	0.11981	15.00	27.00
50	4.33	4.00	-0.17129	17.00	23.00
51	2.67	3.00	-0.51494	14.00	28.00
52	3.33	4.00	0.20444	16.00	25.00
53	2.67	4.00	0.67137	14.00	23.00
54	3.67	4.67	0.88245	14.00	25.00
55	2.33	3.00	-0.16435	14.00	22.00
56	1.67	2.33	-0.26831	9.00	23.00
57	2.67	3.33	0.57420	9.00	17.00
58	2.67	3.67	0.29010	12.00	28.00
59	3.67	3.33	-0.23799	12.00	23.00
60	3.33	4.00	0.27896	16.00	23.00
61	3.67	4.33	0.52253	16.00	22.00
62	3.00	3.33	0.27155	11.00	18.00
63	4.33	4.33	0.29508	14.00	25.00
64	4.00	4.00	0.33359	11.00	24.00
65	3.67	4.00	-0.06096	18.00	25.00
66	1.00	1.33	-0.03490	4.00	6.00
67	2.00	2.00	-0.24960	8.00	12.00
68	1.00	1.00	-0.59180	4.00	12.00
69	5.00	5.00	0.18081	20.00	28.00
70	2.00	2.33	-0.10257	8.00	17.00
71	4.00	3.67	-0.38294	16.00	25.00
72	5.00	5.00	0.21807	20.00	27.00

TEST.sav

	X3TOTAL	YTOTAL	E2	LnE2
37	12.00	12.00	0.04	-3.29
38	10.00	9.00	0.05	-2.97
39	12.00	11.00	0.03	-3.54
40	12.00	14.00	0.63	-0.46
41	11.00	7.00	0.91	-0.09
42	10.00	10.00	0.18	-1.71
43	12.00	12.00	0.14	-1.96
44	13.00	11.00	0.01	-4.67
45	9.00	8.00	0.57	-0.56
46	12.00	12.00	0.07	-2.62
47	12.00	13.00	0.40	-0.91
48	10.00	12.00	0.14	-1.99
49	8.00	11.00	0.01	-4.24
50	13.00	12.00	0.03	-3.53
51	8.00	9.00	0.27	-1.33
52	10.00	12.00	0.04	-3.18
53	8.00	12.00	0.45	-0.80
54	11.00	14.00	0.78	-0.25
55	7.00	9.00	0.03	-3.61
56	5.00	7.00	0.07	-2.63
57	8.00	10.00	0.33	-1.11
58	8.00	11.00	0.08	-2.48
59	11.00	10.00	0.06	-2.87
60	10.00	12.00	0.08	-2.55
61	11.00	13.00	0.27	-1.30
62	9.00	10.00	0.07	-2.61
63	13.00	13.00	0.09	-2.44
64	12.00	12.00	0.11	-2.20
65	11.00	12.00	0.00	-5.60
66	3.00	4.00	0.00	-6.71
67	6.00	6.00	0.06	-2.78
68	3.00	3.00	0.35	-1.05
69	15.00	15.00	0.03	-3.42
70	6.00	7.00	0.01	-4.55
71	12.00	11.00	0.15	-1.92
72	15.00	15.00	0.05	-3.05

TEST.sav

	X11	X12	X13	X14	X21	X22
73	2.00	2.00	2.00	2.00	2.00	2.00
74	4.00	4.00	4.00	4.00	4.00	4.00
75	5.00	5.00	5.00	5.00	5.00	5.00
76	1.00	1.00	1.00	1.00	1.00	1.00
77	1.00	1.00	1.00	1.00	1.00	1.00
78	2.00	2.00	2.00	2.00	2.00	2.00
79	4.00	4.00	4.00	4.00	4.00	4.00
80	5.00	5.00	5.00	5.00	5.00	5.00
81	1.00	1.00	1.00	1.00	1.00	1.00
82	2.00	2.00	2.00	2.00	2.00	2.00
83	2.00	2.00	2.00	2.00	2.00	2.00
84	4.00	4.00	4.00	4.00	4.00	4.00
85	5.00	5.00	5.00	5.00	5.00	5.00
86	4.00	4.00	4.00	4.00	1.00	4.00
87	3.00	4.00	5.00	4.00	3.00	4.00
88	2.00	5.00	2.00	3.00	3.00	4.00
89	4.00	5.00	2.00	4.00	2.00	4.00
90	4.00	4.00	4.00	3.00	3.00	4.00
91	4.00	4.00	2.00	2.00	4.00	4.00
92	2.00	4.00	2.00	2.00	4.00	4.00
93	4.00	1.00	2.00	3.00	2.00	5.00
94	1.00	1.00	1.00	4.00	3.00	5.00
95	2.00	2.00	2.00	4.00	2.00	4.00
96	4.00	2.00	2.00	3.00	3.00	4.00
97	5.00	4.00	2.00	4.00	2.00	4.00
98	3.00	5.00	2.00	3.00	2.00	4.00
99	4.00	4.00	2.00	4.00	2.00	4.00
100	4.00	2.00	2.00	2.00	2.00	4.00

TEST.sav

	X23	X24	X25	X26	X31	X32
73	2.00	2.00	2.00	2.00	2.00	2.00
74	2.00	3.00	4.00	4.00	4.00	4.00
75	2.00	2.00	5.00	5.00	5.00	5.00
76	1.00	4.00	1.00	1.00	1.00	1.00
77	4.00	5.00	1.00	1.00	1.00	1.00
78	1.00	2.00	2.00	2.00	2.00	2.00
79	4.00	1.00	4.00	4.00	4.00	4.00
80	5.00	5.00	5.00	5.00	5.00	5.00
81	1.00	1.00	1.00	1.00	1.00	1.00
82	2.00	2.00	2.00	2.00	2.00	2.00
83	2.00	2.00	2.00	2.00	2.00	2.00
84	4.00	4.00	4.00	4.00	4.00	4.00
85	5.00	5.00	5.00	5.00	5.00	5.00
86	4.00	4.00	4.00	4.00	4.00	4.00
87	4.00	4.00	4.00	4.00	4.00	4.00
88	4.00	4.00	5.00	2.00	4.00	4.00
89	4.00	4.00	5.00	4.00	5.00	4.00
90	4.00	4.00	4.00	4.00	4.00	2.00
91	4.00	4.00	5.00	5.00	4.00	2.00
92	4.00	4.00	4.00	4.00	4.00	2.00
93	5.00	5.00	4.00	4.00	4.00	1.00
94	5.00	5.00	5.00	4.00	5.00	1.00
95	4.00	4.00	4.00	4.00	4.00	2.00
96	4.00	4.00	4.00	4.00	5.00	4.00
97	4.00	4.00	4.00	4.00	4.00	3.00
98	4.00	4.00	4.00	4.00	4.00	4.00
99	4.00	4.00	4.00	4.00	4.00	4.00
100	4.00	4.00	4.00	3.00	4.00	3.00

TEST.sav

	X33	Y11	Y12	Y13	X1	X2
73	2.00	2.00	2.00	2.00	2.00	2.00
74	4.00	4.00	4.00	3.00	4.00	3.50
75	5.00	5.00	5.00	5.00	5.00	4.00
76	1.00	1.00	1.00	3.00	1.00	1.50
77	1.00	1.00	1.00	1.00	1.00	2.17
78	2.00	2.00	2.00	2.00	2.00	1.83
79	4.00	4.00	4.00	3.00	4.00	3.50
80	5.00	5.00	5.00	5.00	5.00	5.00
81	1.00	1.00	1.00	4.00	1.00	1.00
82	2.00	2.00	2.00	2.00	2.00	2.00
83	2.00	2.00	2.00	3.00	2.00	2.00
84	4.00	4.00	4.00	4.00	4.00	4.00
85	5.00	5.00	5.00	5.00	5.00	5.00
86	4.00	4.00	2.00	3.00	4.00	3.50
87	4.00	3.00	4.00	4.00	4.00	3.83
88	4.00	2.00	2.00	3.00	3.00	3.67
89	4.00	4.00	4.00	4.00	3.75	3.83
90	4.00	4.00	3.00	3.00	3.75	3.83
91	2.00	4.00	4.00	4.00	3.00	4.33
92	4.00	2.00	2.00	3.00	2.50	4.00
93	2.00	4.00	4.00	4.00	2.50	4.17
94	1.00	1.00	5.00	5.00	1.75	4.50
95	4.00	2.00	4.00	4.00	2.50	3.67
96	4.00	4.00	4.00	5.00	2.75	3.83
97	4.00	5.00	4.00	4.00	3.75	3.67
98	4.00	3.00	4.00	5.00	3.25	3.67
99	4.00	4.00	4.00	2.00	3.50	3.67
100	4.00	4.00	4.00	3.00	2.50	3.50

TEST.sav

	X3	Y	RES_1	X1TOTAL	X2TOTAL
73	2.00	2.00	-0.24960	8.00	12.00
74	4.00	3.67	-0.23389	16.00	21.00
75	5.00	5.00	0.32985	20.00	24.00
76	1.00	1.67	0.18665	4.00	9.00
77	1.00	1.00	-0.62906	4.00	13.00
78	2.00	2.00	-0.21234	8.00	11.00
79	4.00	3.67	-0.23389	16.00	21.00
80	5.00	5.00	0.10629	20.00	30.00
81	1.00	2.00	0.63177	4.00	6.00
82	2.00	2.00	-0.24960	8.00	12.00
83	2.00	2.33	0.08373	8.00	12.00
84	4.00	4.00	-0.01234	16.00	24.00
85	5.00	5.00	0.10629	20.00	30.00
86	4.00	3.00	-0.90056	16.00	21.00
87	4.00	3.67	-0.30842	16.00	23.00
88	4.00	2.33	-1.32774	12.00	22.00
89	4.33	4.00	-0.03292	15.00	23.00
90	3.33	3.33	-0.31852	15.00	23.00
91	2.67	4.00	0.69796	12.00	26.00
92	3.33	2.33	-1.00985	10.00	24.00
93	2.33	4.00	1.00061	10.00	25.00
94	2.33	3.67	0.80031	7.00	27.00
95	3.33	3.33	0.06467	10.00	22.00
96	4.33	4.33	0.57716	11.00	23.00
97	3.67	4.33	0.59172	15.00	22.00
98	4.00	4.00	0.26974	13.00	22.00
99	4.00	3.33	-0.46612	14.00	22.00
100	3.67	3.67	0.30824	10.00	21.00

TEST.sav

	X3TOTAL	YTOTAL	E2	LnE2
73	6.00	6.00	0.06	-2.78
74	12.00	11.00	0.05	-2.91
75	15.00	15.00	0.11	-2.22
76	3.00	5.00	0.03	-3.36
77	3.00	3.00	0.40	-0.93
78	6.00	6.00	0.05	-3.10
79	12.00	11.00	0.05	-2.91
80	15.00	15.00	0.01	-4.48
81	3.00	6.00	0.40	-0.92
82	6.00	6.00	0.06	-2.78
83	6.00	7.00	0.01	-4.96
84	12.00	12.00	0.00	-8.79
85	15.00	15.00	0.01	-4.48
86	12.00	9.00	0.81	-0.21
87	12.00	11.00	0.10	-2.35
88	12.00	7.00	1.76	0.57
89	13.00	12.00	0.00	-6.83
90	10.00	10.00	0.10	-2.29
91	8.00	12.00	0.49	-0.72
92	10.00	7.00	1.02	0.02
93	7.00	12.00	1.00	0.00
94	7.00	11.00	0.64	-0.45
95	10.00	10.00	0.00	-5.48
96	13.00	13.00	0.33	-1.10
97	11.00	13.00	0.35	-1.05
98	12.00	12.00	0.07	-2.62
99	12.00	10.00	0.22	-1.53
100	11.00	11.00	0.10	-2.35

Lampiran 3 Karakteristik Responden

GET

```
FILE='D:\Skripsi\Frekuensi.sav'.
```

NEW FILE.

```
DATASET ACTIVATE DataSet2.
```

```
DATASET CLOSE DataSet1.
```

```
SAVE OUTFILE='F:\FILE CHRISTIAN\DATA FREKUENSI.sav'  
/COMPRESSED.
```

```
FREQUENCIES VARIABLES=USIA KUNJUNGAN  
/ORDER=ANALYSIS.
```

Frequencies

[DataSet2] F:\FILE CHRISTIAN\DATA FREKUENSI.sav

Statistics

		USIA	KUNJUNGAN
N	Valid	100	100
	Missing	0	0

Frequency Table

USIA

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	<20	9	9.0	9.0	9.0
	20->30	58	58.0	58.0	67.0
	31->40	24	24.0	24.0	91.0
	41->50	7	7.0	7.0	98.0
	>50	2	2.0	2.0	100.0
Total		100	100.0	100.0	

KUNJUNGAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1-2	27	27.0	27.0	27.0
	3-4	25	25.0	25.0	52.0
	5-6	41	41.0	41.0	93.0
	>6	7	7.0	7.0	100.0
Total		100	100.0	100.0	

Lampiran 4 Uji Validitas

```
COMPUTE X1TOTAL=X11 + X12 + X13 + X14.  
EXECUTE.  
COMPUTE X2TOTAL=X21 + X22 + X23 + X24 + X25 + X26.  
EXECUTE.  
COMPUTE X3TOTAL=X31 + X32 + X33.  
EXECUTE.  
COMPUTE YTOTAL=Y11 + Y12 + Y13.  
EXECUTE.  
SAVE OUTFILE='D:\TEST.sav'  
/COMPRESSED.  
CORRELATIONS  
/VARIABLES=X11 X12 X13 X14 X1TOTAL  
/PRINT=TWOTAIL NOSIG  
/MISSING=PAIRWISE.
```

Correlations

[DataSet2] D:\TEST.sav

Correlations

		X11	X12	X13
X11	Pearson Correlation	1	.367**	.388**
	Sig. (2-tailed)		.000	.000
	N	100	100	100
X12	Pearson Correlation	.367**	1	.620**
	Sig. (2-tailed)	.000		.000
	N	100	100	100
X13	Pearson Correlation	.388**	.620**	1
	Sig. (2-tailed)	.000	.000	

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X14	X1TOTAL
X11	Pearson Correlation	.346**	.689**
	Sig. (2-tailed)	.000	.000
	N	100	100
X12	Pearson Correlation	.421**	.821**
	Sig. (2-tailed)	.000	.000
	N	100	100
X13	Pearson Correlation	.292**	.797**
	Sig. (2-tailed)	.003	.000

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X11	X12	X13
X13	N	100	100	100
X14	Pearson Correlation	.346**	.421**	.292**
	Sig. (2-tailed)	.000	.000	.003
	N	100	100	100
X1TOTAL	Pearson Correlation	.689**	.821**	.797**
	Sig. (2-tailed)	.000	.000	.000
	N	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X14	X1TOTAL
X13	N	100	100
X14	Pearson Correlation	1	.668**
	Sig. (2-tailed)		.000
	N	100	100
X1TOTAL	Pearson Correlation	.668**	1
	Sig. (2-tailed)	.000	
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

CORRELATIONS

/VARIABLES=X21 X22 X23 X24 X25 X26 X2TOTAL

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE.

Correlations

[DataSet2] D:\TEST.sav

Correlations

		X21	X22	X23
X21	Pearson Correlation	1	.500**	.239*
	Sig. (2-tailed)		.000	.016
	N	100	100	100
X22	Pearson Correlation	.500**	1	.586**
	Sig. (2-tailed)	.000		.000
	N	100	100	100
X23	Pearson Correlation	.239*	.586**	1
	Sig. (2-tailed)	.016	.000	
	N	100	100	100
X24	Pearson Correlation	.197*	.562**	.622**
	Sig. (2-tailed)	.049	.000	.000
	N	100	100	100
X25	Pearson Correlation	.561**	.753**	.545**
	Sig. (2-tailed)	.000	.000	.000
	N	100	100	100
X26	Pearson Correlation	.541**	.647**	.404**
	Sig. (2-tailed)	.000	.000	.000

**. Correlation is significant at the 0.01 level (2-tailed).

*. Correlation is significant at the 0.05 level (2-tailed).

Correlations

		X24	X25
X21	Pearson Correlation	.197*	.561**
	Sig. (2-tailed)	.049	.000
	N	100	100
X22	Pearson Correlation	.562**	.753**
	Sig. (2-tailed)	.000	.000
	N	100	100
X23	Pearson Correlation	.622**	.545**
	Sig. (2-tailed)	.000	.000
	N	100	100
X24	Pearson Correlation	1	.397**
	Sig. (2-tailed)		.000
	N	100	100
X25	Pearson Correlation	.397**	1
	Sig. (2-tailed)	.000	
	N	100	100
X26	Pearson Correlation	.308**	.776**
	Sig. (2-tailed)	.002	.000

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

		X26	X2TOTAL
X21	Pearson Correlation	.541**	.672**
	Sig. (2-tailed)	.000	.000
	N	100	100
X22	Pearson Correlation	.647**	.875**
	Sig. (2-tailed)	.000	.000
	N	100	100
X23	Pearson Correlation	.404**	.735**
	Sig. (2-tailed)	.000	.000
	N	100	100
X24	Pearson Correlation	.308**	.662**
	Sig. (2-tailed)	.002	.000
	N	100	100
X25	Pearson Correlation	.776**	.873**
	Sig. (2-tailed)	.000	.000
	N	100	100
X26	Pearson Correlation	1	.795**
	Sig. (2-tailed)		.000

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X21	X22	X23
X26	N	100	100	100
X2TOTAL	Pearson Correlation	.672**	.875**	.735**
	Sig. (2-tailed)	.000	.000	.000
	N	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X24	X25
X26	N	100	100
X2TOTAL	Pearson Correlation	.662**	.873**
	Sig. (2-tailed)	.000	.000
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X26	X2TOTAL
X26	N	100	100
X2TOTAL	Pearson Correlation	.795**	1
	Sig. (2-tailed)	.000	
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

CORRELATIONS

/VARIABLES=X31 X32 X33 X3TOTAL

/PRINT=TWOTAIL NOSIG

/MISSING=PAIRWISE .

Correlations

[DataSet2] D:\TEST.sav

Correlations

		X31	X32
X31	Pearson Correlation	1	.428**
	Sig. (2-tailed)		.000
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X33	X3TOTAL
X31	Pearson Correlation	.550**	.778**
	Sig. (2-tailed)	.000	.000
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X31	X32
X32	Pearson Correlation	.428**	1
	Sig. (2-tailed)	.000	
	N	100	100
X33	Pearson Correlation	.550**	.716**
	Sig. (2-tailed)	.000	.000
	N	100	100
X3TOTAL	Pearson Correlation	.778**	.854**
	Sig. (2-tailed)	.000	.000
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		X33	X3TOTAL
X32	Pearson Correlation	.716**	.854**
	Sig. (2-tailed)	.000	.000
	N	100	100
X33	Pearson Correlation	1	.895**
	Sig. (2-tailed)		.000
	N	100	100
X3TOTAL	Pearson Correlation	.895**	1
	Sig. (2-tailed)	.000	
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

CORRELATIONS

```

/VARIABLES=Y11 Y12 Y13 Y
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

[DataSet2] D:\TEST.sav

Correlations

		Y11	Y12
Y11	Pearson Correlation	1	.380**
	Sig. (2-tailed)		.000
	N	100	100
Y12	Pearson Correlation	.380**	1
	Sig. (2-tailed)	.000	
	N	100	100
Y13	Pearson Correlation	.308**	.660**
	Sig. (2-tailed)	.002	.000
	N	100	100
Y	Pearson Correlation	.712**	.856**
	Sig. (2-tailed)	.000	.000
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		Y13	Y
Y11	Pearson Correlation	.308**	.712**
	Sig. (2-tailed)	.002	.000
	N	100	100
Y12	Pearson Correlation	.660**	.856**
	Sig. (2-tailed)	.000	.000
	N	100	100
Y13	Pearson Correlation	1	.819**
	Sig. (2-tailed)		.000
	N	100	100
Y	Pearson Correlation	.819**	1
	Sig. (2-tailed)	.000	
	N	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Lampiran 5 Uji Reliabilitas

GET

FILE='F:\FILE CHRISTIAN\TEST.sav'.

RELIABILITY

/VARIABLES=X1 X2 X3

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/SUMMARY=TOTAL.

Reliability

[DataSet1] F:\FILE CHRISTIAN\TEST.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.849	3

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1	6.9550	2.568	.808	.697
X2	6.6333	3.100	.686	.820
X3	6.9217	2.784	.669	.839

RELIABILITY

```
/VARIABLES=X11 X12 X13 X14 X21 X22 X23 X24 X25 X26 X3  
1 X32 X33 Y11 Y12 Y13  
/SCALE('ALL VARIABLES') ALL  
/MODEL=ALPHA  
/SUMMARY=TOTAL.
```

Reliability

[DataSet2] D:\TEST.sav

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.921	16

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X11	51.9900	139.970	.676	.915
X12	51.8600	138.505	.645	.916
X13	52.3200	140.018	.544	.919
X14	52.1100	141.614	.625	.916
X21	52.4900	142.555	.547	.919

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X22	51.5300	139.363	.758	.913
X23	51.6000	145.616	.475	.920
X24	51.5800	147.923	.424	.922
X25	51.5300	138.312	.802	.911
X26	51.7600	139.477	.767	.913
X31	51.6700	140.264	.690	.914
X32	52.3600	142.354	.572	.918
X33	52.0800	141.751	.632	.916
Y11	51.9900	139.970	.676	.915
Y12	52.0200	140.424	.655	.915
Y13	51.6600	144.469	.531	.919

DATASET ACTIVATE DataSet1.

DATASET CLOSE DataSet2.

Lampiran 6 Analisis Regresi

SAVE OUTFILE='D:\TEST.sav'

/COMPRESSED.

COMPUTE X1=(X11 + X12 + X13 + X14)/4.

EXECUTE.

COMPUTE X2=(X21 + X22 + X23 + X24 + X25 + X26)/6.

EXECUTE.

COMPUTE X3=(X31 + X32 + X33)/3.

EXECUTE.

COMPUTE Y=(Y11 + Y12 + Y13)/3.

EXECUTE.

SAVE OUTFILE='D:\TEST.sav'

/COMPRESSED.

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA COLLIN TOL

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT Y

/METHOD=ENTER X1 X2 X3

/RESIDUALS DURBIN

/SAVE RESID.

Regression

[DataSet2] D:\TEST.sav

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	X3, X2, X1 ^a	.	Enter

a. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.788 ^a	.620	.608	.57522

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

Model Summary^b

Model	Durbin-Watson
1	2.002

b. Dependent Variable: Y

ANOVA^b

Model		Sum of Squares	df	Mean Square
1	Regression	51.862	3	17.287
	Residual	31.764	96	.331
	Total	83.627	99	

b. Dependent Variable: Y

ANOVA^b

Model		F	Sig.
1	Regression	52.247	.000 ^a

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y

Coefficients^a

		Unstandardized Coefficients		Standardized Coefficients
Model		B	Std. Error	Beta
1	(Constant)	.487	.264	
	X1	.277	.105	.283
	X2	.224	.099	.208
	X3	.381	.083	.403

a. Dependent Variable: Y

Coefficients^a

		Collinearity Statistics		
Model		t	Sig.	VIF
1	(Constant)	1.846	.068	
	X1	2.640	.010	.343
	X2	2.267	.024	.471
	X3	4.589	.000	.514

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index
1	1	3.912	1.000
	2	.044	9.398
	3	.029	11.597
	4	.015	16.392

a. Dependent Variable: Y

Collinearity Diagnostics^a

Model	Dimension	Variance Proportions			
		(Constant)	X1	X2	X3
1	1	.00	.00	.00	.00
	2	.64	.08	.01	.22
	3	.15	.15	.25	.61
	4	.21	.77	.74	.17

a. Dependent Variable: Y

Residuals Statistics^a

	Minimum	Maximum	Mean
Predicted Value	1.3682	4.8937	3.4800
Residual	-1.58060	1.03331	.00000
Std. Predicted Value	-2.918	1.953	.000
Std. Residual	-2.748	1.796	.000

a. Dependent Variable: Y

Residuals Statistics^a

	Std. Deviation	N
Predicted Value	.72378	100
Residual	.56644	100
Std. Predicted Value	1.000	100
Std. Residual	.985	100

a. Dependent Variable: Y

REGRESSION

```
/MISSING LISTWISE  
/STATISTICS COEFF OUTS R ANOVA  
/CRITERIA=PIN(.05) POUT(.10)  
/NOORIGIN  
/DEPENDENT LnE2  
/METHOD=ENTER X1 X2 X3.
```

Regression

[DataSet1] F:\FILE CHRISTIAN\TEST.sav

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	X3, X2, X1 ^a	.	Enter

a. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.192 ^a	.037	.007	2.10368

a. Predictors: (Constant), X3, X2, X1

ANOVA^b

Model		Sum of Squares	df	Mean Square
1	Regression	16.273	3	5.424
	Residual	424.845	96	4.425
	Total	441.118	99	

b. Dependent Variable: LnE2

ANOVA^b

Model		F	Sig.
1	Regression	1.226	.305 ^a

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: LnE2

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients
		B	Std. Error	Beta
1	(Constant)	-1.829	.965	
	X1	-.225	.383	-.100
	X2	.407	.361	.165
	X3	-.379	.304	-.174

a. Dependent Variable: LnE2

Coefficients^a

Model		t	Sig.
1	(Constant)	-1.896	.061
	X1	-.587	.559
	X2	1.128	.262
	X3	-1.248	.215

a. Dependent Variable: LnE2