

BAB VII

KESIMPULAN DAN SARAN

7.1 Kesimpulan

Tidak ada hubungan antara derajat keasaman kulit wajah terhadap kejadian akne vulgaris pada santri laki-laki SMA Luqman AL-Hakim Surabaya.

7.2 Saran

1. Dapat digunakan sebagai referensi untuk penelitian lanjutan mengenai pH wajah dan akne vulgaris dan menjadi perbendaharaan kepustakaan, serta sumber informasi praktis untuk masyarakat dalam pencegahan akne vulgaris. Sehingga bisa menentukan perawatan kulit yang sesuai dengan keasaman kulitnya.
2. Diperlukan penelitian lebih lanjut mengenai hubungan pH dengan sebum wajah.
3. Perlu diperhatikan apabila meneliti akne vulgaris dikarenakan akne vulgaris adalah penyakit yang multifaktorial.
4. Perlu diperhatikan hal yang mempengaruhi derajat keasaman wajah seperti: pembersih wajah, keringat, nutrisi, produksi sebum, lingkungan, dan tipe kulit berdasarkan Fitzpatrick, dan Lingkungan.

DAFTAR PUSTAKA

1. Sibero HT, Sirajudin A, Anggraini DI. Prevalensi dan gambaran epidemiologi akne vulgaris di provinsi Lampung. 2019 [disitasi 2022 Mei 2] Dec;3:1–4. Diunduh dari: <https://juke.kedokteran.unila.ac.id/index.php/JK/article/view/2519/2463> DOI: <https://doi.org/10.23960/jk%20unila.v3i2.2519>.
2. Agatha PC, Wijayadi LJ, Sugiharto S. Gambaran kadar sebum kulit wajah pada mahasiswa Fakultas Kedokteran Universitas Tarumanagara penderita akne vulgaris. Tarumanagara Medical Journal. 2021 Apr [disitasi 2022 Mei 2];3:368-369. Diunduh dari: <https://journal.untar.ac.id/index.php/tmj/article/view/11755> DOI: <https://dx.doi.org/10.24912/tmj.v3i2.11755.20>
3. Dewinda SS, Rialita A, Mahyarudin M. Indeks massa tubuh dan kejadian jerawat pada siswa-siswi SMA Muhammadiyah 1 Pontianak. Jurnal Kesehatan Manarang. 2020 Dec 30[disitasi 2022 Mei 10];6(2):125. Diunduh dari: <https://jurnal.poltekkesmamuju.ac.id/index.php/m/article/view/227> DOI: <https://doi.org/10.33490/jkm.v6i2.227>.
4. Bernadette I, Wasitaatmadja S.M, Hidritiani Reti. Kelompok studi dermatologi kosmetik Indonesia. 2018 [disitasi 2022 Mei 5];1-2. Diunduh dari: https://staff.ui.ac.id/system/files/users/lili.legiawati/publication/akne_cs.pdf

5. Karimkhani C, Dellavalle RP, Coffeng LE, Flohr C, Hay RJ, Langan SM, et al. Global skin disease morbidity and mortality an update from the global burden of disease study 2013. *JAMA Dermatol.* 2017[disitasi 2022 Mei 3];153(5):406–12.
6. Meliala AA, Lubis RAS. Hubungan akne vulgaris dengan gejala ansietas pada mahasiswa Fakultas Kedokteran Universitas Muhammadiyah Sumatera Utara[Internet]. *Jurnal Pandu Husada.* 2020 May 22[disitasi 2022 Mei 2];1(2):101. Diunduh dari: <http://jurnal.umsu.ac.id/index.php/JPH/article/view/4604>
DOI: <https://dx.doi.org/10.30596%2Fjph.v1i2.4604>.
7. Prakash C, Bhargava P, Tiwari S, Majumdar B, Bhargava RK. Skin surface pH in acne vulgaris: insights from an observational study and review of the literature. *J Clin Aesthet Dermatol.* 2017 Jul[disitasi 2022 Mei 12];10(7):33–9. Diunduh dari: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5605222/>.
8. Sparavigna A, Tenconi B, Ponti I De, Penna L La. An innovative approach to the topical treatment of acne. Dovepress. 2015[disitasi 2022 Mei 7];4(8):179–85.
9. Kang S, Amagai M, Bruckner AL, Enk A, Margolis DJ, McMichael AJ, et al. acne vulgaris. In: Fitzpatrick's dermatology. New York, United States of America: McGraw Hill Education; 2019[disitasi 2022 Mei 9]. p. 1401-1391.
10. Layton AM, Thiboutot D, Bettoli V. Fast facts: acne. 2nd ed. Abingdon, England: Health Press; 2016[disitasi 2022 Mei 2]. p. 12.

11. Teresa A. Akne vulgaris dewasa: etiologi, patogenesis dan tatalaksana terkini . Journal Kedokteran 2020. 2020 Jun 30[disitasi 2022 Mei 8];8:1–2. Diunduh dari: <https://ejournal.upr.ac.id/index.php/JK/article/view/1500>
DOI: <https://doi.org/10.37304/jkupr.v8i1.1500>.
12. Berth-Jones J, Chee Goh L, Maibach HI. Acne current concepts and management updates in clinical dermatology series editors . 2021 Jan [disitasi 2022 mei 12];131–2. Diunduh dari: <http://www.springer.com/series/13203> DOI: <https://doi.org/10.1007/978-3-030-68996-4>.
13. Menaldi SLSW, Bramono K, Indriatmi W. Ilmu penyakit kulit dan kelamin edisi ketujuh [Internet]. 2016. Available from: www.bpfkui.com.
14. Schürer N. pH and Acne. 2018[disitasi 2022 Mei 9]. p. 115–22. Diunduh dari: <https://www.karger.com/Article/Abstract/489525> DOI: <https://doi.org/10.1159/000489525>.
15. Surber C, Humbert P, Abels C, Maibach H. The acid mantle: a myth or an essential part of skin health? 2018[disitasi 2022 Mei 6]. p. 1–10. Diunduh dari: <https://www.karger.com/Article/Abstract/489512> DOI: <https://doi.org/10.1159/000489512>.
16. Sachdeva M, Tan J, Lim J, et al. The prevalence, risk factors, and psychosocial impacts of acne vulgaris in medical students: a literature review. International Journal of Dermatology [Internet]. 2020[disitasi 2022 Mei 5] ;794. Diunduh dari:

<https://onlinelibrary.wiley.com/doi/abs/10.1111/ijd.15280> DOI:

<https://doi.org/10.1111/ijd.15280>.

17. br. Sembiring Y, Panjaitan R, Nababan K. Perbedaan derajat keasaman kulit wajah, dada dan punggung pada penderita akne vulgaris di kota Medan tahun 2019 [Internet]. Uhn.ac.id. [disitasi 2022 Jun 21].

Available from:

<https://jurnaluhn.ac.id/index.php/medicine/article/view/511>.

18. Masturoh I, T NA. Metodologi penelitian kesehatan. Kementerian Kesehatan Republik Indonesia. 2018. 189 p.

19. Youn SH, Choi CW, Choi JW, Youn SW. The skin surface pH and its different influence on the development of acne lesion according to gender and age. Ski Res Technol [Internet]. 2013 May 1 [cited 2022 Nov 23];19(2):131–6. Available from:

<https://onlinelibrary.wiley.com/doi/full/10.1111/srt.12023> DOI:

10.1111/srt.12023

20. Zlotogorski A. Distribution of skin surface pH on the forehead and cheek of adults. Arch Dermatological Res 1987 2796 [Internet].

1987 Aug [cited 2022 Nov 23];279(6):398–401. Available from:

<https://link.springer.com/article/10.1007/BF00412626>

DOI:10.1007/BF00412626

21. Wendling PA, Dell'Acqua G. Skin biophysical properties of a population living in Valais, Switzerland. *Skin Res Technol* [Internet]. 2003 Nov [cited 2022 Nov 23];9(4):331–8. Available from: <https://pubmed.ncbi.nlm.nih.gov/14641883/> DOI: 10.1034/j.1600-0846.2003.00040.x
22. Skin surface and open comedone pH in acne patients | Abstract | *Acta Dermato-Venereologica* [Internet]. [cited 2022 Nov 23]. Available from:
<https://www.medicaljournals.se/acta/content/abstract/10.2340/000155563155158> DOI: 10.2340/000155563155158
23. Kim MK, Choi SY, Byun HJ, Huh CH, Park KC, Patel RA, et al. Comparison of sebum secretion, skin type, pH in humans with and without acne. *Arch Dermatol Res* [Internet]. 2006 Aug [cited 2022 Nov 23];298(3):113–9. Available from:
<https://pubmed.ncbi.nlm.nih.gov/16786345/> DOI: 10.1007/s00403-006-0666-0
24. Schürer NY, Bock M. Lowering lesional surface pH in acne: a new treatment modality for Herpifix. *J Dermatolog Treat* [Internet]. 2009 Feb [cited 2022 Nov 23];20(1):27–31. Available from:
<https://pubmed.ncbi.nlm.nih.gov/18618363/> DOI: 10.1080/09546630802178240

25. Sarangua T, Gurbadam A, Enkhtur Y, Sarangua T, Gurbadam A, Enkhtur Y. Correlation Demodex Folliculorum and Skin Biophysical Parameters. *J Cosmet Dermatological Sci Appl* [Internet]. 2013 Aug 15 [cited 2022 Nov 23];3(3):222–7. Available from: <http://www.scirp.org/Html/37239.html> DOI: 10.4236/jcdsa.2013.33034