

LAMPIRAN 1 : KUESIONER

KUESIONER

Kepada : Yth. Responden

Dengan Hormat,

Kuesioner ini dibuat dalam rangka menyelesaikan tugas akhir saya sebagai mahasiswa Universitas Katolik Widya Mandala Surabaya dengan judul **“Pengaruh Hedonic Shopping Tendency, Fashion Involvement, dan Window Display terhadap Impulse Buying Pada Specialty Store ZARA di Kota Surabaya**

”. Pada kesempatan ini mengharapkan kesediaan anda untuk bersedia meluangkan waktu menjawab pertanyaan yang saya ajukan seperti terlampir dalam kuesioner ini. Atas segala bantuan anda, saya ucapkan terima kasih.

I. Identifikasi Responden

1. Jenis kelamin saudara:

- a. Laki-laki b. Perempuan

2. Berapa usia anda?

- a. 18 - 25 tahun b. 25 – 30 tahun
- c. >30 tahun

3. Pekerjaan anda :

- a. Pelajar / Mahasiswa b. Wiraswasta
- c. Pegawai swasta d. Lainnya....

4. Pendapatan / uang saku per bulan :

- a. <3.000.000 b. 3.000.000 – 4.000.000 c. >4.000.000

II. Alternatif Jawaban

Jawablah pernyataan berikut dengan memberi tanda check list (√) atau tanda silang (X) pada kolom alternatif jawaban yang menjadi pilihan Anda :

STS : Sangat Tidak Setuju = 1

TS : Tidak Setuju = 2

N : Netral = 3

S : Setuju = 4

SS : Sangat Setuju = 5

No.	Atribut	STS	TS	N	S	SS
		1	2	3	4	5
	<i>Hedonic Shopping Tendency</i>					
1.	Belanja sebagai alat refreshing					
2.	Belanja merupakan kegiatan yang menyenangkan					
3.	Belanja merupakan suatu keinginan					
	<i>Fashion Involvement</i>					
4.	Memiliki satu atau beberapa pakaian sesuai dengan fashion terbaru					
5.	Berpenampilan menarik Penting bagi saya					
6.	Konsumen tertarik untuk berusaha mencari informasi					

	tentang fashion terbaru					
	<i>Window Display</i>					
8.	Penataan visualisasi pada <i>window display</i> sangat menarik					
9.	Barang pada <i>window display</i> membuat konsumen ingin membeli					
10.	Penataan barang pada <i>window display</i> memiliki tema yang menarik					
	<i>Impulse Buying</i>					
11.	Konsumen membeli produk dengan tidak direncanakan					
12.	Konsumen membeli produk dengan model terbaru ketika melihatnya					
13.	Konsumen ingin membeli produk ketika melihatnya					

LAMPIRAN 2 : TABULASI DATA KUESIONER

X1.1	X1.2	X1.3	X2.1	X2.2	X2.3	X3.1
2	1	3	2	1	2	3
2	1	3	3	3	3	2
4	5	3	5	3	4	3
3	3	3	3	3	3	3
5	4	5	5	5	4	4
2	1	1	1	1	2	2
4	5	5	5	5	5	4
3	4	5	3	3	5	5
2	3	1	2	3	3	2
3	3	3	2	2	2	1
4	4	4	4	4	4	4
3	4	4	4	3	3	4
5	4	4	4	3	4	3
3	3	3	3	4	4	4
5	4	5	5	5	4	5
2	3	1	1	3	3	2
4	5	3	3	5	4	4
3	3	4	4	4	3	5
2	1	1	2	3	3	2
2	1	2	1	3	1	1
3	4	4	5	5	4	5
3	3	3	3	3	3	3
3	4	4	3	3	3	5
3	4	4	5	5	3	4
2	2	2	1	1	1	3
3	2	1	1	1	2	2
3	2	1	1	2	1	2
4	4	4	4	4	5	5

5	5	5	5	5	5	5
1	2	2	2	3	3	2
3	2	2	2	3	3	3
4	5	5	4	5	5	4
1	2	1	2	1	3	3
3	4	4	5	3	3	3
4	5	5	4	4	3	3
2	3	3	3	1	1	3
2	2	1	3	3	2	2
4	5	5	5	4	3	4
4	4	4	4	4	4	5
2	2	1	1	2	1	1
1	1	1	1	1	1	1
5	5	5	3	4	3	3
3	4	5	4	5	5	4
2	1	2	2	3	3	2
2	1	2	3	3	2	1
4	5	5	5	5	5	4
3	2	2	1	1	3	3
4	3	4	4	3	3	5
2	1	1	2	1	2	2
2	1	1	1	2	2	1
4	4	3	3	3	5	5
1	3	1	3	3	1	1
3	1	1	3	3	3	1
4	5	5	4	5	5	4
3	5	5	3	3	5	5
1	3	3	1	1	3	2
2	2	1	1	1	2	2
3	3	3	4	4	5	4

3	3	5	5	3	5	3
3	3	2	2	3	3	1
4	5	5	5	5	5	4
3	3	5	4	5	4	4
5	5	4	5	5	5	4
2	2	2	1	1	1	1
3	2	2	3	1	3	3
2	2	2	1	1	3	3
2	1	1	3	3	2	3
1	2	3	2	3	1	1
2	1	3	2	3	3	1
4	4	4	4	3	4	5
4	5	3	5	3	5	3
2	2	1	1	2	2	3
5	5	5	4	4	4	3
4	3	3	4	4	5	5
1	3	3	3	3	2	3
2	2	1	2	2	2	2
4	4	4	5	5	3	3
3	4	5	5	5	4	3
2	3	3	2	2	3	3
4	5	4	5	5	3	5
2	1	2	2	1	1	2
3	3	2	2	3	3	3
3	3	3	1	1	3	2
2	3	3	2	2	2	3
4	5	3	3	5	5	4
2	3	3	1	1	3	2
4	3	4	4	3	3	3
3	5	3	5	3	5	5

3	2	2	1	1	2	2
3	3	3	3	3	3	3
3	4	3	4	4	4	3
3	2	1	3	1	3	3
4	3	4	4	3	3	5
2	3	1	1	1	1	3
4	3	4	5	3	5	5
2	1	2	3	3	2	1
4	5	4	5	4	3	3
3	4	5	5	3	3	3
2	1	2	2	3	2	3
4	5	3	3	3	4	4

X3.2	X3.3	Y1.1	Y1.2	Y1.3	X1TOT	X2TOT
2	2	2	1	1	6	5
2	2	1	1	1	6	9
3	3	4	4	4	12	12
3	3	3	3	3	9	9
4	5	5	4	5	14	14
2	2	1	1	1	4	4
4	4	4	4	5	14	15
3	5	3	3	5	12	11
2	1	1	2	3	6	8
1	2	3	3	3	9	6
4	4	4	4	4	12	12
4	4	3	3	4	11	10
5	5	4	4	4	13	11
3	3	4	4	3	9	11
3	5	4	3	3	14	14
2	1	1	3	2	6	7

5	5	5	4	4	12	12
4	5	3	5	3	10	11
3	2	1	1	2	4	8
1	2	3	2	2	5	5
4	5	5	5	4	11	14
3	3	3	3	3	9	9
5	5	3	4	4	11	9
5	3	4	4	3	11	13
2	2	1	1	3	6	3
3	3	2	2	3	6	4
1	2	1	3	3	6	4
4	5	3	3	4	12	13
5	5	5	5	5	15	15
3	2	1	2	3	5	8
2	2	1	1	1	7	8
5	4	4	4	4	14	14
3	3	3	2	1	4	6
4	4	5	4	5	11	11
3	4	5	5	5	14	11
3	1	2	2	1	8	5
1	3	1	3	1	5	8
5	4	4	5	5	14	12
5	5	5	5	5	12	12
2	1	2	1	1	5	4
1	1	1	1	1	3	3
3	5	5	3	5	15	10
3	3	4	5	3	12	14
1	3	1	3	2	5	8
3	3	1	1	3	5	8
4	4	4	5	5	14	15

1	3	1	3	3	7	5
4	3	4	3	4	11	10
1	2	3	3	3	4	5
2	2	1	1	2	4	5
3	5	3	5	5	11	11
3	2	2	3	3	5	7
1	1	3	3	3	5	9
5	3	3	5	3	14	14
3	5	3	5	3	13	11
3	2	3	2	2	7	5
3	3	2	1	1	5	4
5	4	5	4	3	9	13
4	5	4	5	5	11	13
1	3	2	3	1	8	8
4	4	3	3	3	14	15
5	4	4	3	3	11	13
4	4	5	5	5	14	15
1	1	2	2	2	6	3
1	3	3	1	3	7	7
1	1	2	2	1	6	5
1	3	3	2	3	4	8
3	2	3	2	3	6	6
3	2	3	1	2	6	8
5	3	3	4	5	12	11
5	4	5	4	4	12	13
3	1	3	2	1	5	5
3	5	5	3	5	15	12
5	3	5	3	5	10	13
3	2	2	1	3	7	8
1	1	3	3	1	5	6

4	4	4	5	4	12	13
3	5	3	5	3	12	14
1	3	2	2	1	8	7
3	5	5	3	3	13	13
2	1	3	2	1	5	4
2	2	2	3	2	8	8
1	3	3	3	1	9	5
1	3	3	2	2	8	6
4	5	3	3	3	12	13
2	1	3	2	1	8	5
4	4	3	4	3	11	10
3	5	5	3	5	11	13
1	1	2	1	1	7	4
3	3	3	3	3	9	9
4	5	5	4	5	10	12
1	3	1	3	1	6	7
4	5	4	5	4	11	10
3	2	2	1	3	6	3
3	5	3	5	3	11	13
3	1	2	2	1	5	8
4	5	4	3	4	13	12
4	5	4	5	4	12	11
3	1	3	3	1	5	7
5	4	3	3	3	12	10

X3TOT	Y1TOT	X1	X2	X3	Y1	RES_1
7	4	2	1,67	2,33	1,33	- 0,69614
6	3	2	3	2	1	- 1,29753
9	12	4	4	3	4	0,34709

9	9	3	3	3	3	0,03452
13	14	4,67	4,67	4,33	4,67	0,23268
6	3	1,33	1,33	2	1	- 0,57768
12	13	4,67	5	4	4,33	- 0,10714
13	11	4	3,67	4,33	3,67	- 0,22185
5	6	2	2,67	1,67	2	- 0,12964
4	9	3	2	1,33	3	0,69957
12	12	4	4	4	4	0,105
12	10	3,67	3,33	4	3,33	- 0,24534
13	12	4,33	3,67	4,33	4	- 0,03047
10	11	3	3,67	3,33	3,67	0,44611
13	10	4,67	4,67	4,33	3,33	- 1,10065
5	6	2	2,33	1,67	2	- 0,04245
14	13	4	4	4,67	4,33	0,27693
14	11	3,33	3,67	4,67	3,67	- 0,01864
7	4	1,33	2,67	2,33	1,33	-0,6738
4	7	1,67	1,67	1,33	2,33	0,68791
14	14	3,67	4,67	4,67	4,67	0,57784
9	9	3	3	3	3	0,03452
15	11	3,67	3	5	3,67	- 0,06692
12	11	3,67	4,33	4	3,67	- 0,17357
7	5	2	1	2,33	1,67	- 0,18844
8	7	2	1,33	2,67	2,33	0,31034
5	7	2	1,33	1,67	2,33	0,55244

14	10	4	4,33	4,67	3,33	- 0,81026
15	15	5	5	5	5	0,17548
7	6	1,67	2,67	2,33	2	- 0,14909
7	3	2,33	2,67	2,33	1	- 1,43299
13	12	4,67	4,67	4,33	4	- 0,43398
9	6	1,33	2	3	2	0,00584
11	14	3,67	3,67	3,67	4,67	1,0815
10	15	4,67	3,67	3,33	5	1,06968
7	5	2,67	1,67	2,33	1,67	- 0,64672
6	5	1,67	2,67	2	1,67	- 0,40172
13	14	4,67	4	4,33	4,67	0,40706
15	15	4	4	5	5	0,8629
4	4	1,67	1,33	1,33	1,33	- 0,22491
3	3	1	1	1	1	- 0,10645
11	13	5	3,33	3,67	4,33	0,26754
10	12	4	4,67	3,33	4	0,09202
6	6	1,67	2,67	2	2	- 0,06839
7	5	1,67	2,67	2,33	1,67	- 0,48242
12	14	4,67	5	4	4,67	0,22619
7	7	2,33	1,67	2,33	2,33	0,1619
12	11	3,67	3,33	4	3,67	0,08799
5	9	1,33	1,67	1,67	3	1,41583
5	4	1,33	1,67	1,67	1,33	- 0,25084
13	13	3,67	3,67	4,33	4,33	0,58677

6	8	1,67	2,33	2	2,67	0,68547
3	9	1,67	3	1	3	1,08652
12	11	4,67	4,67	4	3,67	0,68662
13	11	4,33	3,67	4,33	3,67	-0,3638
7	7	2,33	1,67	2,33	2,33	0,1619
8	4	1,67	1,33	2,67	1,33	-0,5477
13	12	3	4,33	4,33	4	0,36297
12	14	3,67	4,33	4	4,67	0,82643
5	6	2,67	2,67	1,67	2	0,41355
12	9	4,67	5	4	3	1,44047
13	10	3,67	4,33	4,33	3,33	-0,5876
12	15	4,67	5	4	5	0,55953
3	6	2	1	1	2	0,46769
7	7	2,33	2,33	2,33	2,33	0,01247
5	5	2	1,67	1,67	1,67	0,20141
7	8	1,33	2,67	2,33	2,67	0,65953
6	8	2	2	2	2,67	0,6307
6	6	2	2,67	2	2	0,21034
13	12	4	3,67	4,33	4	0,11148
12	13	4	4,33	4	4,33	0,35114
7	6	1,67	1,67	2,33	2	0,11248
11	13	5	4	3,67	4,33	0,09317
13	13	3,33	4,33	4,33	4,33	0,55435
8	6	2,33	2,67	2,67	2	0,51369
4	7	1,67	2	1,33	2,33	0,60072
11	13	4	4,33	3,67	4,33	0,43184

11	11	4	4,67	3,67	3,67	- 0,32201
7	5	2,67	2,33	2,33	1,67	- 0,82109
13	11	4,33	4,33	4,33	3,67	- 0,53818
5	6	1,67	1,33	1,67	2	0,36106
7	7	2,67	2,67	2,33	2,33	- 0,24161
6	7	3	1,67	2	2,33	-0,0413
7	7	2,67	2	2,33	2,33	- 0,06724
13	9	4	4,33	4,33	3	- 1,06289
5	6	2,67	1,67	1,67	2	- 0,15199
11	10	3,67	3,33	3,67	3,33	- 0,16464
13	13	3,67	4,33	4,33	4,33	0,4124
4	4	2,33	1,33	1,33	1,33	- 0,50881
9	9	3	3	3	3	0,03452
12	14	3,33	4	4	4,67	1,05557
7	5	2	2,33	2,33	1,67	- 0,53719
14	13	3,67	3,33	4,67	4,33	0,59326
8	6	2	1	2,67	2	0,0642
13	11	3,67	4,33	4,33	3,67	- 0,25427
5	5	1,67	2,67	1,67	1,67	- 0,32102
12	11	4,33	4	4	3,67	- 0,37029
12	13	4	3,67	4	4,33	0,52552
7	7	1,67	2,33	2,33	2,33	0,27143
13	9	4	3,33	4,33	3	- 0,80133

LAMPIRAN 3 : OUTPUT SPSS

Correlations

Correlations

		X1.1	X1.2	X1.3	X1TOT
X1.1	Pearson Correlation	1	.728**	.677**	.869**
	Sig. (2-tailed)		.000	.000	.000
	N	100	100	100	100
X1.2	Pearson Correlation	.728**	1	.749**	.922**
	Sig. (2-tailed)	.000		.000	.000
	N	100	100	100	100
X1.3	Pearson Correlation	.677**	.749**	1	.909**
	Sig. (2-tailed)	.000	.000		.000
	N	100	100	100	100
X1TOT	Pearson Correlation	.869**	.922**	.909**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

Correlations

		X2.1	X2.2	X2.3	X2TOT
X2.1	Pearson Correlation	1	.764**	.665**	.916**
	Sig. (2-tailed)		.000	.000	.000
	N	100	100	100	100
X2.2	Pearson Correlation	.764**	1	.645**	.903**
	Sig. (2-tailed)	.000		.000	.000
	N	100	100	100	100
X2.3	Pearson Correlation	.665**	.645**	1	.854**
	Sig. (2-tailed)	.000	.000		.000
	N	100	100	100	100
X2TOT	Pearson Correlation	.916**	.903**	.854**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

Correlations

		X3.1	X3.2	X3.3	X3TOT
X3.1	Pearson Correlation	1	.625**	.710**	.884**
	Sig. (2-tailed)		.000	.000	.000
	N	100	100	100	100
X3.2	Pearson Correlation	.625**	1	.607**	.850**
	Sig. (2-tailed)	.000		.000	.000
	N	100	100	100	100
X3.3	Pearson Correlation	.710**	.607**	1	.889**
	Sig. (2-tailed)	.000	.000		.000
	N	100	100	100	100
X3TOT	Pearson Correlation	.884**	.850**	.889**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

Correlations

		Y1.1	Y1.2	Y1.3	Y1TOT
Y1.1	Pearson Correlation	1	.648**	.690**	.882**
	Sig. (2-tailed)		.000	.000	.000
	N	100	100	100	100
Y1.2	Pearson Correlation	.648**	1	.651**	.869**
	Sig. (2-tailed)	.000		.000	.000
	N	100	100	100	100
Y1.3	Pearson Correlation	.690**	.651**	1	.891**
	Sig. (2-tailed)	.000	.000		.000
	N	100	100	100	100
Y1TOT	Pearson Correlation	.882**	.869**	.891**	1
	Sig. (2-tailed)	.000	.000	.000	
	N	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Reliability

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.958	12

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	33.56	147.360	.793	.955
X1.2	33.43	140.308	.833	.953
X1.3	33.51	139.606	.829	.953
X2.1	33.47	138.353	.856	.952
X2.2	33.51	142.899	.762	.955
X2.3	33.38	144.400	.771	.955
X3.1	33.44	144.592	.749	.956
X3.2	33.54	143.564	.742	.956
X3.3	33.35	139.462	.831	.953
Y1.1	33.49	143.465	.774	.955
Y1.2	33.49	142.616	.783	.955
Y1.3	33.55	141.301	.787	.955

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X3, X2, X1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y1

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.877 ^a	.768	.761	.56652	1.863

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	102.179	3	34.060	106.121	.000 ^a
	Residual	30.811	96	.321		
	Total	132.990	99			

a. Predictors: (Constant), X3, X2, X1

b. Dependent Variable: Y1

Coefficients^a

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	X1	X2	X3
1	1	3.873	1.000	.01	.00	.00	.00
	2	.086	6.710	.99	.03	.03	.02
	3	.021	13.440	.00	.00	.72	.70
	4	.019	14.114	.00	.97	.25	.27

a. Dependent Variable: Y1

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	1.1064	4.8245	3.0100	1.01593	100
Residual	-1.44047	1.41583	.00000	.55787	100
Std. Predicted Value	-1.874	1.786	.000	1.000	100
Std. Residual	-2.543	2.499	.000	.985	100

a. Dependent Variable: Y1

Frequencies

	X1.1	X1.2	X1.3	X2.1	X2.2	X2.3
N Valid Missing	100 0	100 0	100 0	100 0	100 0	100 0
	X3.1	X3.2	X3.3	Y1.1	Y1.2	Y1.3
	100 0	100 0	100 0	100 0	100 0	100 0

Frequency Table

X1.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	7	7.0	7.0	7.0
	2	29	29.0	29.0	36.0
	3	32	32.0	32.0	68.0
	4	25	25.0	25.0	93.0
	5	7	7.0	7.0	100.0
	Total	100	100.0	100.0	

X1.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	16	16.0	16.0	16.0
	2	18	18.0	18.0	34.0
	3	27	27.0	27.0	61.0
	4	19	19.0	19.0	80.0
	5	20	20.0	20.0	100.0
	Total	100	100.0	100.0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	20	20.0	20.0	20.0
	2	16	16.0	16.0	36.0
	3	26	26.0	26.0	62.0
	4	19	19.0	19.0	81.0
	5	19	19.0	19.0	100.0
	Total	100	100.0	100.0	

X2.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	19	19.0	19.0	19.0
2	18	18.0	18.0	37.0
3	23	23.0	23.0	60.0
4	19	19.0	19.0	79.0
5	21	21.0	21.0	100.0
Total	100	100.0	100.0	

X2.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	20	20.0	20.0	20.0
2	8	8.0	8.0	28.0
3	41	41.0	41.0	69.0
4	13	13.0	13.0	82.0
5	18	18.0	18.0	100.0
Total	100	100.0	100.0	

X2.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	11	11.0	11.0	11.0
2	17	17.0	17.0	28.0
3	38	38.0	38.0	66.0
4	15	15.0	15.0	81.0
5	19	19.0	19.0	100.0
Total	100	100.0	100.0	

X3.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	13	13.0	13.0	13.0
2	18	18.0	18.0	31.0
3	34	34.0	34.0	65.0
4	18	18.0	18.0	83.0
5	17	17.0	17.0	100.0
Total	100	100.0	100.0	

X3.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	20	20.0	20.0	20.0
2	12	12.0	12.0	32.0
3	33	33.0	33.0	65.0
4	20	20.0	20.0	85.0
5	15	15.0	15.0	100.0
Total	100	100.0	100.0	

X3.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	15	15.0	15.0	15.0
2	19	19.0	19.0	34.0
3	25	25.0	25.0	59.0
4	16	16.0	16.0	75.0
5	25	25.0	25.0	100.0
Total	100	100.0	100.0	

Y1.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	16	16.0	16.0	16.0
2	15	15.0	15.0	31.0
3	35	35.0	35.0	66.0
4	18	18.0	18.0	84.0
5	16	16.0	16.0	100.0
Total	100	100.0	100.0	

Y1.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	16	16.0	16.0	16.0
2	17	17.0	17.0	33.0
3	33	33.0	33.0	66.0
4	16	16.0	16.0	82.0
5	18	18.0	18.0	100.0
Total	100	100.0	100.0	

Y1.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	22	22.0	22.0	22.0
2	10	10.0	10.0	32.0
3	35	35.0	35.0	67.0
4	15	15.0	15.0	82.0
5	18	18.0	18.0	100.0
Total	100	100.0	100.0	

Reliability

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.878	3

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	6.10	6.556	.751	.856
X1.2	5.97	5.019	.806	.789
X1.3	6.05	4.997	.771	.828

Reliability

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.870	3

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	6.15	5.361	.790	.783
X2.2	6.19	5.812	.776	.795
X2.3	6.06	6.582	.698	.865

Reliability

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.845	3

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X3.1	6.15	5.907	.746	.755
X3.2	6.25	5.987	.666	.828
X3.3	6.06	5.370	.729	.769

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability

Reliability Statistics

Cronbach's Alpha	N of Items
.855	3

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y1.1	6.00	5.899	.737	.788
Y1.2	6.00	5.899	.707	.816
Y1.3	6.06	5.491	.739	.787

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
X1.1	100	1	5	2.96	1.053
X1.2	100	1	5	3.09	1.349
X1.3	100	1	5	3.01	1.389
X2.1	100	1	5	3.05	1.410
X2.2	100	1	5	3.01	1.322
X2.3	100	1	5	3.14	1.231
X3.1	100	1	5	3.08	1.253
X3.2	100	1	5	2.98	1.318
X3.3	100	1	5	3.17	1.393
Y1.1	100	1	5	3.03	1.275
Y1.2	100	1	5	3.03	1.306
Y1.3	100	1	5	2.97	1.367
Valid N (listwise)	100				