

## **BAB VI**

### **PENUTUP**

#### **6.1. Kesimpulan**

1. Interaksi antara variasi konsentrasi gula dan konsentrasi starter berpengaruh nyata terhadap aktivitas antibakteri kefir murbei dengan bakteri uji *Staphylococcus aureus* ATCC 25923, namun tidak berpengaruh nyata terhadap pH.
2. Variasi konsentrasi gula berpengaruh nyata terhadap sifat kimia yaitu pH dan aktivitas antibakteri kefir murbei dengan bakteri uji *Staphylococcus aureus* ATCC 25923.
3. Variasi konsentrasi starter berpengaruh nyata terhadap sifat kimia yaitu pH dan aktivitas antibakteri kefir murbei dengan bakteri uji *Staphylococcus aureus* ATCC 25923.

#### **6.2. Saran**

Perlakuan yang sebaiknya dilakukan adalah perlakuan G2S2 karena mampu memberikan aktivitas antibakteri terhadap *Staphylococcus aureus* ATCC 25923 yang paling tinggi dengan diameter 99,25-100,85 mm. Perlu dilakukan perlakuan lama penyimpanan kefir murbei untuk mengetahui apakah senyawa antibakteri masih mampu menghambat bakteri patogen tersebut dan perlu dilakukan pengujian ekstrak yang dinetralkan untuk mengetahui apakah senyawa fenol pada buah stabil dan asam organik pada buah tidak berpengaruh.

## DAFTAR PUSTAKA

- Adams M.R. and M.O. Moss. 2008. *Food Microbiology 3<sup>rd</sup> edition.* The UK: Royal Society of Chemistry.
- Apriyantono, A., D. Fardiaz, N. L. Puspitasari, Sedarnawati, dan S. Budiyanto. 1989. *Petunjuk Laboratorium Analisa Pangan.* Bogor: Pusat Antar Universitas Pangan dan Gizi Institut Pertanian Bogor.
- Azizah. N., A.N. Al-Baari, dan S. Mulyani. 2012. Pengaruh Lama Fermentasi Terhadap Kadar Alkohol, pH, dan Produksi Gas Pada Proses Fermentasi Bioetanol dari *Whey* dengan Substitusi Kulit Nanas. *Jurnal Aplikasi Teknologi Pangan.* 1(2): 72-77.
- Bae, S. H. and H. J. Suh. 2007. Antioxidant Activities of Five Different Mulberry Cultivars in Korea. *LWT-Food Science and Technology.* 40(6):955-962.  
<http://www.sciencedirect.com/science/article/pii/S0023643806001873> (28 April 2015).
- Bottazzi, V. 1983. *Other Fermented Dairy Product.* In: *Biotechnology: Food and Feed Production with Microorganisme.* Vol 5. Florida: Verlag Chemie.
- Bottazzi, V. 1983. Other Fermented Dairy Products, (dalam Biotechnology Fifth Volume. H. J. Rehm and G. Reed (ed.). G. Reed (vol. ed.)). Verlag Chemie. Florida, Basel. 315-363.  
<http://www.cabdirect.org/abstracts/19860414967.html;jsessionid=747EA3FD7EBFA3D08995FAF804AFF6E2> (26 April 2015).
- BPOM. 2005. *Peraturan Kepala Badan Pengawasan Obat dan Makanan Republik Indonesia Nomor HK 00.05.52.0685 tentang Ketentuan Pokok Pengawasan Pangan Fungsional.* Jakarta: Kepala BPOM.
- Buck, S. Rondinini, A. K. Covington, F. G. K. Baucke, C. M. A. Brett, M. F. Camoes, M. J. T. Milton, T. Mussini, R. Naumann, K. W. Pratt, P. Spitzer, G. S. Wilson. 2001. *The Measurement of pH-Definitiation, Standards and Procedure.* IUPAC WP pH DOCUMENT.
- Budiharta,S. dan D. Yani. 1988. *Mikrobiologi Makanan Asal Hewan.* Yogyakarta: PAU Pangan dan Gizi UGM.

- Carasi, P., M. Diaz, S.M. Racedo, G.D. Antoni, M.C. Urdaci, and M. A. Serradell. 2014. Safety Characterization and Antimicrobial Properties of Kefir-Isolated *Lactobacillus kefiri*. *Biomed Researcrh International*. Article ID 208974, 7 pages.
- Chintya, R.D dan F.C. Nisa. 2015. Pengaruh Daya Lampu dan Lama Iradiasi Ultraviolet Terhadap Karakteristik Sari Buah Murbei (*Morus alba L.*). *Jurnal Pangan dan Agroindustri*. 3(2): 610-619.
- CODEX STAN 243-2003. 2003. *CODEX STANDARD For Fermented Milks*. <http://www.codexalimentarius.org> (27 April 2015).
- Considine, D. M. and D. D. Considine. 1982. *Foods and Food Production Encyclopedia*. New York: Van Nostrand Reinhold Company.
- Cornel University. 2016. *Low G+C Gram Positive Bacteria*. Departement of Microbiology, College of Agriculture and Life Sciences. <https://micro.cornell.edu/research/epulopiscium/low-g-and-c-gram-positive-bacteria> (14 Mei 2016).
- Damayanti, E. dan T.B. Suprajana. 2007. Efek Penghambatan Beberapa Fraksi Ekstrak Buah Mengkudu terhadap *Shigella dysentiae*. *Prosiding Seminar Nasional Teknik Kimia Kejuangan*. Fakultas Biologi Universitas Jendral Soedirman. Yogyakarta.
- Davidson, M.P., N. J. Sofos and A.L. Branen. 2005. *Antimicrobials in Food Third Edition*. USA: Le Lait.
- Davidson, P. M. and A. L. Branen. 1993. *Antimicrobial in Food 2<sup>nd</sup> Edition*. Resised and Expanded. New York: Marcell Dekker Inc.
- Dewi, F. K. 2010. Aktivitas Antibakteri Ekstrak Etanol Buah Mengkudu (*Morinsda citrifolia, Linnaeus*) terhadap Bakteri Pembusuk Daging Segar, *Skripsi S-1*, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Sebelas Maret, Surakarta. <https://core.ac.uk/download/files/478/12345430.pdf> (14 Mei 2016).
- Dimitrova, M.P., N. Tr. Petkova, P. P. Denev and I. N. Aleksieva. 2015. Carbohydrate Composition and Antioxidant Activity of Certain *Morus* Species. *International Journal of Pharmacognosy and Phytochemical Research*. 7(3): 621-627.
- Ditjen POM. 2000. *Parameter Standar Umum Ekstrak Tumbuhan Obat*. Jakarta: Departemen Kesehatan Republik Indonesia.

- Duitschavaer, C. L., N. Kemp and D. Emmons. 1987. Pure Culture Formulation and Procedure for The Production of Kefir. *Milchwissenschaft (abstract)*. 42(2): 80-82. <http://cat.inist.fr/?aModele=afficheN&cpsidt=8032585> (26 April 2015).
- Elviani. 2012. Pengaruh Perbedaan Konsentrasi Bubur *Strawberry* terhadap Sifat Kimia, Mikrobiologis, dan Organoleptik Kefir. *Skripsi S-1*, Fakultas Teknologi Pertanian, Universitas Katolik Widya Mandala, Surabaya.
- Eyduran, S.P., S. Ercisli, M. Akin, O. Beyhan, M. K. Gecer, E. Eyduran and Y.E. Erturk. 2015. Organic Acid, Sugars, Vitamin C, Antioxidant Capacity, and Phenolic Compounds in Fruits of White (*Morus alba L.*) and Black (*Morus nigra L.*) Mulberry Genotypes. *Journal of Applied Botany and Food Quality*. 88: 134-138. <http://pub.jki.bund.de/index.php/JABFQ/article/view/3581/4463> (28 April 2016).
- Fardiaz, S. 1992. *Mikrobiologi Pengolahan Pangan Lanjut*. Bogor: PAU Pangan dan Gizi.
- Fellows, P. 1990. *Food Processing Technology Principles and Practice*. Departemen Catering Management. Oxford. Ellis Horwood. New York.
- FHO/WHO. 2001. *Joint Expert Consultation on Evaluation of Health and Nutritional Properties of Probiotics in Food Including Powder Milk with Live Lactic Acid Bacteria*. Cardoba, Argentina: FHO/WHO.
- FHO/WHO. 2002. *Joint Working Group on Drafting Guidelines for the Evaluation of Probiotics in Food*. London, Ontario, Canada: FHO/WHO.
- Franklin, T.J and G.A. Snow. 1975. *Biochemistry of Antimicrobial Action 2<sup>nd</sup> Edition*. London: Chapman and Hall.
- Garrote, G.L., A.G. Abraham, G. De Antoni. 2010. Microbial Interactions in Kefir: A Natural Probiotics Drink. In F. Mozzi, R. R. Raya and G. M. Vignolo (Eds.), *Biotechnology of Lactic Acid Bacteria – Novel Applications*. 327-340. Iowa: Blackwell Publishing.
- Gorris, L.G.M and M. H. J. Bennik. 1994. Bacteriocin of Food Preservation. *Internationale Zeitschrift für Lebensmittel Technik Marketing Verpackung und Analytic*.

- Griffin, D. H. 1991. *Fungal Physiology*. New York: A. Willey Interscience Publication, New Interscience Publication.
- Guiltz, A., J. Stadie, M. Wenning, M. A. Ehrmann and R.F. Vogel. 2011. The Microbial Diversity of Water Kefir. *Internasional Journal of Food Microbiology*. 151(3): 284-288. <http://www.sciencedirect.com/science/article/pii/S0168160511005344> (28 April 2015).
- Hart, H., Craine, L. E., dan Hart, D. J. 2003. Kimia Organik : Suatu Kuliah Singkat. Penerbit Erlangga. Jakarta.
- Hart, H., L.E. Craine, and D.J. Hart. 2003. *Kimia Organik Edisi Kesebelas*. Jakarta: Erlangga.
- Honer, C. 1993. Now kefir. *J. Dairy Field (abstr.)*. 176(9): 91.
- Hostettmann, K. 1991. Assays for Bioactivity. *Methods in Plant Biochemistry*. San Diego: Academic Press.
- Hotri, M. 2008. *Kajian Awal Penerapan HACCP pada Unit Usaha Pengolahan Kefir Pertapaan Bunda Pemersatu Gedono di Salatiga*.
- Hui, Y. H. 1993. *Dairy Science and Technology Handbook Volume 2: Product Manufacturing*. New York: VCH Publishers, Inc.
- Januarsyah, T. 2007. *Kajian Aktivitas Hambat Bakteriosin Dari Bakteri Asam Laktat Galur SCG 1223*. Fakultas Teknologi Pertanian Institut Pertanian Bogor. Bogor. <http://repository.ipb.ac.id/bitstream/handle/123456789/12033/F07tja.pdf?sequence=3&isAllowed=y> (1 Mei 2016).
- Jawetz, E., J.L. Melnick., E.A. Adelberg., G.F. Brooks., J.S. Butel, dan L.N.Ornston. 1995. *Mikrobiologi Kedokteran*. Edisi ke-20 (Alih bahasa : Nugroho & R.F.Maulany). Jakarta : Penerbit Buku Kedokteran EGC. hal.211,213,215.
- Jay, J. M. 1978. *Modern Food Microbiology*. Second edition. D.Van Nostrand Co., New York.
- Khalid, N., S.A. Fawad and I. Ahmed. 2011. Antimicrobial Activity, Phytochemical Profile and Trace Minerals of Black Mulberry (*Morus nigra L.*) Fresh Juice. *Pak. J. Bot.*43: 91-96.
- Koca, I., N.S. Ustun, A.F. Koca and B. Kardeniz. 2008. Chemical Compoition, Antioxidant Activity and Anthocyanin Profiles of Purple

- Mulberry (*Morus rubra*) Fruits. *Journal of Food Agriculture and Environment.* 6(2): 39-42.
- Kosikowski, F. 1982. Cheese and Fermented Milk Food. Third edition. F. V. Kosikowski and Associates, New York.
- Kumar ,V. and Chauhan S. 2008. Mulberry:Life Enhancer. *Journal of Medical Plants Research.* 2(10): 271-278. <http://www.academicjournals.org/JMPR> (27 April 2015).
- Kunaepah, U. 2008. Pengaruh Lama Fermentasi dan Konsentrasi Glukosa Terhadap Aktivitas Antibakteri, Polifenol Total dan Mutu Kimia Kefir Susu Kacang Merah, *Thesis S-2*, Program Studi Magister Gizi Masyarakat, Universitas Diponegoro, Semarang.
- Kusuma, S.A.F. 2009. *Staphylococcus aureus*, Makalah, Fakultas Farmasi UNPAD, Bandung.
- Leite, A. M. O, D. C. Leite, E. M. Del-Aguila, T. S. Alvares, R. S. Peixoto, M. A. L. Miguel, J. T. Silva, V. M. F. Paschoalin. 2013b. Microbiological and Chemical Characteristic of Brazilian Kefir During Fermentation and Storage Processes. *J. Diary Sci.* 96: 4149-4159. <http://www.journalofdairyscience.org/article/S0022-0302%2813%2900307-X/fulltext> (28 April 2015).
- Leite, A. M. O, M. A. L. Miguel, R. S. Peixoto, A. S. Rosado, J. T. Silva and V. M. F. Paschoalin. 2013a. Microbiological, Technological and Therapeutic properties of Kefir: A Natural Probiotic Beverage. *Review Brazilian Journal of Microbiology.* 44(2): 341-349. <http://www.scielo.br/pdf/bjm/v44n2/a01v44n2.pdf> (28 April 2015).
- Lengkey, A.W. Hendronoto, J. Alex, Balia, L. Roostita. 2013. The Effect of Various Starter Dosages on Kefir Quality. *Lucrări Științifice-Seria Zootehnie*, Vol. 59.
- Leroy, L. D. V. F. 2007. Bacteriocins from Lactic Acid Bacteria: Production, Purification, and Food application. *J. Mol Microbiol. Biotechnol.* 15:67-78.
- Madigan, M.T., J.M. Martinko, and J. Parker. 2000. *Biology of Microorganism*. Eight ed. USA : Simon & Schuster, A Viocom Company. p.40, 43,70,878.
- Madigan, T.M. dan J. Matinko. 2006. *Brock Biology of Microorganisms*. Eleventh edition. USA: Pearson Education, Inc. Pearson Prentice Hall.

- Magalhaes, K.T., G.V.M. Pereira, C.R. Compos, G. Dragone and R.F. Schwan. 2011. Brazilian Kefir: Structure, Microbial Communities and Chemical Composition. *Brazilian Journal of Microbiology*. 42: 693-702.
- Mal R., L. E. Radianti dan Purwadi. 2013. *Effect of Storage Duration in Refrigerator Temperature on pH Value, Viscosity, Total Lactic Acid and Protein Profiles Dissolved of Goat Milk*. <http://fapet.ub.ac.id/wp-content/uploads/2013/04/Pengaruh-Lama-Penyimpanan-Pada-Suhu-Refrigerator-Terhadap-Nilai-pH-Viskositas-Total-Asam-Laktat-Dan-Profil-Protein-Terlarut-Kefir-Susu-Kambing.pdf> (28 April 2015).
- Martin, J.D., G.L. Rodrigo, J.H. Cordero, E.D. Diaz and C.D. Romero. 2003. Alcoholic Beverages Obtained from Black Mulberry. *Food Technol. Biotechnol.* 41(2): 173-176. <http://hrcak.srce.hr> (15 November 2015).
- Mckane, L. 1985. *Microbiology Essential and Application*. New York: McGraw Hill, Inc.
- Memon, A. A., N. Memon, D.L. Luthria, M.I. Bhager and A. A. Pitafi. 2010. Phenolic Acids Profiling and Antioxidant Potential of Mulberry (*Morus laevigata W.*, *Morus nigra L.*, *Morus alba L.*) Leaves and Fruits Grown in Pakistan. *Pol J. Food Nutr. Sci.* 60 (1): 25-32.
- Miguel, M.G. da C.P., P.G. Cardoso, K.T. Magalhaes and R.F. Schwan. 2011. Profil of Microbial Communities Present in Tibico (Sugary Kefir) Grains From Different Mrazilian States. *World Journal of Microbiology and Biotechnology*. 27(11): 1875-1884. <http://link.springer.com/article/10.1007%2Fs11274-010-0646-6> (28 April 2015).
- Miljkovic, V.M., G.S. Nikolic, L.B. Nikolic and B.B. Arsic. 2014. Morus Species Through Centuries in Pharmacy and as Food. *Advanced Technologies*. 3(2):111-115.
- Mims, C., J. Playfair, I. Roitt, D. Wakelin and R. Williams. 1998. *Medical Microbiology 2<sup>nd</sup> Edition*. Mosby, London.
- NCCLS. 2006. *Methods for Dilution Antimicrobial Susceptibility tests For Bacteria That Grow Aerobically 7th edition*. Pennsylvania: Clinical and Laboratory Standards Institute.

- Neve, H. and K.J. Heller. 2002. The Microflora of Water Kefir: A Glance by Scanning Electron Microscopy. *Kieler Milchwirtschaftliche Forschungsberichte.* 54: 337–349.
- Nollet, L. M. L. and F. Toldra. 2015. *Handbook of Food Analysis Third Edition – Volume I.* New York: CRC Press.
- Nugerahani, Ira., Netty Kusumawati., Indah Kuswardani., dan Joek H. Arisasmita. 2015. *Pengembangan Produk Kefir Murbei Hitam (Morus nigra) sebagai Minuman Fungsional yang Memiliki Aktivitas Antioksidan dan Antidiabetik.* Fakultas Teknologi Pertanian, Universitas Katolik Widya Mandala, Surabaya.
- Nugroho, D. A. dan E. S. Rahayu. 2002. Ekstraksi dan Karakterisasi Bakteriosin Yang Dihasilkan oleh *Leuconostoc mesenteroides* Sm 22. Seminar Nasional PATPI Malang ISBN: 979-95249-6-2. *J. Teknologi dan Industri Pangan.* 14(3): 214-218.
- Oliveira, R.B., M.A. Pereira, S.M.O. Veiga, J.M. Schneedorf, N.M.S. Oliveira, J.E. Fiorini. 2010. Microbial Profile Of A Kefir Sample Preparations: Grains In Natura And Lyophilized And Fermented Suspension. *Ciencia e Tecnologia de Alimentos.* 30 (12) :1022-1026.
- Oliver, S.P., B. E. Gillespie, M.J. Lewis, S.J. Ivey, R.A. Almeida, D.A. Luther, D.L. Johnson, K.C. Lamar, H.D. Moorehead and H.H. Dowlen. 2001. Efficacy of a New Premilking Teat Disinfectant Containing a Phenolic Combination For The Prevention of Mastitis. *J. Diary Sci.* 84: 1545-1549.
- Ostling, C. E. and S. E. Lindgren. 1990. Inhibition of *Enterobacteria* and *Listeria* Growth by Lactic, Acetic, and Formic Acid. *J. Appl Bacteriol.* 73:18-24.
- Otes S. and O. Cangidi. 2003. Kefir: A Probiotic Diary-Composition, Nutritional and Therapeutic Aspects. *Pakistan Journal of Nutrition.* 2(2): 54-59.
- Otsoa, F. L., A. Rementeria, N. Elguezabal and J. Garaizar. 2006. Kefir: A Symbiotic Yeasts-Bacteria Community with Alleged Healthy Capabilities. *Rev Iberoam Micol* 2006. 23: 67-74.
- Ozgen ,M., S. Serce and C. Kaya. 2009. Phytochemical and Antioxidant Properties of Anthocyanin-rich *Morus nigra* and *Morus rubra* fruits. *Sci. Hortic.* 119:275-9.

- Pawlowska ,A.M., W. Oleszek and A. Braca. 2008. Quali-quantitative Analyses of Flavonoids of *Morus nigra* L. and *Morus alba* L. (*Moraceae*) Fruits. *J. Agric. Food Chem.* 56:3377-80.
- Pelczar, M.J. dan E.C.S Chan. 1988. *Dasar-Dasar Mikrobiologi*. Jakarta: UI Press.
- Radojkovic, M. M., Z. P. Zekovic, S. S. Vidovic, D. D. Kocar and P. Z. Maskovic. 2012. Free Radical Scavenging Activity and Total Phenolic and Flavonoid Content of Mulberry (*Morus spp. L.*, *Moraceae*) Extracts. *Hem. Ind.* 66 (4): 547-552.
- Rahman, A., S. Fardiaz, W. P. Rahayu, Suliantari dan C. C. Nurwitri. 1992. Teknologi Fermentasi Susu. Pusat Antar Universitas Pangan dan Gizi, Institut Pertanian Bogor.
- Reblova, Z. 2012. Effect of Temperature on the Antioxidant Activity of Phenolic Acids. *Czech J. Food Sci.* 30 (2): 171-177. <http://www.agriculturejournals.cz/publicFiles/60247.pdf> (19 April 2016).
- Rodrigues, K.L., J.C.T. Carvalho and J.M. Schneedorf. 2005. Anti-inflammatory Properties of Kefir and Its Polysaccharide Extract. *Inflammopharmacology*. 13(5-6):485–492.
- Sabokbar, N and F. Khodaiyan. 2014. Characterization of Pomegranate Juice and Whey Based Novel Beverage Fermented by Kefir Grains. *J. Food Sci. Technol.* DOI 10.1007/s13197-014-1412-9.
- Salminen, S., A.V. Wright and A. Ouwehand. 2004. *Lactic Acid Bacteria: Microbiology and Functional Aspects 3th Edition*. Revised and Expanded. New York: Marcel Dekker, Inc.
- Schlegel, H. G. dan K. Schmidt. 1994. *Mikrobiologi Umuum*. Terjemahan. Gadjah Mada University Press, Yogyakarta.
- Sultana, B., F. Anwar, M. Ashraf and N. Saari. 2012. Effect of Drying Techniques on The Total Phenolic Contents and Antioxidant Activity of Selected Fruits. *J. Med. Plants Res.* 6(1): 161-167.
- Syahrurahman A, Chatim A, Soebandrio A, Karuniawati A, Santoso A, Harun B, et al, editors. (2010). *Buku Ajar Mikrobiologi Kedokteran*. Edisi Revisi, Jakarta: Binarupa Aksara Publisher.
- Tajkarim, M. dan S. Ibrahim. 2011. Antimicrobial Activity of Ascorbic Acid Alone or in Combination with Lactic acid on *Escherichia Coli*

- O157:H7 in Laboratory Medium and Carrot Juice. *Food Control* 22: 801-804.
- Tamime, A. Y. and R. K. Robinson. 2000. *Yoghurt Science and Technology*. Cambridge: Woodhead Publishing Ltd. 35-37.
- Tim Dosen. 2006. *Petunjuk Praktikum Mikrobiologi Umum*. Fakultas Teknologi Pertanian, Universitas Katolik Widya Mandala, Surabaya.
- Timotius, K. H. 1982. *Mikrobiologi Dasar*. Salatiga: Universitas Kristen Satya Wacana.
- Wigyanto, I. Nurika, dan I. Vida. 2007. Perencanaan Produksi Kefir Tomat Skala Rumah Tangga. *Jurnal Teknologi Pertanian*. 8(3): 198-206.
- Witthuhn, R.C., T. Schoeman and T.J. Britz. 2004. Isolation and Characterization of the Microbial Population of Different South African Kefir Grains. *Int. J. Diary Technol.* 57: 33-37.
- Wszolek, M., B. Kupiec-Taehan, H. S. Guldager, A.Y. Tamime. 2006. *Production of Kefir, Komiss, and Other Related Products*. Blackwell Science Ltd.
- Yigit, D. and N. Yigit. 2008. Antibacterial Activity of Black Mulberry (*Morus nigra*) Fruits and Leaves. *Fen Bilimleri Enstitusu Dergisi Cilt-Sayı*: 1-1 Yil:2008.
- Zourari, A., Zourari, A., and Anifantakis, E. M. 1988. Le Kefir. Caracteres-Physico-Chimiques, Microbiologiques Et Nutritionnels. Technologie de production. *Une revue Le Lait*. 68:373–392.