

Lampiran Hasil Uji Statistik

jenis kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	laki-laki	31	70,5	70,5	70,5
	perempuan	13	29,5	29,5	100,0
	Total	44	100,0	100,0	

umur

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	39	1	2,3	2,3	2,3
	48	1	2,3	2,3	4,5
	49	1	2,3	2,3	6,8
	51	1	2,3	2,3	9,1
	52	1	2,3	2,3	11,4
	53	1	2,3	2,3	13,6
	54	3	6,8	6,8	20,5
	59	2	4,5	4,5	25,0
	60	2	4,5	4,5	29,5
	61	2	4,5	4,5	34,1
	62	2	4,5	4,5	38,6
	63	3	6,8	6,8	45,5
	65	1	2,3	2,3	47,7
	66	4	9,1	9,1	56,8
	67	1	2,3	2,3	59,1
	68	3	6,8	6,8	65,9
	70	2	4,5	4,5	70,5
	72	1	2,3	2,3	72,7
	73	2	4,5	4,5	77,3
	75	4	9,1	9,1	86,4
	76	1	2,3	2,3	88,6
	79	2	4,5	4,5	93,2
	80	1	2,3	2,3	95,5
	81	1	2,3	2,3	97,7
	83	1	2,3	2,3	100,0
	Total	44	100,0	100,0	

Statistics

umur

N	Valid	44
	Missing	0
Mean		65,07
Median		66,00
Mode		66 ^a
Std. Deviation		9,950
Minimum		39
Maximum		83

a. Multiple modes exist. The smallest value is shown

LDL

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	normal <100	10	22,7	22,7	22,7
	sedikit di atas normal 100-129	12	27,3	27,3	50,0
	sedang 130-159	18	40,9	40,9	90,9
	tinggi 160-189	4	9,1	9,1	100,0
	Total	44	100,0	100,0	

Correlations

			NIHSS saat masuk	LDL
Spearman's rho	NIHSS saat masuk	Correlation Coefficient	1,000	-,087
		Sig. (2-tailed)	.	,574
		N	44	44
	LDL	Correlation Coefficient	-,087	1,000
		Sig. (2-tailed)	,574	.
		N	44	44

gula darah atau HbA1C

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid gula darah <200 atau HbA1C<6,5%	27	61,4	61,4	61,4
gula darah >200 atau HbA1C>6,5%	17	38,6	38,6	100,0
Total	44	100,0	100,0	

Correlations

			NIHSS saat masuk	gula darah atau HbA1C
Speaman's rho	NIHSS saat masuk	Correlation Coefficient	1,000	,414**
		Sig. (2-tailed)	.	,005
		N	44	44
	gula darah atau HbA1C	Correlation Coefficient	,414**	1,000
		Sig. (2-tailed)	,005	.
		N	44	44

** . Correlation is significant at the 0.01 level (2-tailed).

tekanan darah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid normal <120/<80	6	13,6	13,6	13,6
pre hipertensi 120-139/80-89	7	15,9	15,9	29,5
hipertensi >140/>90	31	70,5	70,5	100,0
Total	44	100,0	100,0	

Correlations

			NIHSS saat masuk	tekanan darah
Speaman's rho	NIHSS saat masuk	Correlation Coefficient	1,000	,211
		Sig. (2-tailed)	.	,170
		N	44	44
	tekanan darah	Correlation Coefficient	,211	1,000
		Sig. (2-tailed)	,170	.
		N	44	44

merokok

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid ya	4	9,1	9,1	9,1
tidak	40	90,9	90,9	100,0
Total	44	100,0	100,0	

Correlations

			NIHSS saat masuk	merokok
Spearman's rho	NIHSS saat masuk	Correlation Coefficient	1,000	,354*
		Sig. (2-tailed)	.	,018
		N	44	44
	merokok	Correlation Coefficient	,354*	1,000
		Sig. (2-tailed)	,018	.
		N	44	44

*. Correlation is significant at the 0.05 level (2-tailed).

Correlations

			NIHSS saat masuk	merokok	gula darah atau HbA1C
Spearman's rho	NIHSS saat masuk	Correlation Coefficient	1,000	,354*	,414**
		Sig. (2-tailed)	.	,018	,005
		N	44	44	44
	merokok	Correlation Coefficient	,354*	1,000	,251
		Sig. (2-tailed)	,018	.	,100
		N	44	44	44
	gula darah atau HbA1C	Correlation Coefficient	,414**	,251	1,000
		Sig. (2-tailed)	,005	,100	.
		N	44	44	44

*. Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).