

## **BAB V**

### **KESIMPULAN & SARAN**

#### **V.1. Kesimpulan**

Kesimpulan yang didapat dari penelitian adalah :

1. Perbandingan *solid-liquid* pada substrat mempengaruhi penurunan kadar lignin untuk setiap mikroorganisme, dimana :
  - Fungi *Trichoderma viride* memiliki hasil penurunan kadar lignin yang lebih tinggi pada perbandingan *solid-liquid* = 1:30, dengan persentase delignifikasi yaitu 13,76%.
  - Bakteri *Escherichia coli* memiliki hasil penurunan kadar lignin yang lebih tinggi pada perbandingan *solid-liquid* = 1:50, dengan persentase delignifikasi yaitu 12,48%.
2. Pada delignifikasi dengan menggunakan kombinasi *Trichoderma viride* dan *Escherichia coli*, penurunan kadar lignin tertinggi dicapai pada perbandingan  $Tv : Ec = 2:1$ , dengan persentase delignifikasi yaitu 18,57%.
3. Berdasarkan hasil pembacaan analisis FT-IR, diketahui bahwa pada sampel hasil delignifikasi masih mengandung lignin dilihat dari gugus fenolik sebagai salah satu unsur penyusun lignin.

#### **V.2. Saran**

1. Kombinasi mikroorganisme *Trichoderma viride* dan *Escherichia coli* menghasilkan penurunan kadar lignin yang lebih tinggi dibandingkan penggunaan kedua mikroorganisme tersebut masing-masing .

2. Untuk meningkatkan persentase delignifikasi, dapat dilakukan dengan menambahkan durasi proses fermentasi.

## DAFTAR PUSTAKA

- Abdul P. M., Jahim, J. M., Harun, S., Markom, M., Lutpi, N. A., Hassan, O., Balan, V., Dale, B. E. & Nor, M. T. M. 2016. Effects of changes in chemical and structural characteristic of ammonia fibre expansion (AFEX) pretreated oil palm empty fruit bunch fibre on enzymatic saccharification and fermentability for biohydrogen. *Bioresource Technology*, 211, 200-208.
- Akhtar, J., Teo, C. L., Lai, L. W., Hassan, N., Idris, A. & Aziz, R. A. 2015. Factors affecting delignification of oil palm empty fruit bunch by microwave-assisted dilute acid/alkali pretreatment. *BioResources*, 10, 588-596.
- Alvira, P., Toms-Pej, E., Ballesteros, M. & Negro, M. J. 2010. Pretreatment technologies for an efficient bioethanol production process based on enzymatic hydrolysis: A review. *Bioresource Technology*, 101, 4851-4861.
- Andreasson LE, Reinhamar B: Mechanisms of electron-transfer in laccase catalyzed reactions. *Biochimica Et Biophysica Acta* 1979, 568:145-156.
- Association of Official Analytical Chemist (AOAC). 1995-2005. *Official Methods of Analysis* : AOAC Arlington
- Azhari, A., Falah, S., Nurjannah, L. & Bintang, M. 2014. Delignifikasi Batang Kayu Sengon oleh Trametes versicolor. 1, 1-10.
- Behera, S., Arora, R., Nandhagopal, N. & Kumar, S. 2014. Importance of chemical pretreatment for bioconversion of lignocellulosic biomass. *Renewable and Sustainable Energy Reviews*, 36, 91-106.
- Bourbonnais, R., Paice, M.G., 1990. Oxidation of nonphenolic substrates—an expanded role for laccase in lignin degradation. *FEBS Lett.* 267, 99–102.
- Brahim, M., El Kantar, S., Boussetta, N., Grimi, N., Brosse, N. & Vorobiev, E. 2016. Delignification of rapeseed straw using innovative chemo-physical pretreatments. *Biomass and Bioenergy*, 95, 92-98.
- Brodeur, G., Yau, E., Badal, K., Collier, J., Ramachandran, K. B. & Ramakrishnan, S. 2011. Chemical and Physicochemical Pretreatment of Lignocellulosic Biomass: A Review. *Enzyme Research*, 2011.
- Brown, M. E. and Chang, M. C. Y. (2014) ‘Exploring bacterial lignin degradation’, *Current Opinion in Chemical Biology*. Elsevier Ltd, 19(1), pp. 1–7. doi: 10.1016/j.cbpa.2013.11.015.

- Cahyono, A., Nugroho, W. A. & Kadarisman, D. 2016. Penggunaan Lindi Hitam Pada Proses Pretreatment Tandan Kosong Kelapa Sawit ( *Elaeis Guineensis* ) Utilization of Black Liquor on Empty Fruit Bunches ( *Elaeis guineensis* ) Pretreatment Process. 4, 33-40.
- Chaturvedi, V. & Verma, P. 2013. An overview of key pretreatment processes employed for bioconversion of lignocellulosic biomass into biofuels and value added products. *3 Biotech*, 3, 415-431.
- Chen, J., Xu, L., Wu, Y., Tong, J. and Chen, Y. (2014) ‘Production, characterization of acetyl esterase from a rumen bacteria strain RB3, and application potential of the strain in biodegradation of crop residues’, *Renewable Energy*. Elsevier Ltd, 68, pp. 134–139. doi: 10.1016/j.renene.2014.01.033.
- Chen, C., Shrestha, R., Jia, K., Gao, P. F., Geisbrecht, B. V., Bossmann, S. H., Shi, J. and Li, P. (2015) ‘Characterization of dye-decolorizing peroxidase (DyP) from *Thermomonospora curvata* reveals unique catalytic properties of A-type DyPs’, *Journal of Biological Chemistry*, 290(38), pp. 23447–23463. doi: 10.1074/jbc.M115.658807.
- Colpa, D.I., Fraaije, M.W., Van Bloois, E., 2014. DyP-type peroxidases: a promising and versatile class of enzymes. *J. Ind. Microbiol. Biotechnol.* 41, 1–7.
- Cybulska, I., Brudecki, G. P., Zembrzuska, J., Schmidt, J. E., Lopez, C. G. B. & Thomsen, M. H. 2015. Organosolv delignification of agricultural residues (date palm fronds, *Phoenix dactylifera* L.) of the United Arab Emirates. *Applied Energy*, 1-11.
- Dwivedi, U. N., Singh, P., Pandey, V. P. and Kumar, A. (2011) ‘Structure-function relationship among bacterial, fungal and plant laccases’, *Journal of Molecular Catalysis B: Enzymatic*. Elsevier B.V., 68(2), pp. 117–128. doi: 10.1016/j.molcatb.2010.11.002.
- Frazier, W.C. dan D.C. Westhoff. 1977. Food Microbiology. 4th ed. McGraw-Hill Book Publishing. Co. Ltd. New York.
- Ghorbani, F., Karimi, M., Biria, D., Kariminia, H. R. & Jeihanipour, A. 2015. Enhancement of fungal delignification of rice straw by *Trichoderma viride* sp. to improve its saccharification. *Biochemical Engineering Journal*, 101, 77-84.
- Gonzalo, G. De, Colpa, D. I., Habib, M. H. M. and Fraaije, M. W. (2016) ‘Bacterial enzymes involved in lignin degradation’, *Journal of Biotechnology*. Elsevier B.V., 236, pp. 110–119. doi: 10.1016/j.jbiotec.2016.08.011.
- Graça, A., Santo, D., Quintas, C. and Nunes, C. (2017) ‘Growth of *Escherichia coli*, *Salmonella enterica* and *Listeria* spp., and their

- inactivation using ultraviolet energy and electrolyzed water, on “Rocha” fresh-cut pears’, *Food Kontrol*, 77, pp. 41–49. doi: 10.1016/j.foodcont.2017.01.017.
- Hamisan, A. F., Abd-Aziz, S., Kamaruddin, K., Shah, U. K. M., Shahab, N. & Hassan, M. A. 2009. Delignification of oil palm empty fruit bunch using chemical and microbial pretreatment methods. *International Journal of Agriculture Research*, 1-7.
- Hammel, K. E. 1997. Fungal degradation of lignin. *Driven by nature: plant litter quality and decomposition.*, 33-45.
- Hammel, K. E. & Cullen, D. 2008. Role of fungal peroxidases in biological ligninolysis. *Current Opinion in Plant Biology*, 11, 349-355.
- Indonesia-Investment. 2016. *Minyak Kelapa Sawit* [Online]. Available: <http://www.indonesia-investments.com/id/bisnis/komoditas/minyak-sawit/item166>.
- Isroi, Millati, R., Syamsiah, S., Niklasson, C., Cahyanto, M. N., Lundquist, K. & Taherzadeh, M. J. 2011. Biological pretreatment of lignocelluloses with white-rot fungi and its applications: A review. *BioResources*, 6, 5224-5259.
- Kaitu, R. A. M., Boy Rahardjo Sidharta and Atmodjo, K. (2013) ‘Aktivitas antibakteri fungi endofit jahe merah (’, *Jurnal Biologi*, pp. 1–15.
- Kumar, R., Hu, F., Hubbell, C. A., Ragauskas, A. J. & Wyman, C. E. 2013. Comparison of laboratory delignification methods, their selectivity, and impacts on physiochemical characteristics of cellulosic biomass. *Bioresource Technology*, 130, 372-381.
- Lakshmanan, D. and Sadasivan, C. (2016) ‘Trichoderma viride laccase plays a crucial role in defense mechanism against antagonistic organisms’, *Frontiers in Microbiology*, 7(MAY), pp. 1–5. doi: 10.3389/fmicb.2016.00741.
- Lee, J. 1997. Biological conversion of lignocellulosic biomass to ethanol. *Journal of Biotechnology*, 56, 1-24.
- Li, J., Henriksson, G. & Gellerstedt, G. 2007. Lignin depolymerization/repolymerization and its critical role for delignification of aspen wood by steam explosion. *Bioresource Technology*, 98, 3061-3068.
- Li, L., Li, X. Z., Tang, W. Z., Zhao, J. & Qu, Y. B. 2008. Screening of a fungus capable of powerful and selective delignification on wheat straw. *Letters in Applied Microbiology*, 47, 451-420.
- Lichfield, J. H. 1984. Single-cell Protein Di dalam Sarjoko (ed.). *Bioteknologi : Latar Belakang dan Beberapa Penerapannya*. Gramedia Pustaka Utama, Jakarta.

- Liers, C., Aranda, E., Strittmatter, E., Hofrichter, M., 2014. Phenol oxidation by DyP-type peroxidases in comparision to fungal and plant peroxidases. *J. Mol. Catal. B: Enzym.* 103, 41–46.
- Lokeshwari, N., Srinikethan, G., Joshi, S. G., Shasikala, I., Srikanth, B. & Sushma, L. 2013. Isolation and Screening of Fungi for Aerobic Delignification and Reduction of AOX of Pulp and Paper Mill Effluent. 7, 836-840.
- Longe, L., Garnier, G. & Saito, K. 2016. Lignin Biodegradation with Fungi, Bacteria and Enzymes for Producing Chemicals and Increasing Process Efficiency. *Production of Biofuels and Chemicals from Lignin*, 147-179.
- Ma, K. & Ruan, Z. 2015. Production of a lignocellulolytic enzyme system for simultaneous bio-delignification and saccharification of corn stover employing co-culture of fungi. *Bioresource Technology*, 175, 586-5
- Mailia, R., Yudhistira, B., Pranoto, Y., Ruchdyanto, S. and Rahayu, E. S. (2015) ‘KETAHANAN PANAS CEMARAN Escherichia coli, Staphylococcus aureus, Bacillus cereus dan BAKTERI PEMBENTUK SPORA YANG DIISOLASI DARI PROSES PEMBUATAN TAHU DI SUDAGARAN YOGYAKARTA’, 35(3).
- Moran, J.I., Alvarez, V.A., Cyras, V.P., Vazquez, A., 2008. Extraction of cellulose and preparation of nanocellulose from sisal fibers. *Cellulose* 15, 149–159.
- Moreno, A. D., Ibarra, D., Alvira, P., Tomás-Pejó, E. & Ballesteros, M. 2014. A review of biological delignification and detoxification methods for lignocellulosic bioethanol production. *Critical reviews in biotechnology*, 8551, 1-13.
- Murciano Martínez, P., Kabel, M. A. & Gruppen, H. 2016. Delignification outperforms alkaline extraction for xylan fingerprinting of oil palm empty fruit bunch. *Carbohydrate Polymers*, 153, 356-363.
- Octavia, S., Soerawidjaja, T. H., Purwadi, R. & Putrawan, I. D. G. A. 2011. Pengolahan Awal Lignoselulosa Menggunakan Amoniak untuk Meningkatkan Perolehan Gula Fermentasi. *Prosiding Seminar Nasional Teknik Kimia "Kejuangan"*, B13-1-6.
- Octavio LC, Irma PPMC, Ricardo BRJ, Francisco VO: Laccases. In Advances in Agricultural & Food Biotechnology. Edited by Guevara-Gonzalez RG, Torres- Pacheco I; 2006:323-340.
- Perindustrian, S. J. K. 2007. Gambaran Sekilas Industri Minyak Kelapa Sawit. *Sekretariat Jenderal*, 4.
- Phummala, K., Imai, T., Reungsang, A., Chairattananonkorn, P., Sekine, M., Higuchi, T., Yamamoto, K. & Kanno, A. 2014. Delignification of disposable wooden chopsticks waste for fermentative hydrogen

- production by an enriched culture from a hot spring. *Journal of Environmental Sciences (China)*, 26, 1361-1368.
- Putro, J. N., Soetaredjo, F. E., Lin, S. Y., Ju, Y. H. & Ismadji, S. 2016. Pretreatment and conversion of lignocellulose biomass into valuable chemicals. *RSC Advances*, 6, 46834-46852.
- Riva, S., 2006. Laccases: blue enzymes for green chemistry. *Trends Biotechnol.* 24, 219–226.
- Rodríguez, H., Padmanabhan, S., Poon, G. & Prausnitz, J. M. 2011. Addition of ammonia and/or oxygen to an ionic liquid for delignification of miscanthus. *Bioresource Technology*, 102, 7946-7952.
- Rouches, E., Zhou, S., Steyer, J. P. & Carrere, H. 2015. White-Rot Fungi pretreatment of lignocellulosic biomass for anaerobic digestion: Impact of glucose supplementation. *Process Biochemistry*. Elsevier Ltd. doi: 10.1016/j.procbio.2016.02.003.
- Sabariyah, S. 2015. Delignifikasi Lignoselulosa dengan Menggunakan White-rot Fungi sebagai Upaya untuk Meningkatkan Nilai Nutrisi Pakan Serat. 7.
- Sánchez, O., Sierra, R. & Alméciga-Díaz, C. J. 2011. Delignification Process of Agro-Industrial Wastes an Alternative to Obtain Fermentable Carbohydrates for Producing Fuel. *Alternative Fuel*, 111-154.
- Santhanam, N., Vivanco, J.M., Decker, S.R., Reardon, K.F., 2011. Expression of industrially relevant laccases: prokaryotic style. *Trends Biotechnol.* 29, 480–4
- Sarjono, P. R., Mulyani, N. S. and Setyani, W. S. (2012) ‘KADAR GLUKOSA DARI HIDROLISIS SELULOSA PADA ECENG GONDOK MENGGUNAKAN Trichoderma viride DENGAN VARIASI TEMPERATUR DAN WAKTU FERMENTASI’, *Jurnal Molekul*, 7(2), pp. 163–171. doi: 10.1017/CBO9781107415324.004.
- Shi, J., Sharma-Shivappa, R. R. & Chinn, M. S. 2008. Microbial pretreatment of cotton stalks by submerged cultivation of Phanerochaete chrysosporium. *Bioresource Technology*, 100, 4388-4395.
- Shi, Y., Chai, L., Tang, C., Yang, Z., Zhang, H., Chen, R., Chen, Y. and Zheng, Y. (2013) ‘Characterization and genomic analysis of kraft lignin biodegradation by the beta-proteobacterium Cupriavidus basilensis B-8.’, *Biotechnology for biofuels*, 6(1), pp. 1–14. doi: 10.1186/1754-6834-6-1.
- Shraddha, R.S., Sehgal, S., Kamthania, M., Kumar, A., 2011. Laccases: microbial sources, production, purification, and potential biotechnological applications. *Enzyme Res.*, Article ID 217861.
- Singh, P., Suman, A., Tiwari, P., Arya, N., Gaur, A. & Shrivastava, A. K. 2008. Biological pretreatment of sugarcane trash for its conversion to

- fermentable sugars. *World Journal of Microbiology and Biotechnology*, 24, 667-673. doi: 10.1007/s11274-007-9522-4.
- Singh, R., Shukla, A., Tiwari, S. & Srivastava, M. 2014. A review on delignification of lignocellulosic biomass for enhancement of ethanol production potential. *Renewable and Sustainable Energy Reviews*, 32, 713-728.
- Sitorus, R. S. 2011. Pretreatment dan Hidrolisis Tandan Kosong Kelapa Sawit (TKKS) dengan Metode Steaming dan Enzimatik. *Jurnal skripsi*, 1, 84.
- Solomon EI, Sundaram UM, Machonkin TE: Multicopper oxidases and oxygenases. *Chemical Reviews* 1996, 96:2563-2605.
- Soraya, P. I., Novia & Hermansyah 2012. Produksi Glukosa dari Tandan Kosong Kelapa Sawit yang Didelignifikasi dengan Ozonolysis Pretreatment melalui Metode Hidrolisis Enzimatik.
- Subramaniyam, R. and Vimala, R. (2012) 'Solid state and submerged fermentation for the production of bioactive substances: a comparative study', *International journal of science and nature*, 3(2012), pp. 480–486.
- Tae, H. K. & Lee, Y. Y. 2005. Pretreatment and fractionation of corn stover by ammonia recycle percolation process. *Bioresource Technology*, 96, 2007-2013.
- Ummartyotin, S. & Manuspiya, H. 2015. A critical review on cellulose: From fundamental to an approach on sensor technology. *Renewable and Sustainable Energy Reviews*, 41, 402-412.
- Van Berrocal, M., Ball, A. S., Huerta, S., Barrasa, J. M., Hernández, M., Pérez-Leblíc, M. I. and Arias, M. E. (2000) 'Biological upgrading of wheat straw through solid-state fermentation with *Streptomyces cyanescens*', *Applied Microbiology and Biotechnology*, 54(6), pp. 764–771. doi: 10.1007/s002530000454.
- Van Bloois, E., Torres Pazmiño, D.E., Winter, R.T., Fraaije, M.W., 2010. A robust and extracellular heme-containing peroxidase from *Thermobifida fusca* as prototype of a bacterial peroxidase superfamily. *Appl. Microbiol. Biotechnol.* 86, 1419–1430.
- Van Kuijk, S. J. A., Sonnenberg, A. S. M., Baars, J. J. P., Hendriks, W. H. & Cone, J. W. 2015. Fungal treated lignocellulosic biomass as ruminant feed ingredient: A review. *Biotechnology Advances*, 33, 191-202.
- Van Soest, P. J. (1994) *Nutritional Ecology of The Ruminant*. United States of America: Cornell University Press.
- Wan, C. & Li, Y. 2010. Microbial delignification of corn stover by Ceriporiopsis subvermispora for improving cellulose digestibility. *Enzyme and Microbial Technology*, 47, 31-36.

- Wan, C. & Li, Y. 2012. Fungal pretreatment of lignocellulosic biomass. *Biotechnology Advances*, 30, 1447-1457.
- Wesenberg, D., Kyriakides, I. and Agathos, S. N. (2003) 'White-rot fungi and their enzymes for the treatment of industrial dye effluents', *Biotechnology Advances*, 22(1–2), pp. 161–187. doi: 10.1016/j.biotechadv.2003.08.011.
- Willshaw, G.A., Cheasty, T. dan Smith, H.R. (2000). *Escherichia coli. Dalam* : Lund, B.M., Baird-Parker, T.C and Gould, G.W (ed). *The Microbiological Safety and Quality of Food* . Volume II, hal 1136-1164. Aspen Publishers, Inc. Gaithersburg, Maryland .
- Wirawan, A.E., Djauhari, S. & Sulistyowati, L., 2014. ANALISIS PERBEDAAN PENGARUH PENERAPAN SISTEM PHT dan KONVENTSIONAL terhadap KEANEKARAGAMAN Trichoderma sp . pada LAHAN PADI . , 2(0), pp.66–73.
- Zámocký, M., Hofbauer, S., Schaffner, I., Gasselhuber, B., Nicolussi, A., Soudi, M., Pirker, K.F., Furtmüller, P.G., Obinger, C., 2015. Independent evolution of four heme peroxidase superfamilies. *Arch. Biochem. Biophys.* 574, 108–119.