

BAB V

KESIMPULAN DAN SARAN

5.1 Kesimpulan

1. Ada penurunan potensi injeksi Meropenem yang dicampur dengan larutan Ringer Laktat terhadap *Staphylococcus aureus* sejak 0 menit sampai 90 menit. Potensi ke-0 menit 98,71% (persyaratan= 98-101%) penurunan potensi secara bermakna terdapat pada 15 menit.
2. Waktu maksimal penggunaan Meropenem yang terkonstitusi dalam larutan Ringer Laktat adalah 0 menit bila suhu 37,5°C untuk mempertahankan potensinya.

5.2 Saran

Berdasarkan hasil penelitian yang telah dilakukan, disarankan agar penelitian selanjutnya dilakukan dengan suhu yang lebih rendah.

DAFTAR PUSTAKA

- Atlas, R. M. 1993, *Handbook of Microbiological Media*, CRC Press, California, pp. 78, 79, 104.
- Baldwin, C. M., Lyseng Williamson, K. A., and Keam, S. J, 2008, Meropenem: a review of its use in the treatment of serious bacterial infections, *Drugs*, **68(6)**: 803-838.
- Blumer, J. L., 1996, Meropenem: Evaluation of a New Generation Carbapenem, *International Journal Antimicroba Agents*, **8**: 73-92.
- Cai, S and Hu, C., 2005, Cromatographic Determination of Polymerized Impurities in Meropenem, *Journal of Pharmaceutical and Biomedical Analysis*, **37**: 585-589.
- Cielecka P.J., Zajac, M., and Jeninska, A., 2007, A Comparison of The Stability Ertapenem and Meropenem in Pharmaceutical Preparations in Solid State, *Journal of Pharmaceutical and Biomedical Analysis*, **46(1)**: 52-7.
- Dalhoff, A., Janjic, N., Echols, R., 2006, Refending penem, *Biochemical. Pharm.*, **71**: 85-1095.
- Departemen Kesehatan Republik Indonesia, 2014, Farmakope Indonesia edisi V, Jakarta: Departemen Kesehatan Republik Indonesia.
- Deshpande, A.D., Baheti, K.G., and Chatterjee, N.R. 2004, *Degradation of β-lactam antibiotics*, Patil Institute of Pharmaceutical Sciences and Research, India.
- Gennaro, A.R., 2000, *Remington: The Science and Practice of Pharmacy*, 20th Ed., 2, University of Pharmacy and Science, Philadelphia.
- Gibbons, N. E., 1974, *Bergey's Manual of Determinative Bacteriologi*, edisi 8, The Williams and Wilkins Company, London, pp. 21, 25-30, 68, 118, 314.
- Hewitt, W. 1997, Microbiological Assay. Diakses pada tanggal 12 oktober 2017. <http://www.antimicrobe.org/new/drugpopup/meropenem.pdf>.
- Ismp Canada, 2016, *Monographs for Commonly Administered Intravenous Medications in Home and Community Care*, Canada.

- Jaruratanasirikul, S., and Sriwiriyajan, S. 2003, Stability of Meropenem in Normal Saline solution after storage at room temperature, *Southeast Asian J Trop Med Public Health*, **34**: 627-629.
- Jawetz., Will A., and Gordon., 2005, *Mikrobiologi Kedokteran*. Salemba Medika, Jakarta, pp. 223-274.
- Joklik, W.K., Willet, H.P., and Amos, D.B., 1987. *Zinsser Microbiology*, edisi 17, Appleton Century Crofts, New York, pp. 259-260, 739-741.
- Katzung, B.G. 2007, *Farmakologi dasar dan klinik*. edisi 7, EGC, Jakarta.
- Manning, L., Wright, C., Ingram, P. R., Whitmore, T. J., Heath, C. H., and Manson, L. 2014, Continuous infusions of meropenem in ambulatory care: clinical efficacy, safety and stability, *Plos One*, **9**:7.
- Marcia, L.B., 1998, Meropenem: An Alternative for Broad-Spectrum Antibacterial Coverage, *Pediatric Pharmacotherapy*, **4**(7):35-40
- Mendez, S.L., Chagastelles, P., Palma, E., Nardi, N., Schapoval, E., 2007, Thermal and Alkaline Stability of Meropenem: Degradation Product and Cytotoxicity, *International Journal of Pharmaceutics*, **350**(1-2): 95-102.
- Pelczar, M.J. dan Chan E.C.S. 1988, *Dasar-Dasar Mikrobiologi*, UI-Press, Jakarta.
- Pratiwi, S.T. 2008, *Mikrobiologi Farmasi*, Penerbit Erlangga, Yogyakarta.
- Priyono, A. Kurniawan, 2014, ‘Pengaruh pemberian Ringer asetat malat dan Ringer laktat terhadap kadar base excess pasien operasi bedah besar dengan anestesi spinal’, *Skripsi*, Sarjana Kedokteran, Universitas Diponegoro, Semarang.
- Reese, R., Z.T. Chowman, V.S. Rudraraju, 2000, *Handbook of Antibiotics*, third edition, Lippincott Williams and Wilkins, Philadelphia, **20**:411-414
- Setiabudy, R., dan Vincent, H.S. Ganiswarna. 1995, ‘Pengantar Antimikroba’ dalam Ganiswarna, S.G, *Farmakologi dan Terapi Gaya Baru*, Jakarta, pp. 571-583.
- Syamsiah, S., 1978, *Masalah Stabilitas Sediaan Farmasi*, Buletin ISFI 3rd, Jakarta.

- Takeuchi, Y., Verma, P. R. P. and A. R. Chandak., 1993, The Stability of Novel Carbapenem Antibiotic, Meropenem (SM-7338), in a Solid State Formulation for Injection, *Chem. Pharm. Bull.*, **41**:1998-2002.
- Talaro, K., Talaro, A., 2002. *Foundations in Microbiology*, edisi 4, WCB, New York.
- Tjay, Hoan Tan., dan Raharja K. 2002, *Obat-Obat Penting: Khasiat, Penggunaan dan Efek-Efek Sampingnya*, PT Elex Media Komputindo, Jakarta, pp. 53-89.
- USP XXVII, 2004, *USP 27 : United State Pharmacopoeia*, Rockville, United State Pharmacopoeial Convention. pp. 1160-1162.
- Wattimena, J.R, Shah, S.N.H., Rabbani, M and Amir, M.F. 1991, *Farmakodinamik dan Terapi Antibiotik*, Universitas Gadjah Mada, Yogyakarta.