

BAB 5

SIMPULAN DAN SARAN

5.1 Kesimpulan

1. Berdasarkan pengamatan pada penelitian ini dapat disimpulkan bahwa peningkatan konsentrasi ekstrak kental kulit buah nanas (*Ananas comosus*) sebesar 2%, 5%, dan 10% dalam sediaan gel anti selulit mampu memberikan pengaruh yang signifikan terhadap efektivitas sebagai anti selulit. Konsentrasi optimum yang dihasilkan adalah konsentrasi 5%.
2. Formula terbaik sediaan gel anti selulit ekstrak kulit buah nanas (*Ananas comosus*) yang memenuhi persyaratan mutu fisik, efektivitas, keamanan, dan aseptabilitas pada penelitian ini yaitu formula 2 dengan konsentrasi 5%.

5.2 Saran

Pada penelitian selanjutnya disarankan untuk menambah lama waktu penelitian agar sel target dapat bekerja lebih optimum, selain itu melakukan modifikasi formula sediaan gel anti selulit sehingga dihasilkan sediaan yang memiliki stabilitas, pH, viskositas, dan parameter uji mutu fisik lain yang baik.

DAFTAR PUSTAKA

- Ali, A. A., Milala, M. A. and Gulani, I. A. 2015, Antimicrobial effects of crude bromelain extracted from pineapple fruit (*Ananas comosus* (Linn.) Merr), *Advances in Biochemistry*, **3(1)**: 1-4.
- Allen, L. V. and Ansel, H.C. 2014, *Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems*, 10th Ed, Lippincott Williams and Wilkins, Philadelphia.
- Amdekar, S., Roy, P., Singh, V., Kumar, A., Singh, R. and Sharma, P. 2011, Anti inflammatory Activity of Lactobacillus on Carragenan-Induced Paw Edema in Male Wistar Rats, *Journal of Inflammation*, **12**:1-6.
- Ansel, H.C. 1989, *Pengantar Bentuk Sediaan Farmasi*. Edisi 4. UI Press. Jakarta, pp. 96,147.
- Aswal, A., Kalra, M. and Rout, A. 2013, Preparation and evaluation of polyherval cosmetic cream, *Dermatologi Pharmacia Lettre*, **5(1)**:83-88.
- Avram, M. M., 2005, Cellulite : a review of its physiology and treatment, *Journal Cosmet Laser Therapi*, **6(4)**1-3.
- Backer, C. A. and Brick, R. C. B. Van de. 1963, *Flora of Java* , Volume I, Springer, Groningen.
- Barel, A. O., Paye, M., and Maibach, H. I. 2009, *Handbook of Cosmetic Science and Technology 3rd ed*, Informa Healthcare USA, New York.
- Barry, B.W. 1983, *Dermatological Formulation*, Marcell Dekker Inc, New York, pp. 52.
- Ammunuakit, T., Maneenuan, D., Boonme, P. 2011, Evaluation of Caffeine Gels on Physicochemical Characteristics and In Vivo Efficacy in Reducing Puffy Eyes, *Journal of Applied Pharmaceutical Science*, **01 (02)**: 56-59.
- Baumann, L. 2002, *Cosmetoc Dermatologi : Principles and Practice*, The McGraw – Hill Companies, New York, pp.1-8, 93-97, 119.
- Bayrakci, T.V., Akbayrak, T., and Bakar, Y. 2010, Effects of mechanical massage, manual lymphatic drainage and connective tissue manipulation techniques on fat mass in women with cellulite, *Journal of the European Academy Dermatology*, **24**:138 142.

- Belcaro, G., Caratelli, M., Terranova, R. 1999, A simple test to monitor oxidative stress. *International Angiol*, **18(2)**:127–130.
- Bolton, S. 2009, *Pharmaceutical Statistic*, 5nd ed, Marcel Dekker, New York, pp.128-133, 146-157, 181, 593.
- Buhse, N. 2004, *Modern Technology of Cosmetics*, Asia Pacific Business Press, New Delhi, pp. 482.
- Chen, C.C. and Paull, R.E. 2000, Sugar Metabolism and Pineapple Flesh Translucency, *Journal of the American Society for Horticultural Science*, **125(5)**: 558-562.
- D'Eeckenbrugge, G.C., Saneswski, G.M., Smith, M.K., Duval, M.F. and Leal, F. 2011, Ananas in Kole, *Wild Crop Relatives: Genomic and Breeding Resources Tropical and Subtropical Fruits*, Springer, Jerman, pp. 21-41.
- Darsika, C., Somya, K.V., Suganya, K., Grace, X.F. and Shanmuganathan, S. 2015, Preparation and evaluation of herbal peel off face mask, *American Journal of Pharmtech Research*, **5(4)**: 332-336.
- Departemen Kesehatan RI, 1979, *Formularium Kosmetika Indonesia*, Cetakan I, Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI, 1985, *Formularium Kosmetika Indonesia*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI, 1989, *Materia Medika Indonesia*, Jakarta : Direktorat Jenderal Pengawasan Obat dan Makanan RI.
- Departemen Kesehatan RI, 1995, *Farmakope Indonesia* Edisi IV, Jakarta : Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Cetakan Pertama, Jakarta : Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI, 2014, *Farmakope Indonesia* Edisi V, Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Pertanian. 2004, *Rencana Strategis Badan Penelitian dan Pengembangan Pertanian 2005-2006*, Jakarta: Badan Penelitian dan Perkembangan Pertanian.
- Department of Health and Ageing Office of the Gene Technology Regulator. 2008, *The Biology of Annanas comosus varietas comosus (Pineapple) Version 2*, Australian Goverment, Australia.

- Ding, P. and Syazwani, S. 2015, ‘Physicochemical quality, antioxidant compounds and activity of MD-2 pineapple fruit at five ripening stages’, *Skripsi*, Department of Crop Science, Faculty of Agriculture, University Putra Malaysia, Malaysia.
- Direktorat Jenderal Pengawasan Obat dan Makanan Republik Indonesia (Ditjen POM RI). 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Jakarta: Departemen Kesehatan Republik Indonesia.
- Dirim, S. N. and Caliskan, G. 2012, Determination of The Effect of Freeze Drying Process on The Production of Pumpkin (*Cucurbita Moschata*) Puree Powder and The Powder Properties, *The Journal of Food*, **37(4)**: 203-210.
- Djajadisastra, J. 2004, ‘Cosmetic stability’, Departemen Farmasi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia. Seminar Setengah Hari HIKI, Depok.
- Effick, J. 2017, Pineapple Project, diakses pada 1 Agustus 2017, http://www.uq.edu.au/_School_Science_Lessons/PineProj.html#Lesson2.
- Eroschenko, V. P. 2010, *Atlas Histologi diFiore dengan Korelasi Fungsional*, Edisi 11, terjemahan B. U. Pendit, Penerbit Buku Kedokteran EGC, Jakarta, pp. 123-137.
- Filkova, I., Huang, L. X. and Mujumdar, A. S. 2006, ‘Industrial Spray Drying Systems’. In : Mujumdar, A. Scd, *Handbook of Industrial Drying*, Marcel Dekker Inc. , New York, pp. 235-236.
- Garg, A., Aggarwal, D., Garg, S. and Sigal, A. K. 2002, Spreading of Semisolid Formulation: An Update, *Journla Pharmaceutical Technology*, **(26)**: 84-105
- Gennora, A.R., Marderasian, A. H. D., Hanson, G. R., and Medwick, T. 2006, Remington: *The Science and Practice of Pharmacy*, 21st ed. Lippincott Williams and Wilkins, New York, pp. 828.
- Goldberg, D. J. and Berlin, A. L. 2011, Disorders of Fat and Cellulite: Advances in Diagnosis and Treatment, *Informa Healthcare Journal*, New York.
- Goldman, M. P., Bacci, P. A. and Leibasoff, G. 2006, *Cellulite Pathophysiology and Treatment*, Taylor and Francis, New York, pp.251 – 262.

- Guinard, J., Marse, C., Mory, L., Panyam, D., and Kilara, A. 1996, Effect of Sugar and fat on the Acceptability of Vanilla Ice Cream, *Journal of Dairy Science*, **79**:1922-1927.
- Gusdinar, T., Herowati, R., Kartasasmita R.E. and Adnyana, I.K. 2011, Anti-inflammatory and Antioxidant Activity of Quercetin-3,3',4'-Triacetate, *Journal of Pharmacology and Toxicology*, **6(2)**: 182-188.
- Hamishehkar, H., Shokri, J., Fallahi, Jahangiri, Ghanbarzadeh and Kouhsoltani. 2015, Histopathological evaluation of caffeine – loaded solid lipid nanoparticles inefficient treatment of cellulite, *Journal of Industrial Pharmaceutical*, **41(10)**:1640-1646.
- Harbourne J.B. 1996, *Metode Fitokimia Penuntun Cara Modern Menganalisa Tumbuhan*, Terbitan kedua, Penerjemah: K. Padmawinata dan I. Soediro, Penerbit ITB, Bandung, pp. 68-76.
- Hatam, S.F., Suryanto, E. dan Abidjulu, J. 2013, ‘Aktivitas Antioksidan dari Ekstrak Kulit Nanas (*Ananas comosus* (L) Merr)’, Skripsi, Program Studi Farmasi, FMIPA Universitas Sam Ratulangi Manado, Manado.
- Heldman, D. and Singh, R. 1981, *Food Processing Engineering*, AVI Publishing Company, New York.
- Hexsel, D., Orlandi, C. and Prado, Z.D. 2005, *Botanical extracts used in the treatment of cellulite*. Dermatology Surgery: Official Publication for American Society for Dermatologic Surgery, **31**: 866–872.
- Hubrecht, R., Kirkwood, J. 2010. *The UFAW Handbook on The Care and Management of Laboratory and Other Research Animals*, 8th Edition, Wiley-Blackwell, New York, pp. 312-313.
- Iswari, T. R. 2007, *Buku Pegangan Ilmu Pengetahuan Kosmetik*, Penerbit Gramedia Pustaka Utama, Jakarta, pp.6-8.
- Jameel, F. and Searles, J. 2010, Development And Optimization Of The Freeze-Drying Processes In Jammel, F., Iershenson, S. I. *Formulation and Process Development Strategis for Manufacturing Biopharmaceuticals*, John Wiler and Sons Inc., New Jersey, pp. 763.
- Jones, D. S. 2010, *Statistik Farmasi*, Penerjemah: Hesty, U., Ramadaniati dan Harrizul, R., Penerbit Buku Kedokteran EGC, Jakarta, pp. 202-212.

- Jung, M. K., Hur, D. Y., Song, S. B., Park, Y., Kim, T. S., Bang, S. I. and Cho, D. H. 2010, Tannic acid and quercetin display a therapeutic effect in atopic dermatitis via suppression of angiogenesis and TARC expression in Nc/Nga mice, *Journal of Investigative Dermatology*, **130**(5): 1459-1463.
- Kalaiselvi, M., Gomathi, D. and Uma, C. 2012, Occurrence of Bioactive compounds in *Ananas comosus* (L): A quality Standardization by HPTLC, *Asian Pacific Journal of Tropical Biomedicine*, pp. 1341-1346.
- Karuppagounder, V., Arumugam, S., Thandavarayan, R. A., Sreedhar, R., Gridharan, V. V. and Watanabe, K. 2016, Molecular targets of quercetin with anti-inflammatory properties in atopic dermatitis. *Elsevier Journal*, **21**(4): 632-639.
- Kaur, L. O. and Guleri, T. K. 2013, Topical Gel : A Recent Approach for Novel Drug Delivery, *Asian Journal of Biomedical and Pharmaceutical Sciences*, **3**(17): 1-5.
- Khan, M. H., Victor, F., Rao, B. and Sadick, N. S. 2009, Treatment of Cellulite, *American Academy of Dermatology*, pp.361-368.
- Kuppusamy, U. R. and Das, N. P. 1994, Potentiation of β -adrenoceptor agonist-mediated lipolysis by quercetin and fisetin in isolated rat adipocytes, *Journal of Biochemical Pharmacology*, **47**: 521–529
- Kurniawan, D.W. dan Sulaiman, S.T.N. 2009, *Teknologi Sediaan Farmasi, Graha Ilmu*, Yogyakarta.
- Lobo, M. G. and Yahia, E. 2017, ‘Biology and postharvest physiology of pineapple’ in Lobo, G.L. and Paull, E. P., *Handbook of Pineapple Technology: Production, Postharvest Science, Processing and Nutrition*, Wiley-Blackwell, Amerika Serikat, pp. 39-60.
- Manuwoto, S., Poerwanto, R. dan Darma K., 2003, Pengembangan Buah-Buahan Unggulan Indonesia, Ringkasan Penelitian Riset Unggulan Strategis Nasional (RUSNAS), Institut Pertanian Bogor, Bogor.
- Merck Index. 2006, *An Encyclopedia of Chemicals, Drugs, and Biologicals*. Merck Co Inc., New York.
- Mitruka, J. and Rawnsley, H. M. 1976, *Animal For Medical Research*, New York, pp. 273.
- Mitsui, T. 1997, *New Cosmetic Science*. Elsivier Science, Netherland.

- Moore, K., and Agur A. 2002, *Anatomi Klinik Dasar*, Hipokrates, Jakarta.
- Nebus, J., Vassilatou, K., Philippou, L. and Wallo, W. 2011, Clinical improvements in facial photoaged skin using a novel oak quercetin topical preparation, *Journal of the American Academy of Dermatology*, **64(2)**: AB73-AB73.
- Osborne, D. W., and Amann, A. H. 1990, *Topical Drug Delivery Formulations*, Marcell Dekker, New York.
- Parker, R. 2003, *Introduction to Food Science*. Delmar. Albany, pp. 119.
- Paul, R. E., and Lobo, M. G. 2012, 'Pineapple' in Siddiq, M., Ahmed, J., Lobo, M. G., Ozadali, F., *Tropical and Subtropical Fruits Postharvest Physiology, Processing and Packaging*. Wiley-Blackwell, Amerika Serikat, pp. 333-357.
- Perin, F., Perrier, C., Pttet, J. C., Beau, P., Schnebert, S. and Perrier, P. 2000, Assesment of Skin Improvement Treatment Efficacy Using the Photogading of Mechanically-Accentuated Macrorelief of Thigh Skin, *International Journal Cosmetology*, **22**: 147-156
- Py, C., Lacoeuilhe, J. J., and Teisson, C. 1987, *Pinneaple, Cultivation and Uses*, Paperback, Paris.
- Rachmania, R. A., Wahyudi, P., Wardani, A. M. dan Insani, D. R., 2017, Profil Berat Molekul Enzim Protease Buah Nanas (*Ananas comosus* L. Merr) dan Pepaya (*Carica papaya* L.) Menggunakan Metode SDS-PAGE, *ALCHEMY Jurnal Penelitian Kimia*, **13(1)**:52-56
- Rawlings, A. V. 2006, Cellulite and its treatment, *International Journal of Cosmetic Science*, pp. 176.
- Rocha , Iara, Bresolin , Igor Tadeu La zzarotto, Mazzola ,Priscila and Tambourgi, Elias B. 2014, *Incorporation of Bromelain into Dermatological Bases: Accelerated Stability Studies. Chemical England* **(8)** 270-277.
- Romelle, F.D., P.A.R., and Manohar, R.S. 2016, Chemical Composition of Some Selected Fruit Peels, *European Journal of Food Science and Technology*, **4(4)**:12-21.
- Rona, C., Carrera, M. and Berardesca, E. 2006, Testing anti celulite product, *International Journal Cosmeticologi*, **28**:169-173

- Rotunda, A.M. and Kolodney MS. 2006, Mesotherapy and phosphatidylcholine injections: his torical clarification and review, *Dermatologi Surgery*, **32**:465-480
- Rotunda, A. M., Weiss, S. R. and Rivkin L.S. 2009, Randomized double blind clinical trial of subcutaneously injected deoxycholate versus a phosphatidylcholine deoxcholate combination for the reduction of submental fat. *Dermatol Surgery* **35**:792-803
- Rowe, R. C. Sheskey, P.J. and Quinn, S.C. 2009, *Handbook of Pharmaceutical Excipients*, 6th edition, Pharmaceutical Press, Britain.
- Santanu, R., Hussan, S.D., Rajesh, G., and Daljit, M. 2012, A Review On Pharmaceutical Gel, *International Journal of Pharmaceutical Research and Bio-Science*, **1(5)**: 21-36.
- Shier, D., Lewis, R. and Butler, J. 2002, *Hole's Human Anatomy and Physiology*, 9th Edition, McGraw-Hill Science, New York.
- Saraswaty, V., Risdian, C., Primadona, I., Andriyani, R., Andayani, D. G. S. and Mozef, T. 2017, Pineapple Peel Wastes as a Potential Source of Antioxidant Compounds, *IOP Conf. Series: Earth and Environmental Science*, **(60)**:12-13.
- Sastrohamidjojo, H. 2002, *Kromatografi*, Cetakan Ketiga, Liberty, Yogyakarta, pp. 28–29.
- Schultz, M. B., Sinclair, D. A. 2016, Why NAD+ Declines during Aging: It's Destroyed. *Cell metabolism*, **23(6)**:965-966.
- Shier, D., Lewis, R. and Butler, J. 2002. *Hole's Human Anatomy and Physiology* 9th Ed.. McGraw-Hill Science, New York.
- Singh, M., Sharma, S., Khokra, S.L., Sahu, R.K. and Jangde, R. 2011, *Preparation and Evaluation of Herbal Cosmetic Cream*, India, pp. 1258-1264.
- Stoenoiu, C. E., Bolboaca, A. D. and Jantschi, L. 2006, Mobile phase optimization for steroid separation, *Medical Informatics*, **18**:17-24.
- Suardi, M., Armenia, dan Maryawati, A. 2008, ‘Formulasi dan Uji Klinik Gel Anti Jerawat Benzoil Peroksida-HPMC’, *Skripsi*, Fakultas Farmasi FMIPA Universitas Andalas, Padang.

- Svensson, L. 2012, Design and performance of small scale sensory consumer tests, *The Faculty of Natural Resources and Agricultural Sciences*, pp. 354.
- Swick and Jennifer, C. 2011, 'Effect of the Flavonoid Quercetin on Adipocytes', Thesis, Fakultas Kedokteran, University of Massachusetts, Amherst.
- Tranggono, R.I.S. dan Latifah, F. 2007, *Buku Pegangan Ilmu Pengetahuan Kosmetik*, Gramedia Pustaka Utama, Jakarta.
- United State Department of Agriculture. 2015, USDA National nutrient database for standard reference, Diakses pada 1 Agustus 2017, <http://ndb.nal.usda.gov>.
- Utami, P. 2008, *Buku Pintar Tanaman Obat: Jenis Tanaman Penggempur Aneka Penyakit*, Agromedia, Surabaya.
- Voight, R. 1995, *Buku Pelajaran Teknologi Farmasi*, edisi 5, Diterjemahkan oleh Soewandhi, Dr. Rere Nat. S. N. Apt. Gadjah Mada University Press, Yogyakarta.
- Yanhendri. dan Yenny, S.W. 2012, Berbagai Bentuk Sediaan Topikal dalam Dermatologi, *Cermin Dunia Kedokteran*, **39(6)**: 423-430.
- Zhu, Y., Tchkonia, T., Pirtskhalava, T., Gower, A. C., Ding, H., Giorgadze, N. and O'Hara, S. P. 2015, The Achilles' heel of senescent cells: from transcriptome to senolytic drugs, *Aging cell*, **14(4)**, 644-658.