

BAB 7

KESIMPULAN DAN SARAN

7.1 Kesimpulan

Berdasarkan hasil penelitian yang telah dilakukan, dapat disimpulkan bahwa :

1. Ekstrak etanol jahe emprit pada konsentrasi 1,25-20 mg/ml dapat ditunjukkan tidak mempunyai daya bunuh pada bakteri *Salmonella typhi*.

7.2 Saran

Berdasarkan hasil penelitian yang telah dilakukan dapat disarankan bahwa :

1. Menggunakan ekstrak spesies jahe yang lain karena pada konsenstrasi yang lebih besar dengan bakteri yang serupa belum bisa menghasilkan kadar hambat minimum dan kadar bunuh minimum.
2. Melakukan penelitian menggunakan jenis bakteri lain.
3. Memperhatikan kondisi simplisia tanaman yang digunakan (asal daerah, kandungan air, dan kesuburan tanah).
4. Menggunakan metode ekstraksi yang berbeda

DAFTAR PUSTAKA

1. Harish BN, Menezes GA. Determination of Antimicrobial Resistance in *Salmonella* spp. 2015;1225(January). Available from: <http://link.springer.com/10.1007/978-1-4939-1625-2>
2. Cossio MLT, Giesen LF, Araya G, Pérez-Cotapos MLS, Vergara RL, Manca. *Salmonella* - Prevalence, Risk Factors and Treatment Options. 2015; Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15003161%5Cnhttp://cid.oxfordjournals.org/lookup/doi/10.1093/cid/cir991%5Cnhttp://www.scielo.cl/pdf/udecada/v15n26/art06.pdf%5Cnhttp://www.scopus.com/inward/record.url?eid=2-s2.0-84861150233&partnerID=tZOTx3y1>
3. Harish BN, Menezes GA. Antimicrobial Resistance in Typhoidal *Salmonellae*. Indian J Med Microbiol. 2011;29:223–30.
4. Bhutta ZA. Current Concepts in the Diagnosis and Treatment of Typhoid Fever. Dep Paediatr Child Heal Aga Khan Univ Pakistan. 2006;333(July).
5. Badan Litbang Kesehatan Departemen Kesehatan Republik Indonesia. Riset Kesehatan Dasar. 2008.
6. Rowe B, Ward LR, Threlfall EJ. Multidrug-Resistant *Salmonella typhi*: A Worldwide Epidemic. Clin Infect Dis by Univ Chicago. 1991;(table 1):106–9.
7. Suswati I, Juniarti A, Mikrobiologi D, Kedokteran F, Muhammadiyah U. Sensitivitas *Salmonella typhi* terhadap Kloramfenikol dan Seftriakson di RSUD Dr . Soetomo Surabaya dan di RSUD Dr . Saiful Anwar Malang Tahun 2008-2009. Dep Mikrobiol Fak Kedokt Univ Muhammadiyah Malang. 2009;27–32.
8. Departemen Kesehatan Republik Indonesia. Kebijakan Obat Tradisional Nasional. Departemen Kesehatan Republik Indonesia. 2007. 1-42 p.

9. Indrawati I. Antibacterial Activity of Ethanolic Extracts of Rhizome from Three Ginger Varieties Against Acne Isolated Bacteria. Nusant Biosci [Internet]. 2017;9(1):92–6. Available from:
<http://biosains.mipa.uns.ac.id/N/0901/N090116.pdf>
10. Indah K, Sari P, Nasir N. Uji Antimikroba Ekstrak Segar Jahe-Jahean (Zingiberaceae) Terhadap Staphylococcus aureus , Escherichia coli dan Candida albicans. J Biol Univ Andalas. 2013;2(1):20–4.
11. ITIS. *Zingiber officinale* Roscoe [Internet]. 1996. Available from:
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_top_ic=TSN&search_value=42402#null
12. Tim Lentera. Khasiat & Manfaat Jahe Merah Si Rimpang Ajaib. Agromedia Pustaka; 2002.
13. Harmono, Andoko. Budi Daya dan Peluang Bisnis Jahe. Jakarta: Agromedia Pustaka; 2005.
14. Peter K V, Hall A. Handbook of Herbs and Spices. Cambridge: Woodhead Publishing; 2004.
15. Dhanik J, Arya N, Nand V. A Review on *Zingiber officinale*. J Pharmacogn Phytochem. 2017;6(3):174–84.
16. Effendi DS. Identifikasi Lahan Bagi Pengembangan Tanaman Jahe (*Zingiber officinale* Rose .) dan Melinjo (*Gnetum gnemon* L .). Ber Biol. 2000;5:231–7.
17. Santoso P, Saleh B. Pengaruh Intensitas Naungan Buatan dan Dosis Pupuk K terhadap Pertumbuhan dan Hasil Jahe Gajah. Akta Agrosia. 2010;13(1):62–9.
18. Bellik Y. Total Antioxidant Activity and Antimicrobial Potency of the Essential Oil and Oleoresin of *Zingiber officinale* Roscoe. Asian Pacific J Trop Dis. 2014;4(1):40–4.
19. Sontakke S, Thawani V, Naik MS. Ginger as an Antiemetic in Nausea and Vomiting Induced by Chemotherapy: a Randomized, Cross-Over, Double Blind Study. Indian J Pharmacol. 2003;35(1):32–6.

20. Ali BH, Blunden G, Tanira MO, Nemmar A. Some Phytochemical, Pharmacological and Toxicological Properties of Ginger (*Zingiber officinale* Roscoe): A Review of Recent Research. *Fodd Chem Toxicol.* 2008;46:409–20.
21. Al-Amin ZM, Thomson M, Al-Qattan KK, Peltonen-Shalaby R, Ali M. Anti-diabetic and Hypolipidaemic Properties of Ginger (*Zingiber officinale*) in Streptozotocin-Induced Diabetic Rats. *Br J Nutr [Internet].* 2006;96(04):660–6. Available from: http://www.journals.cambridge.org/abstract_S0007114506002765
22. Jagetia GC, Baliga MS, Venkatesh P, Ulloor JN. Influence of Ginger Rhizome (*Zingiber officinale* Rose) on Survival, Glutathione and Lipid Peroxidation in Mice After Whole-Body Exposure to Gamma Radiation. *Radiat Res.* 2003;160(5):584–92.
23. ITIS. *Salmonella enterica enterica* [Internet]. 1987. Available from: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_top_ic=TSN&search_value=969610#null
24. Carroll KC, Butel JS, Morse SA, Mietzner T, Jawetz, Melnick & Adelberg's Medical Microbiology. 27th ed. McGraw-Hill Education; 2016. 867 p.
25. Eng SK, Pusparajah P, Ab Mutalib NS, Ser HL, Chan KG, Lee LH. Salmonella: A review on pathogenesis, epidemiology and antibiotic resistance. *Front Life Sci.* 2015;8(3):284–93.
26. Boyle EC, Bishop JL, Grassl GA, Finlay BB. Salmonella: From pathogenesis to therapeutics. *J Bacteriol.* 2007;189(5):1489–95.
27. Monack DM, Mueller A, Falkow S. Persistent bacterial infections: The interface of the pathogen and the host immune system. *Nat Rev Microbiol.* 2004;2(9):747–65.
28. Darby J, Sheorey H. Searching for Salmonella. *Aust Fam*

- Physician. 2008;(April).
29. Connor BA, Schwartz E. Typhoid and paratyphoid fever in travellers. *Lancet Infect Dis.* 2005;5(October):623–8.
30. Patel TA, Armstrong M, Morris-Jones SD, Wright SG, Doherty T. Imported enteric fever: Case series from the hospital for tropical diseases, London, United Kingdom. *Am J Trop Med Hyg.* 2010;82(6):1121–6.
31. Kuvandik C, Karaoglan I, Namiduru M, Baydar I. Predictive Value of Clinical and Laboratory Findings in The Diagnosis of The Enteric Fever. *New Microbiol.* 2009;25–30.
32. Acheson D, Hohmann EL. Nontyphoidal Salmonellosis. *Clin Infect Dis* [Internet]. 2001;32(2):263–9. Available from: <https://academic.oup.com/cid/article-lookup/doi/10.1086/318457>
33. Humphries AD, Townsend SM, Kingsley RA, Nicholson TL, Tsolis M, Ba AJ. Role of Fimbriae as Antigens and Intestinal Colonization Factors of *Salmonella* Serovars. *FEMS Microbiology Lett.* 2001;201:121–5.
34. Yoon H, Ansong C, Adkins JN, Heffron F. Discovery of *Salmonella* Virulence Factors Translocated via Outer Membrane Vesicles to Murine Macrophages. *Infect Immun.* 2011;79(6):2182–92.
35. Ibarra JA, Steele-Mortimer O. *Salmonella* - The Ultimate Insider. *Salmonella* Virulence Factors that Modulate Intracellular Survival. *Cell Microbiol.* 2009;11(11):1579–86.
36. Mcghie EJ, Brawn LC, Hume PJ, Humphreys D, Koronakis V. *Salmonella* Takes Control : Effector-Driven Manipulation of the Host. *Fungal Metab host niches* [Internet]. 2009;12(1):117–24. Available from: <http://dx.doi.org/10.1016/j.mib.2008.12.001>
37. Sun YH, Rolan HG, Tsolis RM. Injection of flagellin into the host cell cytosol by *Salmonella enterica* serotype typhimurium. *J Biol Chem.* 2007;282(47):33897–901.
38. Ren T, Zamboni DS, Roy CR, Dietrich WF, Vance RE.

- Flagellin-deficient *Legionella* mutants evade caspase-1- and Naip5-mediated macrophage immunity. PLoS Pathog. 2006;2(3):0175–83.
39. Pacello F, Ceci P, Ammendola S, Pasquali P, Chiancone E, Battistoni A. Periplasmic Cu,Zn Superoxide Dismutase and Cytoplasmic Dps concur in Protecting *Salmonella enterica* serovar Typhimurium from Extracellular Reactive Oxygen Species. Biochim Biophys Acta - Gen Subj. 2008;1780(2):226–32.
40. Müller SI, Valdebenito M, Hantke K. Salmochelin, the long-overlooked catecholate siderophore of *Salmonella*. BioMetals. 2009;22(4):691–5.
41. Raffatellu M, George MD, Akiyama Y, Hornsby MJ, Nuccio P, Paixao T a, et al. Lipocalin-2 resistance of *Salmonella enterica* serotype Typhimurium confers an advantage during life in the inflamed intestine. Cell. 2010;5(5):476–86.
42. Tille PM. Bailey & Scott's Diagnostic Microbiology. Thirteenth. St. Louis, Missouri: Elsevier; 2014.
43. Fakultas Kedokteran Universitas Airlangga. Buku Ajar Pemeriksaan Mikrobiologi pada Penyakit Infeksi. Surabaya: Sagung Seto; 2015.
44. Allen ME. MacConkey Agar Plates Protocols. Am Soc Microbiol. 2005;(September 2005):2016–9.
45. Farhi D, Dupin N. The Rise of Fluoroquinolone-Resistant *Neisseria gonorrhoeae* Implications for Treatment Guidelines. Swiss Med Wkly. 2008;8:223–5.
46. Sharma PC, Jain A, Jain S, Pahwa R, Yar MS. Ciprofloxacin: Review on Developments in Synthetic , Analytical , and Medicinal Aspects. J Enzym Inhib Med Chem. 2016;(November).
47. Katzung BG, Trevor AJ. Basic & Clinical Pharmacology. 13th ed. 2015;
48. Cascella C, Nausheen S, Cunha BA. Meningitis: A Differential Diagnosis of Drug-Induced Aseptic Meningitis.

- Infect Med. 2008;(July):331–4.
49. Sarkozy G. Quinolones : a Class of Antimicrobial Agents. Dep Pharmacol Toxicol Fac Vet Sci Szent Istvan Univ Budapest, Hungary. 2001;257–74.
50. D.M. R, R.N. B. Ceftriaxone. A review of its Antibacterial Activity, Pharmacological Properties and Therapeutic Use. Drugs [Internet]. 1985;29(2):105–61. Available from: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L15128822>
51. Jorgensen JH, Ferraro MJ. Antimicrobial Susceptibility Testing : A Review of General Principles and Contemporary Practices. Med Microbiol. 2009;7750:1749–55.
52. Azmir J, Zaidul ISM, Rahman MM, Sharif KM, Mohamed A, Sahena F, et al. Techniques for extraction of bioactive compounds from plant materials: A review. J Food Eng [Internet]. 2013;117(4):426–36. Available from: <http://dx.doi.org/10.1016/j.jfoodeng.2013.01.014>
53. Mukhriani. Ekstraksi, Pemisahan senyawa, dan Identifikasi Senyawa Aktif. Progr Stud Farm Fak Ilmu Kesehat UIN Alauddin Makassar. 2011;
54. Azwanida. Medicinal & Aromatic Plants A Review on the Extraction Methods Use in Medicinal Plants , Principle , Strength and Limitation. Med Aromat Plants. 2015;4(3):3–8.
55. Kostova I, Ojala T, Lacy A, O'Kennedy R, Widelski J, Melliou. Natural Product Chemistry For Drug Discovery. Vol. 5, Journal of natural products. 2010. 440 p.
56. Gull I, Saeed M, Shaukat H, Aslam SM, Samra ZQ, Athar AM. Inhibitory effect of Allium sativum and Zingiber officinale extracts on clinically important drug resistant pathogenic bacteria. Ann Clin Microbiol Antimicrob [Internet]. 2012;11(1):1. Available from: <http://dx.doi.org/10.1186/1476-0711-11-8>
57. Rialita, Tita; Rahayu, Winiati Pudji; Nuraida, Lilis; Nurtama B. Aktivitas Antimikroba Minyak Esensial Jahe Merah

- Terhadap Bakteri Patogen Dan Perusak Pangan. Agritech. 2015;35(1):43–52.
58. Grace US. Antimicrobial Activity of Ethanolic Extract of Zingiber Officinale – An in vitro Study. J Pharm Sci Res. 2017;9(9):1417–9.
59. Nader MI, Azhar DA. Antibacterial Activity of Ginger Extracts and Its Essential Oil on Some of Pathogenic Bacteria. 2010;(September).
60. Chouhan S, Sharma K, Guleria S. Antimicrobial Activity of Some Essential Oils — Present Status and Future Perspectives. MDPI. 2017;1–21.