

LAMPIRAN A
CONTOH PERHITUNGAN PERSENTASE HASIL SINTESIS

I. Perhitungan berat teoritis

a. Asam Antranilat (BM : 137,14 g/mol)

Penimbangan : 13,7 gram

$$\text{mol asam antranilat} : \frac{13,7}{137,14} = 0,1 \text{ mol}$$

b. *p*-klorobenzoil klorida

(BM : 175,02 g/mol, berat jenis : 1,377 g/cm³)

Volume : 25,42 ml

$$\text{mol } p\text{-klorobenzoil klorida} : \frac{25,42 \times 1,377}{175,02} = 0,2 \text{ mol}$$

c. Hidrazin Hidrat (BM : 50,05 g/mol, berat jenis : 1,03 g/cm³)

Volume : 2,43 ml

$$\text{mol hidrazin hidrat} : \frac{2,43 \times 1,03}{50,05} = 0,05 \text{ mol}$$

d. Benzaldehida (BM : 106,12 g/mol, berat jenis : 1,05 g/cm³)

Volume : 2,03 ml

$$\text{mol benzaldehida} : \frac{2,03 \times 1,05}{106,12} = 0,02 \text{ mol}$$

II. Perhitungan persentase hasil sintesis berdasarkan mmol teoritis

Persentase hasil 2-(*p*-klorofenil)-4*H*-3,1-benzoksazin-4-on :

asam antranilat + <i>p</i> -klorobenzoil klorida → 2-(<i>p</i> -klorofenil)-4 <i>H</i> -3,1-benzoksazin-4-on		
awal	0,1 mol	0,2 mol
reaksi	0,1 mol	0,1 mol
sisa	0	0,1 mol

$$\text{BM teoritis} = 257,5$$


$$\text{Massa teoritis} = 0,1 \text{ mol} \times 257,5 = 25,75 \text{ gram}$$

$$\text{Massa praktis} = 22,46 \text{ gram}$$

$$\% \text{ hasil} = \frac{22,46 \times 100\%}{25,75} = 87,24\%$$


LAMPIRAN B

SKEMA KERJA SINTESIS 2-(*p*-KLOROFENIL)-4H-3,1-BENZOKSAZIN-4-ON




LAMPIRAN C

SKEMA KERJA 3-AMINO-2-(*p*-KLOROFENIL)KUINAZOLIN-4(3*H*)-ON




LAMPIRAN D

SKEMA KERJA 3-BENZILIDENAMINO-2-(*p*-KLOROFENIL)KUINAZOLIN-4(3H)-ON




LAMPIRAN E


SKEMA KERJA 3-(4-METILBENZILIDENAMINO)-2-(*p*-KLOROFENIL)KUINAZOLIN-4(3*H*)-ON




LAMPIRAN F
SKEMA KERJA
**3-(4-METOKSIBENZILIDENAMINO)-2-(*p*-KLOROFENIL)
 KUINAZOLIN-4(3H)-ON**



LAMPIRAN G
ESTIMASI RMI-¹H 2-(*p*-KLOROFENIL)-4H-3,1-BENZOKSAZIN-4-ON



Estimation quality is indicated by color: **good**, **medium**, **rough**




Protocol of the H-1 NMR Prediction:


Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
CH 7.52	7.29	benzylidenimin	
	0.00	1-1;C=C=C=C=C=C*1	
	0.01	1-Cl from 1-benzene	
CH 7.66	0.22	general corrections	
	7.26	1-benzene	
	?	1 unknown substituent(s)	
CH 8.21	0.21	1-C(=O)O	
	0.19	general corrections	
	7.26	1-benzene	
CH 7.77	?	1 unknown substituent(s)	
	0.87	1-C(=O)O	
	0.08	general corrections	
CH 7.52	7.62	benzylidenimin	
	0.00	1-1;C=C=C=C=C=C*1	
	-0.06	1-Cl from 1-benzene	
CH 7.52	0.21	general corrections	
	7.29	benzylidenimin	
	0.00	1-1;C=C=C=C=C=C*1	
CH 7.77	0.01	1-Cl from 1-benzene	
	0.22	general corrections	
	7.62	benzylidenimin	
CH 7.77	0.00	1-1;C=C=C=C=C=C*1	
	-0.06	1-Cl from 1-benzene	
	0.21	general corrections	
CH 7.79	7.26	1-benzene	
	?	1 unknown substituent(s)	
	0.34	1-C(=O)O	
CH 8.09	0.19	general corrections	
	7.26	1-benzene	
	?	1 unknown substituent(s)	
CH 8.09	0.21	1-C(=O)O	
	0.62	general corrections	

LAMPIRAN H

ESTIMASI RMI-¹H 3-AMINO-2-(*p*-KLOROFENIL)KUINAZOLIN-4(3H)-ON



Estimation quality is indicated by color: good, medium, rough




Protocol of the H-1 NMR Prediction:


Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
NH2 5.73	2.00	amine	
	3.73	general corrections	
CH 7.52	7.29	benzylidenimin	
	0.00	1 -1:C=C*C=C*C=C*1	
	0.01	1 -Cl from 1-benzene	
	0.22	general corrections	
CH 7.63	7.26	1-benzene	
	?	1 unknown substituent(s)	
	0.18	1 -C(=O)N	
	0.19	general corrections	
CH 8.13	7.26	1-benzene	
	?	1 unknown substituent(s)	
	0.69	1 -C(=O)N	
	0.18	general corrections	
CH 7.39	7.62	benzylidenimin	
	0.00	1 -1:C=C*C=C*C=C*1	
	-0.06	1 -Cl from 1-benzene	
	-0.17	general corrections	
CH 7.52	7.29	benzylidenimin	
	0.00	1 -1:C=C*C=C*C=C*1	
	0.01	1 -Cl from 1-benzene	
	0.22	general corrections	
CH 7.39	7.62	benzylidenimin	
	0.00	1 -1:C=C*C=C*C=C*1	
	-0.06	1 -Cl from 1-benzene	
	-0.17	general corrections	
CH 7.70	7.26	1-benzene	
	?	1 unknown substituent(s)	
	0.25	1 -C(=O)N	
	0.19	general corrections	
CH 7.63	7.26	1-benzene	
	?	1 unknown substituent(s)	
	0.18	1 -C(=O)N	
	0.19	general corrections	

LAMPIRAN I

ESTIMASI RMI-¹H 3-BENZILIDENAMINO-2-(*p*-KLOROFENIL)KUINAZOLIN-4(3H)-ON



Estimation quality is indicated by color: **good**, **medium**, **rough**




Protocol of the H-1 NMR Prediction:


Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
CH 7.52	7.29	benzylidenimin	
	0.00	1-1:C=C=C=C=C=C*	
	0.01	1-Cl from 1-benzene	
	0.22	general corrections	
CH 7.63	7.26	1-benzene	
	? 7.26	1 unknown substituent(s)	
	0.18	1-C(=O)N	
	0.19	general corrections	
CH 8.13	7.26	1-benzene	
	?	1 unknown substituent(s)	
	0.69	1-C(=O)N	
	0.18	general corrections	
CH 7.39	7.62	benzylidenimin	
	0.00	1-1:C=C=C=C=C=C*	
	-0.06	1-Cl from 1-benzene	
	-0.17	general corrections	
CH 7.83	7.62	benzylidenimin	
	? 7.62	1 unknown substituent(s)	
	0.21	general corrections	
CH 7.52	7.29	benzylidenimin	
	0.00	1-1:C=C=C=C=C=C*	
	0.20	1-Cl from 1-benzene	
	0.22	general corrections	
CH 7.39	7.62	benzylidenimin	
	0.00	1-1:C=C=C=C=C=C*	
	-0.06	1-Cl from 1-benzene	
	-0.17	general corrections	
CH 7.83	7.62	benzylidenimin	
	? 7.62	1 unknown substituent(s)	
	0.21	general corrections	
CH 7.52	7.29	benzylidenimin	
	?	1 unknown substituent(s)	
	0.23	general corrections	
CH 7.70	7.26	1-benzene	
	? 7.26	1 unknown substituent(s)	
	0.25	1-C(=O)N	
	0.19	general corrections	
CH 7.63	7.26	1-benzene	
	?	1 unknown substituent(s)	
	0.18	1-C(=O)N	
	0.19	general corrections	
CH 7.52	7.29	benzylidenimin	
	?	1 unknown substituent(s)	
	0.23	general corrections	
CH 7.52	7.29	benzylidenimin	
	? 7.29	1 unknown substituent(s)	
	0.23	general corrections	
CH 9.15	8.11	benzylidenimin	
	?	1 unknown substituent(s)	
	1.04	general corrections	

LAMPIRAN J

ESTIMASI RMI-¹H 3-(4-METILBENZILIDENAMINO)-2-(p-KLOROFENIL)KUINAZOLIN-4(3H)-ON




Estimation quality is indicated by color: **good**, **medium**, **rough**




Protocol of the H-1 NMR Prediction:

Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
CH	7.52	7.29 0.00 0.22	benzylidenimin 1-C from 1-benzene general corrections
	7.63	7.26 ? 0.19 0.19	1-benzene 1 unknown substituent(s) 1-C(=O)N
	8.13	7.26 ? 0.69 0.69	1-benzene 1 unknown substituent(s) general corrections
CH	7.39	7.62 0.00 -0.06	benzylidenimin 1-C from 1-benzene general corrections
	7.71	7.62 ? 0.21 0.21	benzylidenimin 1 unknown substituent(s) 1-C from 1-benzene general corrections
	7.28	7.29 -0.20 0.19	benzylidenimin 1 unknown substituent(s) 1-C from 1-benzene general corrections
CH	7.52	7.29 0.01 0.22	benzylidenimin 1-C from 1-benzene general corrections
	7.39	7.62 0.04 -0.06	benzylidenimin 1-C from 1-benzene general corrections
	7.71	7.62 ? 0.17 -0.17	benzylidenimin 1 unknown substituent(s) 1-CI from 1-benzene general corrections
CH	7.28	7.29 -0.20 0.21	benzylidenimin 1 unknown substituent(s) 1-C from 1-benzene general corrections
	7.70	7.26 ? 0.35 0.19	1-benzene 1 unknown substituent(s) 1-C(=O)H
	7.63	7.26 ? 0.18 0.19	1-benzene 1 unknown substituent(s) 1-C(=O)H
CH	9.15	8.11 1.04 0.86	benzylidenimin 1 unknown substituent(s) general corrections
	2.34	1.49 -0.01	1 aliph-1-C(=C)*C=C*C=C* general corrections

LAMPIRAN K
ESTIMASI RMI-¹H 3-(4-METOKSIBENZILIDENAMINO)-2-(*p*-KLOROFENIL) KUINAZOLIN-4(3H)-ON



Estimation quality is indicated by color: **good**, **medium**, **rough**



Protocol of the H-1 NMR Prediction:

Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
CH 7.52	7.29	benzylideminim	
	0.00	1-1C=C*C=C*C=C*	
	0.01	1-Cl from 1-benzene	
	0.22	general corrections	
CH 7.06	7.29	benzylideminim	
	? 7.49	1 unknown substituent(s)	
	-0.49	1-O-C from 1-benzene	
	0.26	general corrections	
CH 7.63	7.26	1-benzene	
	? 7.26	1 unknown substituent(s)	
	0.18	1-C(=O)N	
	0.19	general corrections	
CH 8.13	7.26	1-benzene	
	? 7.69	1 unknown substituent(s)	
	0.69	1-C(=O)N	
	0.18	general corrections	
CH 7.39	7.62	benzylideminim	
	0.00	1-1C=C*C=C*C=C*	
	-0.06	1-Cl from 1-benzene	
	-0.17	general corrections	
CH 7.84	7.62	benzylideminim	
	? 7.62	1 unknown substituent(s)	
	-0.11	1-O-C from 1-benzene	
	0.33	general corrections	
CH 7.52	7.29	benzylideminim	
	0.00	1-1C=C*C=C*C=C*	
	0.00	1-Cl from 1-benzene	
	0.22	general corrections	
CH 7.06	7.29	benzylideminim	
	? 7.49	1 unknown substituent(s)	
	-0.49	1-O-C from 1-benzene	
	0.26	general corrections	
CH 7.39	7.62	benzylideminim	
	0.00	1-1C=C*C=C*C=C*	
	-0.06	1-Cl from 1-benzene	
	-0.17	general corrections	
CH 7.84	7.62	benzylideminim	
	? 7.62	1 unknown substituent(s)	
	-0.11	1-O-C from 1-benzene	
	0.33	general corrections	
CH 7.70	7.26	1-benzene	
	? 7.26	1 unknown substituent(s)	
	0.25	1-C(=O)N	
	0.19	general corrections	
CH 7.63	7.26	1-benzene	
	? 7.63	1 unknown substituent(s)	
	0.18	1-C(=O)N	
	0.19	general corrections	
CH3 3.83	0.86	methyl	
	2.87	1 alpha-O-1C=C*C=C*C=C*	
CH 8.98	0.10	general corrections	
	8.11	benzylideminim	
	? 8.11	1 unknown substituent(s)	
	0.87	general corrections	

LAMPIRAN L
HASIL ANALISA STATISTIK UJI T

a. 3-(4-metilbenzilidenamino)-2-(*p*-klorofenil)kuinazolin-4(3*H*)-on
t-Test: Paired Two Sample for Means

	<i>Variable 1</i>	<i>Variable 2</i>
Mean	72.66666667	85.666667
Variance	2.333333333	1.3333333
Observations	3	3
Pearson Correlation	0.755928946	
Hypothesized Mean Difference	0	
df	2	
t Stat	-22.5166605	
P(<i>T</i> <=t) one-tail	0.000983285	
t Critical one-tail	2.91998558	
P(<i>T</i> <=t) two-tail	0.00196657	
t Critical two-tail	4.30265273	

b. 3-(4-metoksibenzilidenamino)-2-(*p*-klorofenil)kuinazolin-4(3*H*)-on
t-Test: Paired Two Sample for Means

	<i>Variable 1</i>	<i>Variable 2</i>
Mean	72.66666667	79
Variance	2.333333333	1
Observations	3	3
Pearson Correlation	0.981980506	
Hypothesized Mean Difference	0	
df	2	
t Stat	-19	
P(<i>T</i> <=t) one-tail	0.001379313	
t Critical one-tail	2.91998558	
P(<i>T</i> <=t) two-tail	0.002758626	
t Critical two-tail	4.30265273	

LAMPIRAN M
DATA OPTIMASI METODE SINTESIS

Tabel Rf hasil optimasi senyawa 2-(p-klorofenil)-3,1-benzoksazin-4(3H)-on.

	Harga Rf
Asam antranilat	0,48
p-klorobenzoil klorida	0,30
Sampel menit ke-30	0,48 & 0,30
Sampel menit ke-45	0,48 & 0,30
Sampel menit ke-60	0,79 & 0,30
Sampel menit ke-75	0,79 & 0,30

Tabel Rf hasil optimasi senyawa 3-amino-2-(p-klorofenil)kuinazolin-4(3H)-on.

	Harga Rf
2-(p-klorofenil)-3,1-benzoksazin-4(3H)-on	0,71
Sampel jam ke-1	0,70
Sampel jam ke-2	0,71
Sampel jam ke-3	0,71
Sampel jam ke-4	0,70
Sampel jam ke 5	0,38

Tabel Rf hasil optimasi senyawa 3-benzilidenamino-2-(p-klorofenil)kuinazolin-4(3H)-on

	Harga Rf
3-amino-2-(p-klorofenil)kuinazolin-4(3H)-on	0,71
Benzaldehida	0,74
Sampel menit ke-30	0,71 & 0,74
Sampel menit ke-45	0,70 & 0,74
Sampel menit ke-60	0,71 & 0,74
Sampel menit ke-75	0,81 & 0,74