

LAMPIRAN A

CONTOH PERHITUNGAN PERSENTASE HASIL SINTESIS

I. Perhitungan berat teoritis

a. Ammonium tiosianat (BM : 76,12 g/mol)

Penimbangan : 1,14 gram

mmol ammonium tiosianat :

$$\frac{1,14}{76,12} \times 1000 = 14,98 \text{ mmol} \approx 15 \text{ mmol}$$

b. 2-klorobenzoil klorida (BM : 175,01 g/mol, berat jenis : 1,378 g/cm³)

Volume : 1,3 ml

mmol 2-klorobenzoil klorida :

$$\frac{1,3 \times 1,38}{175,01} \times 1000 = 10,2 \text{ mmol} \approx 10 \text{ mmol}$$

c. Anilin (BM : 93,13 g/mol, berat jenis : 1,02 g/cm³)

Volume : 0,9 ml

mmol anilin :

$$\frac{0,9 \times 1,02}{93,13} \times 1000 = 9,9 \text{ mmol} \approx 10 \text{ mmol}$$

II. Perhitungan persentase hasil sintesis berdasarkan mmol teoritis

Persentase hasil N-fenil-N'-2-klorobenzoiltiourea :

ammonium tiosianat + 2-klorobenzoil klorida		\rightarrow	2-klorobenzoilisotiosianat + NH ₄ Cl	
awal 15 mmol	10 mmol		0	0
reaksi 10 mmol	10 mmol	-	10 mmol	10 mmol
sisa 5 mmol	0		10 mmol	10 mmol

2-klorobenzoilisotiosianat + anilin		\rightarrow	N-fenil-N'-2-klorobenzoiltiourea	
Awal 10 mmol	10 mmol		0	
Reaksi 10 mmol	10 mmol	-	10 mmol	10 mmol +
Sisa 0	0		10 mmol	

BM teoritis	= 290,5
Massa teoritis	= 10 mmol x 290,5 = 2,91 gram
Massa praktis	= 1,98 gram
% hasil	= $\frac{1,98}{2,91} \times 100\% = 68,04 \% \approx 68 \%$




LAMPIRAN B
PERHITUNGAN UJI T

t-Test: Paired Two Sample for Means

	<i>Variable 1</i>	<i>Variable 2</i>
Mean	68	72.6666667
Variance	1	4.3333333
Observations	3	3
Pearson Correlation	-0.720577	
Hypothesized Mean Difference	0	
df	2	
t Stat	-2.8	
P(T<=t) one-tail	0.0536963	
t Critical one-tail	2.9199856	
P(T<=t) two-tail	0.1073926	
t Critical two-tail	4.3026527	

LAMPIRAN C
SKEMA KERJA SINTESIS TURUNAN N-FENIL-N'-2-KLOROBENZOILTIOUREA



Keterangan *:


Sintesis N-(4-hidroksifenil)-N'-2-klorobenzoiltiourea: 1,09 g (10 mmol) *p*-hidroksianilin

Sintesis N-(4-metoksifenil)-N'-2-klorobenzoiltiourea: 1,21 g (10 mmol) *p*-anisidin




LAMPIRAN D


SKEMA KERJA SINTESIS N-(4-HIDROKSIFENIL)-N'-2-KLOROBENZOILTIOUREA DENGAN METODE TANPA PEMANASAN



LAMPIRAN E
ESTIMASI RMI-¹H N-FENIL-N'-2-KLOROBENZOILTIOUREA



Estimation quality is indicated by color: **good**, **medium**, **rough**




Protocol of the H-1 NMR Prediction:


Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
NH	12.64	4.00	aromatic C-NH
	8.64		general corrections
NH	11.44	8.00	sec. amide
	3.44		general corrections
CH	7.67	7.26	1-benzene
	0.01	1 -Cl	
	0.18	1 -C(=O)N	
	0.22		general corrections
CH	7.70	7.26	1-benzene
	-0.80	1 -N	
	1.24		general corrections
CH	7.43	7.26	1-benzene
	-0.06	1 -Cl	
	0.69	1 -C(=O)N	
	-0.46		general corrections
CH	7.70	7.26	1-benzene
	-0.80	1 -N	
	1.24		general corrections
CH	7.20	7.26	1-benzene
	-0.25	1 -N	
	0.19		general corrections
CH	7.64	7.26	1-benzene
	-0.06	1 -Cl	
	0.25	1 -C(=O)N	
	0.19		general corrections
CH	7.20	7.26	1-benzene
	-0.25	1 -N	
	0.19		general corrections
CH	7.51	7.26	1-benzene
	-0.12	1 -Cl	
	0.18	1 -C(=O)N	
	0.19		general corrections
CH	6.81	7.26	1-benzene
	-0.64	1 -N	
	0.19		general corrections

LAMPIRAN F

ESTIMASI RMI-¹H N-(4-HIDROKSIFENIL)-N'-2-KLOROBENZOILTIOUREA



Estimation quality is indicated by color: **good**, **medium**, **rough**




Node Shift Base + Inc. Comment (ppm rel. to TMS)


OH 9.43	5.00	aromatic C-OH
	4.43	general corrections
NH 12.64	4.00	aromatic C-NH
	8.64	general corrections
NH 11.44	8.00	sec. amide
	3.44	general corrections
CH 7.67	7.26	1-benzene
	0.01	1 -Cl
	0.18	1 -C(=O)N
	0.22	general corrections
CH 6.70	7.26	1-benzene
	-0.53	1 -O
	-0.25	1 -N
	0.22	general corrections
CH 6.27	7.26	1-benzene
	-0.17	1 -O
	-0.80	1 -N
	-0.02	general corrections
CH 7.43	7.26	1-benzene
	-0.06	1 -Cl
	0.69	1 -C(=O)N
	-0.46	general corrections
CH 6.70	7.26	1-benzene
	-0.53	1 -O
	-0.25	1 -N
	0.22	general corrections
CH 6.27	7.26	1-benzene
	-0.17	1 -O
	-0.80	1 -N
	-0.02	general corrections
CH 7.64	7.26	1-benzene
	-0.06	1 -Cl
	0.25	1 -C(=O)N
	0.19	general corrections
CH 7.51	7.26	1-benzene
	-0.12	1 -Cl
	0.18	1 -C(=O)N
	0.19	general corrections

LAMPIRAN G

ESTIMASI RMI-¹H N-(4-METOKSIFENIL)-N'-2-KLOROBENZOILTIOUREA



Estimation quality is indicated by color: good, medium, rough




Protocol of the H-1 NMR Prediction:


Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
NH	12.64	4.00	aromatic C-NH
		8.64	general corrections
NH	11.44	8.00	sec, amide
		3.44	general corrections
CH	7.67	7.26	1-benzene
		0.01	1 -Cl
		0.18	1 -C(=O)N
		0.22	general corrections
CH	6.74	7.26	1-benzene
		-0.49	1 -O-C
		-0.25	1 -N
		0.22	general corrections
CH	6.33	7.26	1-benzene
		-0.11	1 -O-C
		-0.80	1 -N
		-0.02	general corrections
CH	7.43	7.26	1-benzene
		-0.06	1 -Cl
		0.69	1 -C(=O)N
		-0.46	general corrections
CH	6.74	7.26	1-benzene
		-0.49	1 -O-C
		-0.25	1 -N
		0.22	general corrections
CH	6.33	7.26	1-benzene
		-0.11	1 -O-C
		-0.80	1 -N
		-0.02	general corrections
CH	7.64	7.26	1-benzene
		-0.06	1 -Cl
		0.25	1 -C(=O)N
		0.19	general corrections
CH	7.51	7.26	1-benzene
		-0.12	1 -Cl
		0.18	1 -C(=O)N
		0.19	general corrections
CH3	3.83	0.86	methyl
		2.87	1 alpha -O-1:C*C*C*C*C*1
		0.10	general corrections

LAMPIRAN H
ESTIMASI RMI-¹H O-4-AMINOFENIL-2-KLOROBENZOILKARBAMOTIOAT

ChemNMR ¹H Estimation



Estimation quality is indicated by color: good, medium, rough



Protocol of the H-1 NMR Prediction:

Node	Shift	Base + Inc.	Comment (ppm rel. to TMS)
NH2 5.32	4.00	aromatic C-NH 1.32	general corrections
NH 8.0	8.00	sec. amide	
CH 6.70	7.26 -0.53 -0.25 0.22	1-benzene 1 1 -N general corrections	
CH 6.60	7.26 -0.17 -0.80 0.31	1-benzene 1 -O 1 -N general corrections	
CH 7.67	7.26 0.01 0.18 0.22	1-benzene 1 -Cl 1 -C(=O)N general corrections	
CH 6.70	7.26 -0.53 -0.25 0.22	1-benzene 1 1 -N general corrections	
CH 6.60	7.26 -0.17 -0.80 0.31	1-benzene 1 -O 1 -N general corrections	
CH 7.43	7.26 -0.06 0.69 -0.46	1-benzene 1 -Cl 1 -C(=O)N general corrections	
CH 7.64	7.26 -0.06 0.25 0.19	1-benzene 1 -Cl 1 -C(=O)N general corrections	
CH 7.51	7.26 -0.12 0.18 0.19	1-benzene 1 -Cl 1 -C(=O)N general corrections	

