

BAB 5

KESIMPULAN DAN SARAN

5.1 Kesimpulan

1. Senyawa 3,3'-dihidroksidibenzalaseton dapat disintesis dengan mereaksikan 3-hidroksibenzaldehida dan aseton dengan perbandingan 2:1 melalui mekanisme kondensasi *Claisen-Schmidt* dengan menggunakan katalis basa NaOH dan pelarut etanol dengan bantuan iradiasi gelombang mikro (daya 160 Watt dan lama waktu iradiasi selama 2 menit) dengan persentase rendemen yang hasilkan sebesar $56,39 \pm 5,32\%$.
2. Senyawa 3,3'-dihidroksidibenzalaseton dapat disintesis dengan mereaksikan 3-hidroksibenzaldehida dan aseton dengan perbandingan 2:1 melalui mekanisme kondensasi *Claisen-Schmidt* dengan menggunakan katalis basa NaOH dan pelarut etanol secara konvensional dengan lama waktu pengadukan selama 1 jam dengan persentase rendemen yang hasilkan sebesar $27,42 \pm 2,81\%$.
3. Metode dengan bantuan iradiasi gelombang mikro lebih efisien dibandingkan dengan metode konvensional untuk sintesis senyawa 3,3'-dihidroksidibenzalaseton berdasarkan rendemen hasil sintesis.

5.2 Saran

1. Metode sintesis dapat dikembangkan lebih lanjut dengan menggunakan katalis Ba(OH)₂ untuk meminimalkan terjadinya reaksi Cannizaro.
2. Penelitian ini dapat dikembangkan lebih lanjut untuk dapat mengetahui aktivitas efek farmakologi senyawa 3,3'-dihidroksidibenzalaseton.

DAFTAR PUSTAKA

- Abdullah, M., and BenSaleh, A., 2006, *Synthesis and Study of Some Dibenzylidene Acetone*, Libya: Pendidikan Kimia.
- Aggarawal, B.B., Kumar, A., Aggarwal, M.S., and Shishodia, S., 2003, Curcumin derived from Turmeric (*Curcuma longa*): A Spice for All Seasons, *Phytochemical in cancer chemoprevention*, **8(28)**:1-9.
- Aggarwal, B.B., Bhatt, I.D., Ichikawa, H., Ahn, K.S., Sethi, G., Sandur, S.K., Natarajan, C., Seeram, N., Shishodia, S., 2006, *Turmeric: the Genus Curcuma*, Taylor and Francis:New York.
- Ameta, S.C., Punjabi, P.B., Ameta, R., Ameta, C., (eds), 2015, *Microwave-Assisted Organic Synthesis: A Green Chemical Approach*, Apple Academic Press, Toronto.
- Anand, P., Kunnumakkara, A.B., Newman, R.A., and Aggarwal, B.B., 2007, Bioavailability of Curcumin: Problems and Promises, *Molecular Pharmaceutics*, **4**:807–818.
- Anisa, D.N., Anwar, C., Afriyani, H., 2020, Sintesis Senyawa Analog Kurkumin Berbahan Dasar Veratraldehida dengan Metode Ultrasound, *Analit: Analytical and Environmental Chemistry*, **5(1)**.
- Aqil, F., Ahmad, I., and Mehmood, Z., 2006, Antioxidant and Free Radical Scavenging Properties of Twelve Traditional Used Indian Medicinal Plants, *Turk J Biol*, **30**: 177-183.
- Bruice, P. Y., 2007, *Organic Chemistry Fifth edition*, New York.
- Cresswell, S. L., and Haswell, S. J., 2001, Microwave ovens-out of the kitchen, *Chemistry Education*, **78(7)**: 900-904.
- Dewanty, T., 2011, ‘Sintesis dan Karakterisasi Senyawa 4-hidroksibenzalaseton dengan Menggunakan Reaksi Kondensasi Aldol Silang’, *Skripsi*, Sarjana Pendidikan Kimia, Universitas Yogyakarta.

Eryanti, Y., Nurulita, Y., Hendra, R., Yuhamen., Syahri, J., and Zamri, A., 2011, Synthesizing Derivates from Cyclopentanone Analogue Curcumin and Their Toxic, Antioxidant and Anti-inflammatory Activities, *Makara Sains*, **15 (2)**: 117-123.

Fajri, A.N., Handayani, S., 2017, Sintesis 2-(3-hidroksibenziliden)sikloheksanon melalui Reaksi Claisen-Schmidt antara 3-hidroksibenzaldehyda dan Sikloheksanon menggunakan Metode MAOS, *Jurnal Penelitian Saintek*, **22(2)**.

Gandjar I. G., dan A. Rohman., 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar: Yogyakarta.

Gandjar, I.G., dan Rohman, A., 2012, *Analisis Obat Secara Spektroskopi dan Kromatografi, Cetakan IX*, Yogyakarta.

Handayani, S. dan Arty, I.S. 2008, Synthesis of Hydroxyl Radical Scavengers from Benzalacetone and its Derivatives, *Journal of Physical Science*, **19(2)**: 61–68.

Handayani, S., dan Arty, I.S., 2009, ‘Synthesis and Activity Test of Some Compounds 1,5-diphenyl-1,4-pentadiene-3-one as Potensial Sun Screen Material’, *Proceeding of the First International Seminar on Science and Technology*, Yogyakarta, Indonesia.

Handayani, S., Matsjeh, S., Anwar, C. and Atun, S., 2010, ‘*Synthesis and activity test as antioxidant of two hydroxydibenzalacetones*’, *Pure and Applied Chemistry, Challenges in Chemistry for Sustainable Development*, Ubon Ratchathani, Thailand, pp. 686–688.

Handayani, S., 2012, ‘Sintesis Analog Benzalaseton menggunakan Katalis NaOH/ZrO₂-Montmorilonit dan Uji Aktivitasnya sebagai Antioksidan’, *Disertasi*, Universitas Gadjah Mada, Yogyakarta.

Handayani, S., Anwar, C., Atun, S., Fatimah, I., and Matsjeh, S., 2012. Novel Synthesis of 1,5-dibenzalacetone Using NaOH/ ZrO₂-Montmorillonite as Cooperative Catalyst, *International Journal of Chemical and Analytical Science*, **3(6)**:1419-1424.

Handayani, S., Budimarwanti, S. dan Haryadi, W., 2017, Microwave Assisted Organic Reactions: Eco-friendly Synthesis of Dibenzylidene cyclohexanone Derivatives via Crossed Aldol Condensation, *Indonesian Journal of Chemistry*, **17** (2): 336-341.

Hart, H., Craine, L.E., and Hart, D.J., 2003, *Kimia Organik Suatu Kuliah Singkat* (11nd ed), Terjemahan, Erlangga:Jakarta.

Hutama, R., 2019, ‘Pengaruh Gugus Hidroksi pada 4-hidroksibenzaldehida terhadap Sintesis 4,4-dihidroksidibenzalaseton dengan Bantuan Iradiasi Gelombang Mikro’, *Skripsi*, Universitas Katolik Widya Mandala, Surabaya.

Javanmardi J., Stushnoff C., Locke E. and Vivanco J.M., 2003, Antioxidant Activity and Total Phenolic Content of Iranian Ocimum Accessions, *Food Chemistry*, **83**: 547-550.

Kappe, C. O., 2004, Controlled Microwave Heating in Modern Organic Synthesis, *Angew. Chem. Int. Ed.*, **43**:6250-6284.

Kappe, O.C., and Stadler, A. 2005, *Microwave in Organic and Medicinal Chemistry*, Wiley-VCH, Weinheim.

Khopkar, S.M., 2003, *Konsep Dasar Kimia Analitik*, UI Press, Jakarta.

Kumalaningsih, S., 2006, *Antioksidan Alami: Penangkal Radikal Bebas*, Trubus Agrisarana, Jakarta.

Lehman, J.W., 2004, Microscale Operational Organic Chemistry. Prentice hall upper Saddle River, New Jersey, pp. 634.

Loupy, A., 2002, *Microwaves in Organic Synthesis*, Wiley-VCH. Weinheim, 1-19, 115-143.

McMurry, J. 2016, *Organic Chemistry*, Ninth Edition, Cengage Learning, Boston.

Mohrig, J.R., Hammond, C.N., and Schatz, P.F., 2010, *Techniques in Organic Chemistry*, W.H Freeman and Company, New York.

Nirwani, L.S., 2018, ‘Sintesis Senyawa 1-(2,4-dihidroksi)-3- (3,4-dimetoksifenil)prop-2-en-1-on’, *Skripsi*, Universitas Setia Budi, Surakarta.

Nugraha, A.A., Kawiji, Atmaka, W., 2015, Kadar Kurkuminoid, Total Fenol dan Aktivitas Antioksidan Oleoresin Temulawak (*Curcuma Xanthorrhiza*) dengan Variasi Teknik Pengeringan dan Warna Kain Penutup, *Biofarmasi*, **13(1)**:6-14.

Nugroho, A.E., Yuniarti, N., Estyastono, E.P., Supardjan., dan Hakim, L., 2006, Penetapan Aktivitas Antioksidan Dehidrozingeron Melalui Penangkapan Radikal Hidroksi dengan Metode Deoksiribosa, *Majalah Farmasi Indonesia*, **17(3)**:116 – 122.

O’Neil, M., Heckelman, P., Koch, C., Roman, K., and Kenny, C., 2006, *The Merck Index*, Ed 14th, Merck & Co, Inc., New York.

Pavia, D., Lampman, G., and Kriz, G., 2001, *Introduction to Spectroscopy : A Guide for Students of Organic Chemistry* (third ed.), Thomson Learning: Washington.

Pietta, P.G., 2000, Flavonoids as Antioxidants, *J. Nat. Prod.*, **63**: 1035–1042.

Pinalla, A., 2011, Penentuan Metode Rekrystalisasi yang Tepat untuk Meningkatkan Kemurnian Kristal Amonium Perklorat (AP), *Majalah Sains dan Teknologi Digantara*, **6**: 64-70.

Prabawati, S.Y., Wijayanto, A., dan Wirahadi, A., 2014, Pengembangan Senyawa Turunan Benzalaseton sebagai Senyawa Tabir Surya, *Pharmaciana*, **4(1)**:31-38.

Priyadarsini, K.I., Maity, D.K., Naik, G.H., Kumar, M.S., Unnikrishnan, M.K., Satav, J.G., and Mohan, H., 2003, Role of Phenolic OH And Methylen Hydrogen On The Free Radical Reactions And Antioxidant Activity of Curcumin, *Free Radical Biology And Medicine*, **35(5)**: 475–484.

Pudjono., Sismindari., dan Widada, H., 2008, Sintesis 2,5-bis-(4'-hidroksibenzilidin) siklopantanon dan 2,5-bis-(4'-klorobenzilidin)siklopantanon serta Uji Antiproliferatifnya terhadap Sel HeLa, *Majalah Farmasi Indonesia*, **19(1)**: 48 – 55.

- Rahman, A. F. M. M., Ali, R., Jahng, Y., and Kadi, A. A. A., 2012, Facile Solvent Free Claisen-Schmidt Reaction: Synthesis of α,α' -bis-(Substitutedbenzylidene)-cycloalkanones and α,α' -bis-(Substitutedalkylidene)-cycloalkanones. *Journal Molecule*, **17**: 571-583.
- Rateb, N.M., and Zohdi, H.F., 2009, Atom-Efficient, Solvent Free, Green Syntesis of Chalcone by grinding, *Synthetic Communications*, **39**: 2789-2794.
- Rayar, A., Veitia, M.S.I., and Ferroud, C., 2015, An Efficient and Selective Microwave-Assisted Claisen-Schmidt Reaction for the Synthesis of Functionalized Benzalacetones, *SpringerPlus*, **4**: 221-225.
- Richa, Y., 2009, 'Uji Aktivitas Penangkap Radikal dari Ekstrak Petroleum Eter, Etil Asetat, dan Etanol Rhizoma Binahong (Anredera cordifolia (Tenore) Steen) dengan Metode DPPH (2,2-difenil-1-pikrihidrazil)', *Skripsi*, Fakultas Farmasi UMS, Surakarta.
- Robinson, T.P., Ehler, T., Hubbard, R.B., Bai, X., Arbiser, J.L., Goldsmith, D.J., and Bowen, J.P., 2003, Design, Synthesis and Biological Evaluation of Aromatic Enones Related to Curcumin, *Bioorg. Med. Chem. Let*, **13**:115-117.
- Rohdiana, D. 2001, Aktivitas Daya Tangkap Radikal Polifenol dalam Daun Teh. *Majalah Jurnal Indonesia*, **12**: 198-209.
- Saputro, Handayani, S., dan Atun, S., 2012, *Synthesis of 4-(3-hydroxyphenyl)-But-3-En-2-on Compound and Its Potency Test as Sunscreen*, Pendidikan Kimia FMIPA UNY:Yogyakarta.
- Sardjiman., Utami, D., Dachlan., Intani, D., dan Susanty, R.F., 2007, Optimasi Sintesis 4-dimetilaminobenzalaseton dengan Variasi Kecepatan dan Waktu Reaksi menggunakan Katalisator Natrium Hidroksida, *Majalah Farmasi Indonesia*, **18(4)**: 176-182.
- Silalahi J., 2002, Senyawa Polifenol sebagai Komponen Aktif yang Berkhasiat dalam Teh, *Majalah Kedokteran Indonesia*, **52 (10)**:361.

- Silverstein, R.M., Webster, F.X., and Kiemle, D.J., 2005, *Spectromeric Identification of Organics Compounds*. New Jersey : John Wiley & Sons, Inc.
- Skoog, A.D., West, M.D., Holler, J.F., dan Crouch, R.S., 2013, *Fundamentals of Analytical Chemistry*, Cengage Learning:Brooks.
- Solhy, A., Amer, W., Karkouri, M., Tahir, R., Bouari, A.E., Fihri, A., Bousmina, M., and Zahouily, M., 2011, Bi-functional Modified-phosphate Catalyzed The Synthesis of α - α -(EE)-bis(benzylidene)-cycloalkanones: Microwave Versus Conventional-heating, *Journal of Molecular Catalysis. A: Chemical*, **336**: 8-15.
- Viviano, M., Glasnov, T.N., Reichart, B., Tekautz, G., and Kappe, C.O., 2011, A Scalable Two-Step Continuous Flow Synthesis of Nabumetone and Related 4-Aryl-2-butanones, *Organic Process Research and Development*, **15**: 858-870.
- Wade, L.G. 2006. *Organic Chemistry*. Sixth edition. Pearson Education International: New Jersey.
- Wang, Z., 2010, Comprehensive Organic Name Reaction and Reagents, *John Wiley & Sons*, Hoboken.
- Warsi, W., Sardjiman, S. dan Riyanto, S., 2018, Synthesis and Antioxidant Activity of Curcumin Analogues, *Journal of Chemical and Pharmaceutical Research*, **10(4)**: 1-9.
- Wulandari, L., 2011, *Kromatografi Lapis Tipis*, PT Taman Kampus Presindo:Jember.
- Zhang, C., 2007, Fundamentals of Environmental Sampling and Analysis, *John Wiley & Sons*, Inc: New Jersey.