



CERTIFICATE

This is to certify that

Lannie Hadisoewignyo

has participated in

38th Meeting of National Working Group on Indonesian Medicinal Plants

INTERNATIONAL CONFERENCE ON MEDICINAL PLANTS

Surabaya, July 21 - 22, 2010


as

POSTER PRESENTER

**The National Working Group
on Indonesian Medicinal Plants**

Indah Yuning Prapti, SKM., M.Kes
Chairman

**Scientific and Organizing
Committee**



Dr. phil. nat. Elisabeth C.Wk.
Chairman

38th Meeting of National Working Group on Indonesian Medicinal Plant

ISBN : 978-602-96839-1-2
978-602-96839-3-6

Proceedings

International Conference On Medicinal Plants

The Future of Medicinal Plants: *From Plant to Medicine*



Surabaya, 21-22 July 2010

Organized by



Loonie 9/2010

Proceeding of International Conference on Medicinal Plants - Surabaya, Indonesia 21-21 July 2010

ISBN : 978-602-96839-1-2
ISBN of Volume 2 : 978-602-96839-3-6

PROCEEDING OF INTERNATIONAL CONFERENCE ON MEDICINAL PLANTS

in occasion of

the 38th Meeting of National Working Group on Indonesian Medicinal Plant

**21-21 July 2010
Surabaya, Indonesia**

Advisory Board :

Henk van Wilgenburg

Mona Tawab

Tohru Mitsunaga

De-An Guo

Adrianta Surjadhana

Kuncoro Foe

Editor :

Elisabeth C. Widjajakusuma

Organizing Committee

FACULTY OF PHARMACY

WIDYA MANDALA CATHOLIC UNIVERSITY

in collaboration with

**National Working Group on Indonesian Medicinal Plants
and German Academic Exchange Service**



Lonnie +125

ISBN : 978-602-96839-1-2

ISBN of Volume 2 : 978-602-96839-3-6

**PROCEEDING OF
INTERNATIONAL CONFERENCE ON
MEDICINAL PLANTS**

in occasion of

the 38th Meeting of National Working Group on Indonesian Medicinal Plant

21-21 July 2010

Surabaya, Indonesia

Advisory Board :

Henk van Wilgenburg

Mona Tawab

Tohru Mitsunaga

De-An Guo

Adrianta Surjadhana

Kuncoro Foe

Editor :

Elisabeth C. Widjajakusuma

Organizing Committee

FACULTY OF PHARMACY

WIDYA MANDALA CATHOLIC UNIVERSITY

in collaboration with

National Working Group on Indonesian Medicinal Plants

and German Academic Exchange Service

PREFACE

The International Conference on Medicinal Plants in occasion of the 38th Meeting of National Working Group on Medicinal Plant was held on the campus of Widya Mandala Catholic University in Surabaya during 21-22 July 2010. Over 300 participants had many fruitful discussions and exchanges that contributed to the success of conference. The present volume Proceedings (Volume 2) includes the papers presented at the conference and continues where Volume 1 leaves off.

The 192 abstracts that were presented on two days formed the heart of the conference and provided ample opportunity for discussion. Of the total number of presented abstracts, 63 of these are included in the Volume 1 and 58 in this proceedings volume. Both of the Conference Proceedings cover all aspects on key issues related to medicinal uses of plants, their active ingredients and pharmacological effects, production and cultivation of medicinal plants.

We appreciate the contribution of the participants and on behalf of all the conference participants we would like to express our sincere thanks to plenary speakers, Dr. Mona Tawab, Prof. Henk van Wilgenburg, Prof. Tohru Mitsunaga, Prof. De-An Guo, dr. Arijanto Jonosewojo, SpPD FINASIM, Dr. Bambang Prayogo, Mr. Jimmy Sidharta, Ir. Dwi Mayasari Tjahjono, S.Pd, Dipl. Cidesco, Dipl. Cibtac , and everybody who helped to make conference success and especially to our sponsors

National Working Group on Indonesian Medicinal Plants (POKJANAS TOI)

German Academic Exchange Service (DAAD)

PT. Landson

PT. Gujati 59

PT. Pasifik Sarana Cantik

PT. Herbal Plus

PT. Kaliroto

May you all be richly rewarded by the LORD.

All in all, the Conference was very successful. The plenary lectures and the progress and special reports bridged the gap between the different fields of the development of medicinal plants, making it possible for non-experts in a given area to gain insight into new areas. Also, included among the speakers were several young scientists, namely, students, who brought new perspectives to their fields. I hope this proceedings will promote the interdisciplinary exchange of knowledge and ideas in medicinal plant and related industries.

Dr.phil.nat. Elisabeth Catherina Widjajakusuma
Conference Chairman

CONTENT

	Page
Preface	ii
Design of Animal Experiments for Effectiveness and Safety Studies of Phytomedicines: A Computer Simulation H. van Wilgenburg	356
Gas Chromatography-Mass Spectroscopy (GC-MS) based Metabolic Fingerprinting of three Malaysian Ginger (<i>Zingiber officinale</i> Rosc.) Retno A. Budi Muljono, H. J. Mahdi, Ishak	363
Antibacterial Activity of Marine Sponges <i>Haliclona fascigera</i> against <i>Ralstonia Solanacearum</i> Dian Handayani, Nining, Fatma Sri Wahyuni	368
A Bioactive Compound of Lactarane Sesquiterpene Velleral from the Stem Bark of <i>Drymis beccariana</i> Gibbs. (Winteraceae) Bimo B. Santoso, Markus H. Langsa and Rina Moge	373
Preliminary Study on <i>Phaeomeria</i> sp. Economic Potency Hanifa Marisa, Rahmiwati, Hidayatullah	378
Vasoactive Effect of <i>Connarus grandis</i> Leaves Extracts on Different Strains of Rats Armenia, Helsa Devina, M.Z.A. Sattar	382
Seed Germination and Medical Properties of <i>Areca catechu</i> L. Rony Irawanto	391
The Bioactivity Test of Mangosteen (<i>Garcinia mangostana</i> L. Guttiferae) Pericarp against <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> Bacteria Pertamawati, Nuralih	398
Phytochemical Study of Ketapang Bark (<i>Terminalia catappa</i> L.) Ade Zuhrotun, Asep Gana Suganda, As'ari Nawawi	403

Identification of Flavonoids in <i>Cabomba furcata</i> from Tasik Chini, Pahang Malaysia Kurnia Harlina Dewi, Masturah Markom, Sity Aishah, Siti Rozaimah, Sheikh Abdullah, Mushrifah Idris	417
Anti-Obesity of Mouse by Sniffing Cypress Essential Oil Nasa Matsushima, Tohru Mitsunaga	426
Effect of <i>Artocarpus altilis</i> Decoction Unripe on Advanced Glycation and Products in Hiperglycemia Induced Rats (<i>Rattus norvegicus</i>) Fujiati, Isnaini	430
Antioxidant Activity of Flavonoids Compound from Kelor Leaves (<i>Moringa oleifera</i>) Marsah Rahmawati Utami, Lusiani Dewi Assaat, Supratno, Jorion Romengga, Yusridah Hasibuan, Irmanida Batubara	437
Docking Study and Structure Modification of Ethyl p-Methoxycinnamate Isolated from <i>Kaempferia galanga</i> Linn. To Enhance Its Selectivity on Cyclooxygenase-2 Juni Ekowati, Sukardiman, Shigeru Sasaki, Kimio Higashiyama, Siswandono, Tutuk Budiati	441
Prospect of a Combination Therapy of Herbs and Prebiotic as an Alternative Control Bacterial Diseases in Freshwater Aquaculture Angela Mariana Lusiastuti, E.H. Hardi, Tanbiyaskur, A.H. Condro Haditomo	446
Sub Acute Toxicity Test of Ethanol Extract of Betel Palm (<i>Areca catechu</i> L.) on Wistar Strain Albino Rat (<i>Rattus Norvegicus</i>) Wiwien Sugih Utami, Nuri, Yudi Wicaksono	452
Survey on Piperaceae Family at Kota Agung Village, Lahat District, South Sumatera Hanifa Marisa, Salni	460
The Development of Tablet Formulation of <i>Artocarpus champeden</i> Stembark Extract as Antimalarial Drug Achmad Fuad Hafid, Andang Miatmoko, Agriana Rosmalina Hidayati, Lidya Tumewu, Achmad Radjaram, Aty Widyawaruyanti	464

Testing and Transdermal's Formulation of Leaf Extract <i>Pterocarpus indicus</i> the Shade Street to Lower Blood Sugar Rate	470
Antonius, M. Lukman, E. Natania, S. Mariaty	
Utilization of Traditional Medicine as Stamina Enhancer in Sundanese Communities at Cicemet Village, Banten Kidul	476
Francisca Murti Setyowati, Wardah	
Effect of Some Selected Herbal Plant Extracts as Potential Dental Plaque Biofilm Inhibitors	483
Triana Hertiani, Sylvia Utami Tunjung Pratiwi, Muhammad Herianto, Aini Febriana	
Anti Inflammatory Activity of Ethanolic Extract of Leaves of Jarak Pagar (<i>Jatropha curcas</i>) and Neutrophils Profile in Rats Foot Induced Carrageenan	490
Hanif Nasiatul Baroroh, Warsinah	
PDMAA Coated Capillaries in Reducing Protein Adsorption	495
Adhitasari Suratman, Herman Wätzig	
Medical Plant Biodiversity in Dayak Communities Living in Kahayan Bulu Utara, Gunung Mas Regency, Central Kalimantan	503
Wardah, Francisca Murti Setyowati	
Softcoral (<i>Sinularia dura</i>, <i>Lobophytum structum</i>, <i>Sarcophyton roseum</i>) Fragmentation in Thousand Island as Potential Source of Natural Product	513
Hefni Effendi, Beginer Subhan, Dedi Soedharma, Dondy Arafat, Mujizat Kawroe	
Ethnopharmacology Study and Identification of Chemical Compounds of Herbal Medicines from South Sulawesi Affecting the Central Nervous System	526
Aktsar Roskiana, Asni Amin, Iskandar Zulkarnain	
Microscopic Identification and TLC Profile in Jamu for treatment of Uric Acid	531
Asia Hafid, Asni Amin, Hasnaeni, Virsa Handayani	
Ethnopharmacy of Herbal Medicine Studies from Wakatobi in South-East Sulawesi	537
Asni Amin, Aktsar Roskiana, Waode atian Naim	

Pharmacognostic Study and of Chemical Compound and Characterization of n-Hexane Extract of Asian Pigeon Wings Leaf (<i>Clitoria ternatea</i> L.)	544
Rusli, Abd. Kadir, Nasruddin Kamarullah, Asni Amin	
A Review: Feasibility Study of Eugenol Herbal Extract as Post Gingival Curettage Treatment	549
Roesanto, Liliek S. Hermanu, David A. M.	
Formulation of Cola (<i>Cola nitida</i> A. Chev) Effervescent Tablet	552
Teguh Widodo, Alisyahbana, Taufik Hidayat	
Anti-inflammatory and Analgesic Effect of Ethanol Extract of Gedi Leaf (<i>Abelmoschus manihot</i> L.Medik) Compared to Diclofenac Sodium in Paw Edema Rat	557
Enny Rohmawaty, Herri S Sastramihardja, Kuswinarti	
Biological Activities and Development of Herbal Products from <i>Sonneratia caseolaris</i> L.Engl.	565
Enih Rosamah, IrawanWijaya Kusuma, and Farida Aryani	
<i>Vitex pubescens</i> and <i>Terminalia catappa</i> plant species from Kalimantan as an Anti dental Caries Agent	571
Harlinda Kuspradini, Irmanida Batubara, Tohru Mitsunaga	
Improvement Characteristics of Curcuma Tamarind Traditional Jamu by Addition of Thickening Agent	577
Krishna Purnawan Candra	
Oxidation and Its Relation Between <i>in vitro</i> and <i>in vivo</i>	582
Lukman Muslimin, Habibie, Gemini Alam, Syaharuddin Kasyim, Mufidah M., Marianti A. Manggau	
Antidiarrheal Activity of Ethanol Extract of Sarang Semut (<i>Myrmecodia tuberosa</i>) in Experimental Animals	589
Nurlely, Revina A. Y., Anna Y. S., Yuyun S.	
Pests of <i>Stelechocarpus burahol</i> (Blume) Hook. F.&Thomson in Purwodadi Botanical Garden	593
Solikin	

Preparing and Implementing Module on Herbal Medicine for Medical Student Abraham Simatupang, Hayati Siregar, Mulyadi Djojoputro	598
Anti-hypercholesterolemic Activities of <i>Artocarpus altilis</i> Leaves Infusion Churiyah, Sri Ningsih	603
Callus Induction of <i>Sonchus arvensis</i> L. and Its <i>In-Vitro</i> Antiplasmodial Activity Dwi Kusuma Wahyuni, Tutik Sri Wahyuni, Wiwied Ekasari, Edy Setiti Wida Utami	609
Detection of Toxic Substances of <i>Swietenia mahagoni</i> Jacq. Stem Bark by <i>Artemia salina</i> Bioassay Eka Prasasti Nur Rachmani, Tuti Sri Suhesti, Nuryanti	614
Preliminary Screening of Marine Algae from South Sulawesi Coast for Cytotoxic Activity using Brine Shrimp <i>Artemia salina</i> Lethality Test Elmi Nurhaidah Zainuddin	622
Study of Cell and Callus Culture of <i>Erythrina variegata</i> L. for Secondary Metabolite Production as Antimalaria Herbal Medicine Suseno Amien, Tati Herlina	633
Acute Toxicity Study of the Methanol Extract of <i>Rhodomyrtus tomentosa</i> Leaves in mice Sutomo, Mudakir, Arnida, Yuwono	638
Cytotoxicity Evaluation of Medicinal Plant <i>Andrographis paniculata</i> in Breast Cancer Cell Lines Tarwadi, Churiyah, Fery Azis Wijaya, Pendrianto, Olive Bunga Pongtuluran, Fifit Juniarti, Rifatul Wijdhati	643
Separation of chloroform fraction of stem bark of <i>Bruguiera gymnorhiza</i> using bioassay guided fractionation and cytotoxic effects on cancer cell lines Warsinah, Hartiwi Diastuti, Hanif Nasiatul Baroroh	650
Optimization of Extraction of Solvent using Simplex Method with Axial Design to Obtain <i>Phyllanthus niruri</i> HPLC Profile Wulan Tri Wahyuni, Latifah K. Darusman, Aji Hamim Wigena	654

Formulation of Herb Pills of <i>Stenochlaena palustris</i>: An Overview of Fineness Variations of Powders, Concentration of Dissintegrant, and Drying Time Isnaini, Yugo Susanto, Sri Nurul Munjiah	659
Detection of Chloramphenicol Residue in Shrimp (<i>Penaeus monodon</i>) by High Performance Liquid Chromatography Caroline, Senny Yesery Esar, Kuncoro Foe	667
Technique for Purification of Polychlorinated Terphenyl in Raw Product of Synthesis Atmanto Heru Wibowo, Muefit Bahadir	671
Study of clove leaves volatile oil and its potential as growth inhibition against <i>Streptococcus mutans</i> and <i>Streptococcus pyogenes</i> M. Ervina, D.A. Limyati, L. Soegianto	679
Simultaneous Determination of Sulfametoxazole and Trimetoprimin Oral Suspension with Branded Name and Generic Name by High Performance Liquid Chromatography (HPLC) Effendy De Lux Putra, Muchlisyam	683
Optimization Formula of <i>Aloe vera</i> L. Powder Extract Effervescent Granules Yuliana Hidayat, Lannie Hadisoewignyo	691
Mouthwash Formulation Development of <i>Piper betle</i> Extract and Activity Test against <i>Streptococcus mutans</i> Rachmat Mauludin, Sasanti Tarini Darijanto, Irda Fidrianny, Ryan Rinaldi	696
Simultaneous Determination of Mefenamic Acid, Phenylbutazon, Diclofenac Sodium, Paracetamol, and Piroxicamin Traditional Medicine by TLC Emi Sukarti, Senny Yesery Esar	701
Neuroprotective of <i>Centella asiatica</i> toward BDNF (Brain-Derived Neurotropic Factor) Level, TNFα, NFkB and Apoptosis on Neuronal Cells Culture LPS-Induced Husnul Khotimah, Wibi Riawan, Umi Kalsum	706
Potency of Dragon Blood (<i>Daemonorop draco</i>) as Medicinal Plant, and Its Conservation in Jambi Province-Indonesia Zuraida	714

AUTHOR INDEX	717
PLANT NAMES INDEX (Volume 1 and 2)	719

OPTIMIZATION FORMULA OF *ALOE VERA* L. POWDER EXTRACT EFFERVESCENT GRANULES

Yuliana Hidayat¹ and Lannie Hadisoewignyo^{1*}

¹Faculty of Pharmacy, Widya Mandala Catholic University Surabaya, Surabaya, Indonesia

*Corresponding author, e-mail: lanhadi@yahoo.com

Abstract : *Aloe vera* L. is one of medicinal plants spread throughout Indonesia. Based on researches and experiences empirically, *Aloe vera* L. has been proven to cure or prevent some diseases. The aims of this research were to make effervescent granules of *Aloe vera* L. powder extract and looking for optimum formula of effervescent granules of *Aloe vera* L. powder extract which have granules and dissolving time physical properties which are appropriate with rule and regulations. Optimization techniques used in this research was factorial design method with two factors and two levels which are concentration of PVP K-30 with low level 2% and high level 5%, and concentration of lactose monohydrate with low level 5% and high level 10%. The observed responses to determine the optimum granules formula in factorial design are angle of repose, granules friability, and dissolving time. The result showed that PVP K-30, lactose monohydrate, and interaction between PVP K-30 and lactose monohydrate significantly influenced the angle of repose, granules friability, and dissolving time. Based on the Design-Expert optimization program, effervescent granules formula with optimum physical properties of granules to reach for 4.58% of PVP K-30 and 9.08% of lactose monohydrate and the result is angle of repose 36.42°, granules friability 0.93%, and granules dissolving time 1.76 minutes.

Keywords: *Aloe vera* L., PVP K-30, lactose monohydrate, effervescent granules, factorial design

INTRODUCTION

Aloe vera L. is a native plant from Afrika especially Mediterania that belong to family Liliaceae which has about 200 species. Based on researches and experiences empirically, *Aloe vera* L. has been proven to cure or prevent some diseases. In this research *Aloe vera* L. will be formulated as effervescent granules because it has a lot of profit such as good taste, ease of use, and convenient. In efforts looking for optimum formula was used factorial design. Because this method can be used find out factors that influences and the interaction and may be found optimum formula. In addition to that was more efficient than *trial and error* which need creativity of formulator, long of duration, need large cost, and often may be failed.

This study used factorial design 2² and purposed to learn concentration variation and interaction both of component parts of granules are PVP K-30 and lactose monohydrate to physical properties of granules (index of compressibility, angle of repose, granules friability) and dissolving time.

METHODOLOGY

Materials

Aloe vera L. powder extract (Natura Laboratoria Prima, East of Java, Indonesia), citric acid, sodium bicarbonate, sodium lauryl sulphate (SLS), lactose, PVP K-30, and aspartame.

Method

Optimization techniques used in this research was factorial design method with two factors and two levels which are concentration of PVP K-30 with low level 2% and high level 5%, and concentration of lactose monohydrate with low level 5% and high level 10%. Method was used is wet granulation, which the process has been done by separate

granulation (acid component and base component were granulated separately) then the granules have physical properties, such as moisture content, flowability, angle of repose, *Carr's Index*, granules density, granules friability, and dissolving time. Responses observed by factorial design were angle of repose, granule friability, and dissolving time.




Figure 1. *Aloe vera* L.

Table 1. Formula of *Aloe vera* L. powder extract effervescent granules

Ingredient	Amount (gram) per sachet			
	FI	F II	F III	IV
<i>Aloe vera</i> L. powder extract	1.75	1.75	1.75	1.75
Citric acid	1.47	1.47	1.47	1.47
Sodium bicarbonate	2.10	2.10	2.10	2.10
PVP K-30	0.14	0.35	0.14	0.35
Lactose monohydrate	0.35	0.35	0.70	0.70
Aspartame	0.105	0.105	0.105	0.105
Sodium lauryl sulphate	0.07	0.07	0.07	0.07

RESULT AND DISCUSSION

A. Thin Layer Chromatography of Aloin




Figure 2. Thin Layer Chromatography of Aloin, purple-colored ($\lambda = 254$ nm, mobile phase = Ethyl Acetate : methanol : water = 95 : 4 : 1); Rf value = 0,41-0,43 (Norman, 1989)

B. Result of physical properties of granules

The result of physical properties of granules is presented in Table 2.

Table 2. Granules characteristics

Parameter	F I	F II	F III	F IV
Moisture content (percent)	2.52 ± 0.49	3.10 ± 0.21	2.37 ± 0.21	3.19 ± 0.03
Angle of repose (degree)	38.05 ± 0.94	35.95 ± 0.67	36.42 ± 0.06	36.47 ± 0.03
Carr's Index (percent)	11.33 ± 2.31	9.33 ± 1.15	8.67 ± 1.15	7.67 ± 1.53
True density (g/cm ³)	0.54 ± 0.04	0.52 ± 0.01	0.61 ± 0.01	0.53 ± 0.01
Tapped density (g/cm ³)	0.61 ± 0.03	0.57 ± 0.002	0.67 ± 0.01	0.58 ± 0.003
Friability (percent)	1.53 ± 0.35	2.30 ± 0.87	2.73 ± 0.31	0.30 ± 0.1
Dissolving time (minute)	1.59 ± 0.07	1.78 ± 0.11	1.58 ± 0.06	1.79 ± 0.09

C. Contour plot of the observed responses

1. Angle of repose

$$Y = 36.72 - 0.52 X_A - 0.28 X_B + 0.54 X_A X_B$$




Figure 3. Contour plot of angle of repose from *Aloe vera* L. powder extract effervescent granules

Based on analysis of ANAVA, showed that PVP K-30, lactose monohydrate, and the interaction of both influences significantly to angle of repose *Aloe vera* L. powder extract effervescent granules. PVP K-30 and lactose monohydrate gives negative response means decrease angle of repose, but interaction of both gives positive response means will increase angle of repose.

2. Granules friability

$$Y = 1.72 - 0.42 X_A - 0.20 X_B - 0.80 X_A X_B$$




Figure 4. Contour plot of friability from *Aloe vera* L. powder extract effervescent granules

Based on analysis of ANAVA, showed that PVP K-30, lactose monohydrate, and the interaction of both influences significantly to friability *Aloe vera* L. powder extract effervescent granules. PVP K-30, lactose monohydrate, and interaction of both gives negative response which will decrease granules friability *Aloe vera* L. powder extract.

3. Dissolving time

$$Y = 101.25 + 5.92 X_A - 0.083 X_B + 0.25 X_A X_B$$




Figure 5. Contour plot of dissolving time from *Aloe vera* L. powder extract effervescent granules

Based on analysis of ANAVA, showed that PVP K-30, lactose monohydrate, and the interaction of both influences significantly to dissolving time *Aloe vera* L. powder extract effervescent granules. PVP K-30 more dominant in influences dissolving time *Aloe vera* L. powder extract effervescent granules than interaction between PVP K-30 and lactose monohydrate means will increase dissolving time *Aloe vera* L. powder extract effervescent granules, while lactose monohydrate gives negative response that is decrease dissolving time of granules because lactose monohydrate soluble in water.

Contour plot from each response later overlapping (*superimposed*) until may be found optimum area.




Figure 6. Superimposed Contour plot from *Aloe vera* L. powder extract effervescent granules

Yellow-colored area described as prediction optimum area from formula *Aloe vera* L. powder extract effervescent granules with desired responses.

CONCLUSION

- PVP K-30 as a binder, lactose monohydrate as a diluent and the interaction of both

influences significantly to angle of repose, friability, and dissolving time of granules. PVP K-30 can decrease angle of repose and friability of granules but it will increase the dissolving time of granules. Lactose monohydrate will decrease angle of repose, friability, and dissolving time of granules. Interaction between PVP K-30 and lactose monohydrate will increase the angle of repose and dissolving time of granules, but it will decrease friability of granules.

- Optimum formula effervescent granules is the combination of PVP K -30 4.58% and lactose monohydrate 9.08%. Quality the effervescent granules shown that it fullfilled the requirements as a good pharmaceutical preparation with the angle of repose was 36.42%, granules friability was 0.93%, and dissolving time was 1.76 minute.

REFERENCES

- Banker G. S., Anderson N. R., 1986. Tablet, in Lachman, L., Lieberman, H.A., Kanig, J.L.(Eds). *The Theory and Practice of Industrial Pharmacy*. 3rd Ed., Lea and Febiger, Philadelphia. 259, 299, 316 – 329.
- Forner D. E., Anderson N. R., Banker G. S., Rosanske T. W., Gordon R. E., 1981. Granulation and Tablet Characteristic. In Lieberman, H.A., Lachman, L., Schwartz, J.B (Eds.) *Pharmaceutical Dosage Form*. Volume 2. Marcel Dekker, Inc., New York, 109 – 143, 188 – 190.
- Mohrle R., 1989, Effervescent Tablets. In Lieberman, H.A., Lachman, L., (eds), *Pharmaceutical Dosage Form: Tablet*, vol I, 287, 289, 295.
- Norman G.B., 1989. *Herbal Drug and Phytopharmaceutical: A Handbook for Practice on Scientific*. 4th edition . Boca Raton, 59-61
- Wehrens R, 2006. *Experimental Design* [Online]. <http://www.statistics> for Chemists.
- Yuliani S., Winarti C., and Marwati T., 1996. *Manfaat Lidah Buaya dalam Perawatan Kesehatan dan Kecantikan*, makalah, Balai Penelitian Tanaman Rempah dan Obat Balitro, Bogor.