

BAB 5

KESIMPULAN DAN SARAN

5.1 KESIMPULAN

- 5.1.1 Variasi dosis tunggal STZ tidak mempengaruhi durasi efek terjadinya efek diabetogenik pada tikus wistar jantan
- 5.1.2 Variasi dosis tunggal STZ mempengaruhi diameter pulau Langerhans sel pankreas tikus wistar jantan, semakin tinggi dosis yang diberikan maka ukuran diameter Langerhans akan semakin berkurang
- 5.1.3 Variasi dosis tunggal STZ mempengaruhi kadar gula darah pada tikus wistar jantan, semakin tinggi dosis yang diberikan semakin tinggi kadar gula darah yang dialami tikus

5.2 SARAN

Berdasarkan hasil penelitian yang sudah dikaji, penulis bermaksud ingin memberikan saran yang semoga dapat bermanfaat bagi peneliti selanjutnya, yaitu sebagai berikut :

- 5.2.1 Dilakukan pengamatan lebih spesifik meliputi perhitungan jumlah sel β pankreas menggunakan pewarnaan *Mallory Azan*. Perhitungan jumlah sel β dianggap lebih spesifik dikarenakan mekanisme kerja dari STZ sendiri yaitu menyebabkan kematian sel β . Pulau Langerhans pada jaringan pankreas tikus juga terdapat beberapa yang dimana ukurannya tidak selalu sama, sehingga dapat dikatakan bahwa pengukuran jumlah sel β lebih efektif untuk mengetahui pengaruh dari variasi dosis STZ.
- 5.2.2 Mengamati kadar gula darah tikus dengan frekuensi waktu yang lebih sering atau bila memungkinkan dilakukan

pengecekan kadar gula darah setiap hari untuk mengetahui lebih pasti berapa lama durasi yang terjadi saat kondisi diabetes mellitus telah pulih dengan sendirinya.

DAFTAR PUSTAKA

- ADA. 2003, *Clinical practice recommendation*, Diabetes Care.
- Akbarzadeh, A., Norouzian, D., Mehrabi, M. R., Jamshidi, Sh., Farhangi, H., Verdi, A. A., Mofidian, S. M. A., and Rad, B. L., 2007, Induction of Diabetes by Streptozotocin in Rats, *Indian Journal of Clinical Biochemistry*, **22(2)** : 60-64.
- Alwan, A.A.S., 1994, *Management of Diabetes Mellitus Standards of Care and Clinical Practice Guidelines*, WHO Regional Office for the Eastern Mediterranean (WHO-EM/DIN6/E/G), Alexandria.
- Al-Achi, A. & Greenwood, R., 2001, A brief report on some physiological parameters of streptozotocin-diabetic rat, *Drug Dev. Ind. Pharm.*, **27(5)**: 465–468.
- American Society of Health System Pharmacists*, 2011, AHFS Drug Information, America.
- Baker, H. J., Lindsey, J. R., and Weishbroth, S. H., 1979, *The Laboratory Rat, Biology and Disease*, Volume 1, New York: Academic Press.
- Bambang, S. dan Eko, S., 2005, Stres oksidatif dan peran antioksidan pada diabetes melitus. *Majalah Kedokteran Indonesia* **55(2)**: 87.
- Bedoya, FJ., Solano, F., Lucas, M., 1996, n-monomethyl-arginine and nicotinamide prevent streptozotocin-induced double strand DNA break formation in pancreatic rat islets, *Experientia* **52**: 344-347.
- Bolaffi, Jl., Nagamatsu, S., Harris, J., and Grodsky, G. M., 1987, Protection By Thymidine, An inhibitor of polyadenosine diphosphate ribosylation, of streptozotocin inhibition of insulin secretion, *Endocrinology* **120**: 2117-2122.
- Bowe, J.E., Franklin, Z.J., Hauge-Evans, A.C., King, A.J., Persaud, S.J., & Jones, P.M., 2014, Assessing glucose homeostasis in rodent models, *Journal of Endocrinology*, **222(3)**: 13–25.
- Deeds, M. C., Anderson, J. M., Armstrong A. S., Gastineau, D. A., Hiddinga, H. J., Jahangir, A., Ebehardt, N. L., and Kudva, Y. C., 2011, Single Dose Streptozotocin-Induced Diabetes: Consideration For Study Design in Islet Transplantation Models, *Laboratory Animal*, **45** : 131-140.

- Departemen Kesehatan RI, 2005, *Pharmaceutical care Untuk Penyakit Diabetes Mellitus*, Direktur Jenderal Bina Farmasi & Alat Kesehatan, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dineshkumar, B., Mitra, A., and Manjunatha, M., 2010, Studies on the anti-diabetic and hypolipidemic potentials of mangiferin (Xanthone Glucoside) in streptozotocin-induced Type 1 and Type 2 diabetic model rats, *International Journal of Advances in Pharmaceutical Sciences* **1**: 75-85.
- Dipiro, J. T., Wells, B. G., Schwinghammer, T. L., and Dipiro, C. V., 2015, *Pharmacotherapy Handbook*, 9th ed, McGraw-Hill Education Companies, Inggris.
- Ferrannini, E. & Mari, A., 2004, Beta cell function and its relation to insulin actions in humans: A critical appraisal, *Diabetologia*, **47(5)**: 943–956.
- Furman, B.L., 2015, Streptozotocin-induced diabetic models in mice and rats, *Current Protocol in Pharmacology*. **70**:5.47.1-5.47.20.
- Gajdosík, A., Gajdosíková, A., Stefek, M., Navarová, J., & Hozová, R., 1999, Streptozotocin-induced experimental diabetes in male Wistar rats, *General Physiology and Biophysics*, **18**: 54–62.
- Goud, B. J., Dwarakanath, V., and Swamy, B. K. C. 2015, Streptozotocin- A Diabetogenic Agent in Animal Models, *International Journal of Pharmacy & Pharmaceutical Research*, **Vol:3**, Issue:1.
- Goyal, S. N., Reddy, N. M., Patil, K. R., Nakhate, K. T., Ojha, S., Patil, C. R., and Agrawal, Y. O., 2016, Challenges and issues with Streptozotocin-Induced Diabetes – A Clinically Relevant Animal Model to Understand the Diabetes Pathogenesis and Evaluate Therapeutics, *Chemico-Biological Interactions*, **244** : 49-63.
- Gunnarson, R., Berne, C., and Hellerstrom, C., 1974, Cytotoxic effects of Streptozotocin and N-nitrosomethylurea on the pancreatic B-cells with special regard to the role of nicotinamide-adeninedinucleotide, *Biochem J*, **140** :487-491.
- Greenspan, F., S., 1998, *Endokrinologi Dasar dan Klinik*, Ed 4, Penerbit buku kedokteran, EGC, Jakarta, PP :775.
- Hikmah, N., Dewi, A., Shita, P., & Maulana, H., 2015, Rat diabetic Blood glucose level profile with Stratified Dose Streptozotocin (SD-STZ)

- and Multi Low Dose Streptozotocin (MLD-STZ) induction methods, *The Journal of Tropical Life Science* **5(1)**: 30–34.
- Ikatan Dokter Anak Indonesia (IDAI), 2017, *Diagnosis dan Tatalaksana Diabetes Melitus tipe-1 Pada Anak dan Remaja*, Jakarta : Badan Penerbit Ikatan Dokter Anak Indonesia.
- Jonhson, M., 1998, *Diabetes Therapy dan Pencegahannya*, Jawa Barat: ISBN 979 - 504-110 X.
- Johnson Mary, 2012, *Labome: Laboratory Mice and Rats [Internet]*, diakses pada 12 oktober 2019, <http://www.labome.com/method/LaboratoryMice-and-Rats.html>
- Junod, A., Stauffacher, W., and Renold, A. E., 1969, Diabetogenic Action of Streptozotocin: Relationship of Dose to Metabolic Response, *The Journal of Clinical Investigation*, **48(11)** : 2129-2139.
- Kendran, A.A.S., Sudisma, I.G.N., Sulabda, I.N., Gorda, I.W., Dewi, L., Loudi, B.M., 2013, Kadar Glukosa Darah Anjing Kintamani, *Bul.Vet. Udayana*, **5(2)**: 79- 86.
- King, A. J. F., 2012, The Use of Animal Models in Diabetes Research, *British Journal of Pharmacology*, **166** : 877-894.
- Kumar, Y.A., Nandakumar, K., Handral, M., Talwar, S., & Dhayabaran, D., 2011, Hypoglycaemic and anti-diabetic activity of stem bark extracts *Erythrina indica* in normal and alloxan-induced diabetic rats, *Saudi Pharmaceutical Journal*, **19(1)**: 35–42.
- Lenzen, S., 2007, The Mecanisms of Alloxan and Streptozotocin Induced Diabetes, *Diabetologia*, **51** : 216-226.
- Leo, M.A.S.D., Santini, S.A., Silveri, N.G., Giardina, B., Franconi, F., and Ghirlanda, G., 2004, Long-term taurine suplementations reduces mortality rate in streptozotocin-induced diabetic rats, *Amino acids* **27**: 187-191.
- Mohan, C., 2015, *Buffers : A guide for the preparation and use of buffers in biological systems*, EMD, San Diego, California.
- Mostafavinia, A., Amini, A., Ghorishi, S. K., Pouriran, R., and Bayat, M. 2016, The Effect of Dosage and Routes of Administration of Streptozotocin and Alloxan on Induction Rate of Type 1 Diabetes Mellitus and Mortality Rate in Rats, *Laboratory animal research*, **32(3)** : 160-165.

- Nugroho, A. E., 2006, Hewan Percobaan Diabetes Mellitus : Patologi Dan Mekanisme Aksi Diabetogenik, *Biodiversitas* **Vol 7 (4)** : 378-382.
- Nukatsuka, M., Sakurai, H., Yoshimura, Y., Nishida, M., and Kawada, J., 1988, Enhancement by streptozotocin of O₂ - radical generation by the xanthine oxidase system of pancreatic beta-cells, *FEBS Lett* **239**: 295-298.
- Puspitasari I., 2016, ‘Uji Aktivitas Antihiperglykemik dan Regenerasi Sel Pankreas Fraksi-Fraksi dari Ekstrak Biji Mahoni (*Swietenia macrophylla King*) pada Tikus Diabetes Melitus yang Diinduksi Streptozotosin-Nikotinamid’, Tesis, Surakarta: Program Studi S2 Farmasi, Fakultas Farmasi, Universitas Setia Budi.
- Radenkovic, M., Stojanovic, M., and Prostran, M., 2015, Experimental Diabetes Induced by Alloxan and Streptozotocin: The Current State of the Art, *Journal Of Pharmacological and Toxycological Methods*, University of Belgrade, Serbia.
- Riddle, M. C., 2018, Standart of Medical Care in Diabetes, The Journal of Clinical and Applie Research and Education, *American Diabetes Assosiation (ADA)*, **Vol 41**, Supplement 1.
- Salih, N.D., Azmi, N., & Gopalan, H.K., 2015, The protective effects of Phaleria Macrocarpa leaves methanol extract on pancreatic islets histology in streptozotocin – induced diabetic rats, *Science International*, **27(5)**: 4219–4224.
- Sennoune, S., Gerbi, A., Duran, M.J., Grillasca, J.P., Compe, E., Pierre, S., Planells, R., Bourdeaux, M., Vague, P., Pieroni, G., and Maixent, J.M., 2000, Effect of Streptozotocin-Induced Diabetes on Rat Liver Na⁺/K⁺-ATPase, *European Journal Biochem*, **267** : 2071-2078.
- Scridon, A., Perian, M., Marginean, A., Fisca, C., Vantu, A., Ghertescu, D., et al., 2015, Sobolanii Wistar cu diabet zaharat tip 1 indus cu streptozotocina reproduc cele mai relevante caracteristici clinice, biochimice si hematologice ale diabetului uman. *Revista Romana de Medicina de Laborator*, **23(3)**: 263–274.
- Sherwood, L., 2001a, *Organ Endokrin Perifer dalam Fisiologi Manusia: dari Sel ke Sistem*. Edisi 2. Jakarta: EGC. p: 667
- Szkuldeski, T. 2001, The Mechanism of Alloxan and Streptozotocin Action in B cell of the Rat Pancreas, *Physiol. Res*, **50**: 536-546.

The Department Of Health Ireland, 2018, *Adult Type 1 Diabetes Mellitus : National Clinical Guideline No. 17*, National Institute for Health and Care Excellence (NICE), The Department of Health Ireland.

Tsuchitani, M., Sato, J., and Kokoshima, H., 2016, *A Comparison of the Anatomical Structure of the Pancreas in Experimental Animals*, Journal of Toxycologic Pathology, Japan.

Wei, M., Ong, L., Smith, M.T., Ross, F.B., Hoey, A.J., Burstow, D., et al., 2003, The Streptozotocin-Diabetic Rat as a model of the chronic complications of diabetes, *The Asia Pacific Heart Journal*, **12(1)**: 1–20.