

BAB 7

SIMPULAN DAN SARAN

7.1 Simpulan

Berdasarkan analisa data dari penelitian yang telah dilakukan, maka dapat disimpulkan sebagai berikut :

1. Sebanyak 46.7% mahasiswa/I angkatan 2019 Fakultas Kedokteran Universitas Katolik Widya Mandala Surabaya memiliki tingkat aktivitas fisik yang tinggi.
2. Sebanyak 77.8% mahasiswa/I angkatan 2019 Fakultas Kedokteran Universitas Katolik Widya Mandala Surabaya memiliki tingkat kecemasan yang rendah.
3. Terdapat hubungan yang signifikan $p = 0.002$ ($p < 0,05$) antara aktivitas fisik dengan kecemasan pada mahasiswa/I Fakultas Kedokteran Universitas Katolik Widya Mandala Surabaya angkatan 2019.

7.2 Saran

Berdasarkan hasil dari analisa data penelitian yang telah dilakukan, maka saran yang dapat diberikan oleh peneliti adalah sebagai berikut:

1. Bagi responden

Dari hasil penelitian menunjukkan bahwa mahasiswa dengan aktivitas yang tinggi mempunyai tingkat kecemasan yang rendah, sehingga bisa menjadi acuan dengan melakukan aktivitas tinggi akan menurunkan kecemasan mahasiswa.

2. Bagi peneliti selanjutnya

Hasil penelitian ini dapat menjadi dasar untuk pengembangan penelitian sejenis dengan mempertimbangkan faktor faktor yang mempengaruhi yang belum diteliti.

DAFTAR PUSTAKA

1. Chowdhury SD, Oommen AM. Epidemiology of COVID-19. *Journal of digestive endoscopy* [Internet]. 2020 Mar [disitasi 2022 Apr 22];11(1):3. Diunduh dari: [/pmc/articles/PMC7364648/](https://pubmed.ncbi.nlm.nih.gov/33764648/)
2. Kementerian Kesehatan. Peraturan menteri kesehatan Republik Indonesia nomor 9 tahun 2020 tentang pembatasan sosial berskala besar dalam rangka percepatan penanganan *corona virus disease* 2019 [Internet]. 2020 [disitasi 2022 mar 2]. Diunduh dari: http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No__9_Th_2020__ttg_Pedoman_Pembatasan_Sosial_Berskala_Besar_Dalam_Penanganan_COVID-19.pdf
3. Cao W, Fang Z, Hou G, Han M, Xu X, Dong J, et al. The psychological impact of the COVID-19 epidemic on college students in China. *Psychiatry Research* [Internet]. 2020 May [disitasi 2022 Apr 22];287:112934. Diunduh dari: [/pmc/articles/PMC7102633/](https://pubmed.ncbi.nlm.nih.gov/337102633/)
4. Kemenkes beberkan masalah permasalahan kesehatan jiwa di Indonesia. *Rokom* [Internet]. 2021 Okt [disitasi 2022 Apr 22]. Diunduh dari: <https://sehatnegeriku.kemkes.go.id/baca/rilis-media/20211007/1338675/kemenkes-beberkan-masalah-permasalahan-kesehatan-jiwa-di-indonesia/>
5. World Health Organization. COVID-19 pandemic triggers 25% increase in prevalence of anxiety and depression worldwide [Internet]. World Health Organization. 2022 [disitasi 2022 Mei 9]. Diunduh dari: <https://www.who.int/news/item/02-03-2022-covid-19-pandemic-triggers-25-increase-in-prevalence-of-anxiety-and-depression-worldwide>
6. Chand SP, Marwaha R, Bender RM. Anxiety (Nursing). In: *StatPearls. Treasure Island (FL)* [Internet]. 2022 Jan [cited 2022 Mei 9]; Diunduh dari: <http://www.ncbi.nlm.nih.gov/pubmed/33760520>
7. Wilder-Smith A, Freedman DO. Isolation, quarantine, social distancing and community containment: pivotal role for old-style public health measures in the novel coronavirus (2019-nCoV) outbreak. *Journal of Travel Medicine* [Internet]. 2020 Mar 13 [disitasi 2022 Mei 9];27(2). Diunduh dari: <https://academic.oup.com/jtm/article/27/2/taaa020/5735321>
8. Martinez Zangiacomi Edson, Silva FM, Morigi TZ. Physical activity in periods of social distancing due to COVID-19: a cross-sectional survey. *Cien Saude Colet* [Internet]. 2020 Jul 23 [disitasi 2022 Mei 9]; Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/33027352/> DOI:10.1590/1413-812320202510.2.27242020
9. World Health Organization. Physical activity [Internet]. World Health Organization. 2020 Nov [disitasi 2022 Mei 9]. Diunduh dari: <https://www.who.int/news-room/fact-sheets/detail/physical-activity>
10. Park JH, Moon JH, Kim HJ, Kong MH, Oh YH. Sedentary lifestyle: Overview of updated evidence of potential health risks. *Korean journal of family medicine*. 2020 Nov [disitasi 2022 Mei 9];41(6):365–73. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/33242381/> DOI: 10.4082/kjfm.20.0165

11. Souza Filho BAB de, Tritany EF. COVID-19: importance of new technologies for physical activity as a public health strategy. *Cadernos de Saude Publica* [Internet]. 2020 Mei [disitasi 2022 Mei 9];36(5). Diunduh dari:
<https://www.scielo.br/j/csp/a/5hLHLw8HfzqWsGVHMZGDyxj/?lang=pt>
DOI: <https://doi.org/10.1590/0102-311X00054420>
12. P2PTM Kemenkes RI. Apa definisi aktivitas fisik?. Direktorat P2PTM [Internet]. 2019 Apr [disitasi 2022 Mei 9]. Diunduh dari:
<http://p2ptm.kemkes.go.id/infographicp2ptm/obesitas/apa-definisi-aktivitas-fisik>
13. Kusumo MP. Buku pemantauan aktivitas fisik. *The journal publishing* [Internet]. 2021 Apr [disitasi 2022 Mei 15]. 7-10 p. Diunduh dari:
https://www.researchgate.net/publication/350965519_BUKU_PEMANTAUAN_AKTIVITAS_FISIK
14. Lesser IA, Nienhuis CP. The Impact of COVID-19 on physical activity behavior and well-being of Canadians. *International journal of environmental research and public health* [Internet]. 2020 Mei [disitasi: 2022 Mei 15]; 17(11):3899. Diunduh dari:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7312579/>
DOI: 10.3390/ijerph17113899
15. Kang S, Sun Y, Zhang X, Sun F, Wang B, Zhu W. Is physical activity associated with mental health among Chinese adolescents during isolation in COVID-19 pandemic?. *Journal of epidemiology and global health* [Internet]. 2020 Sep [disitasi 2022 Mei 15];11(1):26. Diunduh dari:
<https://pubmed.ncbi.nlm.nih.gov/32959611/#:~:text=Conclusion%3A%20Chinese%20adolescents%20maintained%20a,among%20adolescents%20in%20the%20pandemic> DOI: 10.2991/jegh.k.200908.001
16. World Health Organization. WHO guidelines on physical activity and sedentary behaviour [Internet]. 2020 Nov [disitasi 2022 Mei 15]. 1-3 p. Diunduh dari: <https://www.who.int/publications/i/item/9789240015128>
17. Anyan F, Hjemdal O, Ernsten L, Havnen A. Change in physical activity during the coronavirus disease 2019 lockdown in Norway: The buffering effect of resilience on mental health. *Frontiers in psychology* [Internet]. 2020 Des [disitasi 2022 Mei 15];11: 598481. Diunduh dari:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7770128/> DOI: 10.3389/fpsyg.2020.598481
18. Lippi G, Henry BM, Sanchis-Gomar F. Physical inactivity and cardiovascular disease at the time of coronavirus disease 2019 (COVID-19). *European journal of preventive cardiology* [Internet]. 2020 Jun [disitasi 2022 Mei 15];27(9):906–908. Diunduh dari:
<https://pubmed.ncbi.nlm.nih.gov/32270698/> DOI: 10.1177/2047487320916823
19. Kim SY, Jeon SW, Lee MY, Shin DW, Lim WJ, Shin YC, et al. The association between physical activity and anxiety symptoms for general adult populations: An analysis of the dose-response relationship. *Psychiatry investigation* [Internet]. 2020 Jan [disitasi 2022 Mei 15];17(1):29–36. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/31856560/> DOI: 10.30773/pi.2019.0078

20. Cleland C, Ferguson S, Ellis G, Hunter RF. Validity of the international physical activity questionnaire (IPAQ) for assessing moderate-to-vigorous physical activity and sedentary behaviour of older adults in the United Kingdom. *BMC medical research methodology* [Internet]. 2018 Des [disitasi 2022 Mei 15];18(1):176. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/30577770/> DOI: 10.1186/s12874-018-0642-3
21. International Physical Activity Questionnaire. International physical activity [Internet]. 2002 Agustus [disitasi 2022 Mei 16]. Diunduh dari: <https://sites.google.com/site/theipaq/background>
22. Ashok P, Kharche JS, Raju R, Godbole G. Metabolic equivalent task assessment for physical activity in medical students. *National journal of physiology, pharmacy and pharmacology* [Internet]. 2016 [disitasi 2022 Mei 16];7(3). Diunduh dari: <http://www.njppp.com/fulltext/28-1472311600.pdf>
23. Sadock JB, Sadock VA, Ruiz P. Kaplan & sadock's synopsis of psychiatry. Eleventh edition. New York: Wolters kluwer; 2015. 387–413 p.
24. American psychiatric association. DSM-5 guidebook. Fifth edition. Washington, DC, London, England: American psychiatric publishing; 2013.123–146 p.
25. Chand SP, Marwaha R. Anxiety. *Anxiety* [Internet]. 2022 Jan [disitasi 2022 Mei 16];1–226. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/29262212/>
26. Marconcin P, Werneck AO, Peralta M, Ihle A, Gouveia ÉR, Ferrari G, et al. The association between physical activity and mental health during the first year of the COVID-19 pandemic: a systematic review. *BMC Public Health* [Internet]. 2022 Feb [disitasi 2022 Mei 16];22(1):209. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/35101022/> DOI: 10.1186/s12889-022-12590-6
27. Jbireal J.M. Azab EA. Anxiety: Insights into Signs, Symptoms, Etiology, Pathophysiology, and Treatment. East African scholars publisher [Internet]. 2019 Okt [disitasi 2022 Mei 16]. Diunduh dari: https://www.researchgate.net/publication/336738068_Anxiety_Insights_in_to_Signs_Symptoms_Etiology_Pathophysiology_and_Treatment
28. Rodríguez-Hidalgo AJ, Pantaleón Y, Dios I, Falla D. Fear of COVID-19, stress, and anxiety in university undergraduate students: A predictive model for depression. *Frontiers in psychology* [Internet]. 2020 Nov [disitasi 2022 Mei 16];11:591797. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/33224080/> DOI: 10.3389/fpsyg.2020.591797
29. Zung WW. A rating instrument for anxiety disorders. *Psychosomatics* [Internet]. 1971 Nov-des [disitasi 2022 Mei 17];12(6):371–9. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/5172928/> DOI: 10.1016/S0033-3182(71)71479-0
30. Xie Xinyan, Xue Q, Zhou Y, Zhu K. Mental health status among children in homeconfinement during the coronavirus disease 2019 outbreak in Hubei Province, China. *JAMA Pediatr* [Internet]. 2020 Sept [disitasi 2022 Mei 17];174(9): 898-900. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/32329784/> DOI:

- 10.1001/jamapediatrics.2020.1619
31. Dunton GF, Do B, Wang SD. Early effects of the COVID-19 pandemic on physical activity and sedentary behavior in children living in the U.S. *BMC public health* [Internet]. 2020 Sept [disitasi 2022 Mei 17];20(1):1351. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/32887592/> DOI: 10.1186/s12889-020-09429-3
 32. Byun W, Dowda M, Pate RR. Associations between screen-based sedentary behavior and cardiovascular disease risk factors in Korean youth. *Journal of Korean medical science* [Internet]. 2012 Apr [disitasi 2022 Mei 17];27(4):388-394. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/22468102/> DOI: 10.3346/jkms.2012.27.4.388
 33. Sund AM, Larsson B, Wichstrøm L. Role of physical and sedentary activities in the development of depressive symptoms in early adolescence. *Social psychiatry and psychiatric epidemiology* [Internet]. 2011 May [disitasi 2022 Mei 17];46(5):431-441. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/20358175/> DOI: 10.1007/s00127-010-0208-0
 34. Gruber J, Moskowitz JT. Positive emotion: integrating the light sides and dark sides. *Oxford scholarship* [Internet]. 2014 Apr [disitasi 2022 Mei 18]. Diunduh dari: <https://oxford.universitypressscholarship.com/view/10.1093/acprof:oso/9780199926725.001.0001/acprof-9780199926725> DOI: 10.1093/acprof:oso/9780199926725.001.0001
 35. Kiluk BD, Weden S, Culotta VP. Sport participation and anxiety in children with ADHD. *Journal of attention disorders* [Internet]. 2009 May [disitasi 2022 Mei 18];12(6):499-506. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/18596300/> DOI: 10.1177/1087054708320400
 36. Purnama H, Suahta T. Tingkat aktivitas fisik pada lansia di provinsi Jawa Barat, Indonesia. *Jurnal keperawatan komprehensif* [Internet]. 2019 Jul [disitasi 2022 Mei 18];5(2). Diunduh dari: https://www.researchgate.net/publication/335275222_TINGKAT_AKTIVITAS_FISIK_PADA_LANSIA_DI_PROVINSI_JAWA_BARAT_INDONESIA DOI: 10.33755/jkk.v5i2.145
 37. Nasution HT, Ropi H, Sitorus RE. Faktor-faktor yang Berhubungan dengan manajemen diri pasien yang menjalani hemodialisis diruang hemodialisis RSUP DR Hasan Sadikin Bandung. *Jurnal ilmu keperawatan* [Internet]. 2013 Nov [disitasi 2022 Mei 18];1(2). Diunduh dari: <https://123dok.com/document/z3j5gndy-berhubungan-manajemen-pasien-menjalani-hemodialisis-hemodialisis-sadikin-bandung.html>
 38. Masturoh I, T Nauri A. Metodologi penelitian kesehatan. Badan pengembangan dan pemberdayaan sumber daya manusia kesehatan [Internet]. 2018 Agustus [disitasi 2022 Mei 17]. Diunduh dari: http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2018/09/Metodologi-Penelitian-Kesehatan_SC.pdf
 39. Frontini R, Goncalves RR, Amaro N. The relationship between anxiety levels, sleep, and physical activity during COVID-19 lockdown: An

- exploratory study [Internet]. 2021 Mar [disitasi 2022 Mei 18]. Diunduh dari: <https://www.frontiersin.org/articles/10.3389/fpsyg.2021.659599/full> DOI: 10.3389/fpsyg.2021.659599
40. Xiang MQ, Tan XM, Sun J. Relationship of physical activity with anxiety and depression symptoms in Chinese college students during the COVID-19 outbreak [Internet]. 2020 Nov [disitasi 2022 Mei 18];11:582436. Diunduh dari: <https://pubmed.ncbi.nlm.nih.gov/33329238/> DOI: 10.3389/fpsyg.2020.582436
 41. Xiao Junjie. Physical exercise for human health. Volume 1228. Shanghai, China: Shanghai University; 2020. 3p.
 42. Yao Yingying, Chen Jianqiao, Dong Dan, Feng Yi, Qiao Z. The relationship between exercise and mental health outcomes during the COVID-19 Pandemic: From the perspective of hope [Internet]. 2022 Mar [disitasi 2022 November 3];19(7): 4090. Diunduh dari: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8997973/> DOI: 10.3390/ijerph19074090
 43. Zhang W, PhD. Effects of COVID-19 on physical activity and its relationship with mental health in a US Community Sample: Cross-sectional, convenience sampling-based online survey [Internet]. 2022 Apr [disitasi 2022 November 5]; 6(4): e32387. Diunduh dari: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8982649/> DOI: 10.2196/32387
 44. Li Mengfei. The impact of physical activity on mental health during COVID-19 pandemic in China: A systematic review [Internet]. 2022 Jun [disitasi 2022 November 5]; 19(11): 6584. Diunduh dari <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9180501/> DOI: 10.3390/ijerph19116584