

Maria Patricia Dian Putri

4. AGE AND GENDER WITH DEGREE OF HYPERTENSION IN ADULTS AT THE CARDIOLOGY CLINIC OF GOTONG ROYONG...

 Maria Patricia Dian Putri

Document Details

Submission ID

trn:oid:::3618:114873586

Submission Date

Sep 29, 2025, 3:45 PM GMT+7

Download Date

Sep 29, 2025, 4:35 PM GMT+7

File Name

4-Age_and_gender_with_degree_.pdf

File Size

220.8 KB

4 Pages

1,740 Words

9,405 Characters

1% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- Bibliography
- Small Matches (less than 10 words)

Exclusions

- 7 Excluded Sources
- 13 Excluded Matches

Match Groups

-  **2 Not Cited or Quoted 1%**
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 1%  Internet sources
- 0%  Publications
- 0%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

-  **2** Not Cited or Quoted 1%
Matches with neither in-text citation nor quotation marks
-  **0** Missing Quotations 0%
Matches that are still very similar to source material
-  **0** Missing Citation 0%
Matches that have quotation marks, but no in-text citation
-  **0** Cited and Quoted 0%
Matches with in-text citation present, but no quotation marks

Top Sources

- 1%  Internet sources
- 0%  Publications
- 0%  Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

- 1

Internet

eprints.poltekkesjogja.ac.id

<1%
- 2

Internet

garuda.kemdikbud.go.id

<1%

AGE AND GENDER WITH DEGREE OF HYPERTENSION IN ADULTS AT THE CARDIOLOGY CLINIC OF GOTONG ROYONG HOSPITAL IN SURABAYA

Putu Raka Prema Aristian¹⁾, Epriyanto Tri Darmadi²⁾, Maria Patricia Dian Putri³⁾

Correspondent Email: Rakaprema@gmail.com

<https://doi.org/10.33508/jwmj.v5i3.4827>

ABSTRACT

Introduction : Hypertension is a condition that blood pressure in a person increases with systolic 140 mmHg and/or diastolic 90 mmHg, either based on clinical measurements or health care facilities. Hypertension is often called a "silent killer". Risk factors associated with the incidence of hypertension include age and gender.

Purpose : To examine the correlation between age and degree of hypertension in adults and the correlation between gender and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya.

Method : This research used an analytical observational method with a cross-sectional design. Data accumulation was obtained through medical records from the Cardiology Clinic of Gotong Royong Hospital in Surabaya. This research used simple random sampling as the sampling technique. Meanwhile, the expected analysis results from this research are p-value ≤ 0.05 and r value = 0.8 – 1.00.

Results : The result of analysis after *the Spearman test* about the correlation between age and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya this research found p value = 0.938 which is interpreted as a non-significant correlation and r value = 0.012, which is interpreted as a very weak correlation. Then, the result of the analysis of the correlation between gender and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya had a p-value = 0.632, which is interpreted as a non-significant correlation and an r value = -0.072, which is interpreted as very weak correlation.

Conclusion : There is no correlation between age and degree of hypertension in adults, nor between gender and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong in Surabaya.

Keywords : Hypertension, age, gender, degree of hypertension.

¹⁾ Faculty of Medicine, Widya Mandala Surabaya Catholic University

²⁾ Department of Radiology, Faculty of Medicine Widya Mandala Catholic University Surabaya

³⁾ Department of Medical Rehabilitation, Faculty of Medicine Widya Mandala Catholic University Surabaya

INTRODUCTION

According to the PERHI 2021 consensus, hypertension is a condition of increased blood pressure with systolic ≥ 140 mmHg and/or diastolic ≥ 90 mmHg based on clinical measurements.⁽¹⁾ The NCD-RisC study found a two-fold increase in the incidence of hypertension in 29 years due to poor treatment and low awareness regarding re-control in several countries, including Indonesia.⁽²⁾ The 2018 Riskesdas report revealed 63,309,620 cases of hypertension in Indonesia, with 427,218 deaths.⁽³⁾ Number of sufferers in East Java Province aged over 15 years was 11,008,334 people, with a percentage of 48.83% men and 51.17% women. Surabaya City contributes the second most case of hypertension, with 84 cases in 2020.⁽⁴⁾ Surabaya City Health Office obtained an estimate of the number of hypertension cases in Sukolilo District, as many as 26,595 cases of hypertension, and one of the hospitals in there is Surabaya Gotong Royong Hospital.⁽⁵⁾

Lindsey and Jennifer's (2018) study in the United States proved that men dominated cases of hypertension before the age of 75, while at 75 it was more common in women.⁽⁶⁾ Meanwhile, Katherine et al.'s research (2020) revealed that adults who are at high risk of suffering from hypertension, besides the elderly, are adults. Cases of hypertension are known to reach 1.4 billion or 31.1% of the total adult population in the world in 2010.⁽⁷⁾ This can still increase due to bad behavior and lifestyle in adults. Therefore, the researchers made this study aimed at examining the correlation between age and degree of hypertension in adults and the correlation between gender and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya.

METHOD

This study uses a research design in the form of cross-sectional, and the sampling technique is simple random sampling. According to the inclusion and exclusion criteria, the research sample was 47 hypertensive patients aged 26-45 years who checked themselves during outpatient care at the Cardiology Clinic of Gotong Royong Hospital in Surabaya from January to September 2022. The research tool is a laptop capable of running Microsoft Excel and SPSS 26 programs for data processing. The research material is data contained in medical records. Data analysis in this research used the Spearman correlation test. The applicable research ethics consists of 4 ethical codes: beneficence, non-maleficence, confidentiality, and justice.⁽⁸⁾

RESULT

Table 1. Result of Analysis Age and Degree of Hypertension

Table the Results of Analysis on the Correlation Between Age and Degree of Hypertension

Spearman's rho	Correlations		Age	Degree of Hypertension
	Age	Correlations Coefficient	1,000	-0,012
		Sig. (2-tailed)		0,938
		N	47	47
	Degree of Hypertension	Correlations Coefficient	-0,012	1,000
		Sig. (2-tailed)	0,938	
		N	47	47

Results of the analysis on the correlation between age and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya obtained p value = 0.938 which was interpreted as a non-significant correlation, and the r-value = -0.012, which was interpreted as a very weak correlation. Therefore, the hypothesis can be rejected with the results of the analysis.

Table 2. Result of Analysis Gender and Degree of Hypertension

Table the Results of Analysis on the Correlation Between Gender and Degree of Hypertension

Spearman's rho	Correlations		Gender	Degree of Hypertension
	Gender	Correlations Coefficient	1,000	-0,072
		Sig. (2-tailed)		0,632
		N	47	47
	Degree of Hypertension	Correlations Coefficient	-0,072	1,000
		Sig. (2-tailed)	0,632	
		N	47	47

The result of analysis on the correlation between gender and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya obtained p value = 0.632 which was interpreted as a non-significant correlation, and the r -value = -0.072, which was interpreted as a very weak correlation. Therefore, the hypothesis can be rejected with the results of the analysis.

DISCUSSION

Research by Damaris et al.'s (2019) and Beatrice et al.'s (2015) in Africa found that risk factors for hypertension, such as a bad lifestyle (smoking habits, alcohol consumption, high-fat meat consumption, infrequent exercise or physical activity), obesity and genetics are the main risk factors that can cause hypertension in adults aged 18-64 years.^(9,10) This raises an assumption that the possibility of age and gender factors in increasing the degree of hypertension has not had a major effect on adults in the Cardiology Clinic of Gotong Royong Hospital in Surabaya. Furthermore, the results of this study were different because hypertension is a complex disease caused by a combination of two or more risk factors in a person's body.⁽¹¹⁾ This raises an assumption that the possibility of the multivariate analysis method is more suitable for this research. Another assumption is the possibility of medical records that inability to eliminate confounding factors, such as genetics or family history and a bad lifestyle (smoking habits, alcohol consumption, and infrequent exercise or physical activity), affecting the results of this research.^{12,13}

CONCLUSION

1. The correlation between age and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya shows that the correlation is not significant or the correlation is very weak

2. The correlation between gender and degree of hypertension in adults at the Cardiology Clinic of Gotong Royong Hospital in Surabaya shows that the correlation is insignificant or very weak

ACKNOWLEDGEMENT

The author would like to thank the staff of the Cardiology Clinic and Surabaya Gotong Royong Hospital for being chosen as the research site and for being able to prepare in such a way as to facilitate the research process. The author also wants to thank colleagues and other parties who have helped this research.

REFERENCE

1. Lukito, A.A., Harmeiwaty, E. dkk. (2021). *Konsensus Penatalaksanaan Hipertensi 2021: Update Konsensus PERHI 2019*. Hlm. 5. Jakarta: Perhimpunan Dokter Hipertensi Indonesia.
2. NCD Risk Factor Collaboration (NCD-RisC). (2021). *Worldwide Trends in Hypertension Prevalence and Progress in Treatment and Control from 1990 to 2019: A Pooled Analysis of 1201 Population-Representative Studies with 104 Million Participants*. *The Lancet*. Vol.398. Hlm. 1. Diakses dari: [https://www.thelancet.com/journals/lan/article/piiS0140-6736\(21\)01330-1/fulltext#sec1](https://www.thelancet.com/journals/lan/article/piiS0140-6736(21)01330-1/fulltext#sec1)
3. Kementerian Kesehatan Republik Indonesia (Kemenkes RI). (2018). *Laporan Nasional Riskesdas 2018*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI Diakses dari: <https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-riskesdas/>
4. Dinas Kesehatan Provinsi Jawa Timur. (2020). *Profil Kesehatan Provinsi Jawa Timur Tahun 2020*. Surabaya: Dinas Kesehatan Provinsi Jawa Timur. Diakses dari: <https://dinkes.jatimprov.go.id/index.ph>

- p?r=site/file_list&id_file=10&id_berita=8
5. Dinas Kesehatan Kota Surabaya. (2019). *Profil Kesehatan Kota Surabaya Tahun 2019*. Surabaya: Dinas Kesehatan Kota Surabaya. Diakses dari: <https://dinkes.surabaya.go.id>
 6. Ramirez, L. A., Sullivan, J. C. (2018). *Sex Differences in Hypertension: Where We Have Been and Where We Are Going*. *American Journal of Hypertension*. Vol. 31. Hlm. 1248-1249. Diakses dari: <https://academic.oup.com/ajh/article/31/12/1247/5123934#124635471>
 7. Mills, K. T., Stefanescu, A., He, J. (2020). *The Global Epidemiology of Hypertension*. *National Institutes of Health*. Vol. 16. Hlm. 1. Diakses dari: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7998524/>
 8. Rahaju, Pudji. (2015). *Etik Penelitian Kesehatan*. Diakses dari Universitas Brawijaya, situs website <http://ppds.fk.ub.ac.id>
 9. Ondimu, D. O., Kikuvu, G. M., Otieno, W. N. (2019). *Risk Factors for Hypertension among Young Adults (18-35 Years) Attending in Tenwek Mission Hospital, Bomet County, Kenya in 2018*. *National Institutes of Health*. Vol. 33. Hlm. 210. Diakses dari: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6814951/>
 10. Olack, B., Mangen, F. W et al. (2015). *Risk Factors of Hypertension among Adults Aged 35-64 Years Living in An Urban Slum Nairobi, Kenya*. *National Institutes of Health*. Vol. Hlm. 1251. Diakses dari: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4683777/>
 11. Lemauk, P. (2022). Skripsi: *Gambaran Penderita Hipertensi di Rumah Sakit Universitas Kristen Indonesia Tahun 2020*. Diakses dari: Universitas Kristen Indonesia, situs website <http://repository.uki.ac.id/7780/>
 12. Octavia FR, Sarvasti D, Wulandari Y. CORRELATION OF OVERWEIGHT AND OBESITY WITH HYPERTENSION IN THE PRODUCTIVE AGE GROUP IN PALU CITY Fransisca R Octavia 1) , Dyana Sarvasti 2) , Yudita Wulandari 3). *Widya Med Jr J*. 2023;5(1):23–7,.
 13. Anggrainy V, Ainiyah FF, Putri NT. RELATIONSHIP WITH BLOOD PRESSURE DEPRESSION IN THE ELDERLY AT THE TRESNA WERDHA KHUSNUL KHOTIMAH SOCIAL HOME PEKANBARU IN 2018. *Widya Med Jr J*. 2022;4(2):125–33.