

BAB 5

KESIMPULAN DAN SARAN

5.1. Kesimpulan

Konsentrasi amilum kulit pisang agung sebagai pengikat dan *crospovidone* sebagai superdisintegran dalam formula ko-proses berpengaruh secara signifikan terhadap *Carr's index*, *Hausner ratio*, waktu hancur tablet dan waktu pembasahan tablet.

Formula optimum bahan ko-proses yang diperoleh dengan program optimasi *Design Expert* yaitu formula dengan konsentrasi amilum kulit pisang agung 3,5% dan konsentrasi *crospovidone* 5%.

Tablet ODT domperidone yang dikempa dengan formula ko-proses yang optimum memenuhi syarat sebagai tablet ODT dengan karakteristik sebagai berikut: *carr's index* 17,977%, *hausner ratio* 1,216, kekerasan 2,122 Kp, kerapuhan 0,319 %, waktu hancur 9,509 detik, waktu pembasahan 6,916 detik, dan rasio absorpsi air 143,305.

5.2. Alur Penelitian Selanjutnya

Diperlukan perbaikan cara pengolahan amilum kulit pisang agung supaya memberikan hasil karakterisasi yang memenuhi persyaratan.

Dapat dilakukan penelitian lebih lanjut menggunakan amilum kulit pisang sebagai pengikat, dan menggunakan superdisintegran lain selain *crospovidone* serta bahan aktif lain selain domperidone untuk membuktikan kesahihan dari hasil optimasi yang didapat.

DAFTAR PUSTAKA

- Ansel, H. C., 1989, *Pengantar Bentuk Sediaan Farmasi*, ed. 4, terjemahan Farida Ibrahim, Penerbit: Universitas Indonesia, Jakarta.
- Banakar, U.V., 1992, *Pharmaceutical Dissolution Testing*, Marcel Dekker Inc., New York.
- Banker, G.S., and Anderson, N.R. 1986, “Tablet”, in Lachman, H.A.Lieberman, and Kanig, J.L., *The Theory and Practice of Industrial Pharmacy*, 3rd edition., Lea and Febiger, Philadelphia, 259, 299, 316-329.
- Banker, G. S dan Anderson N. R., 1994, Tablet, dalam *Teori dan Praktek Farmasi Industri*, Edisi III, Jilid II, diterjemahkan dari Bahasa Inggris oleh Suyatmi, S., UI-Press, Jakarta.
- Bhowmik, D., C.B, Krishnakanth, Pankaj, R.M. Chandira, 2009, Fast Dissolving Tablet: An Overview, *Journal of Chemical and Pharmaceutical*, **1 (1)**, 163-170.
- Bolton, S. 2004, *Pharmaceutical Statistic: Practical and Clinical Application*, 4th ed., Marcel Dekker, Inc., New York.
- Chaudhari, PD., AA. Phatak, U. Desai, 2012, A Review: Coprocessed Excipients-An Alternative to Novel Chemical Entities, *Internasional Journal of Pharmaceutical and Chemical Sciences*, **1 (3)**, 1480 –1493.
- Chougule, A.S., A. Dikpati, T. Trimbake, 2012, Formulation Development Techniques of Co-processed Excipients, *Journal of Advanced Pharmaceutical*, **2**, 231 –245.
- Dalimarta, S., 2007, *Atlas Tumbuhan Obat Indonesia*, Jilid Ketiga. Jakarta: Tribus Agriwidya.

Damayanti, K. 2010, Pembuatan Tepung Bengkuang dengan Kajian Konentrasi Natrium Metabisulfit ($\text{Na}_2\text{S}_2\text{O}_5$) dan Lama Perendaman. *Skripsi*, Program Studi Teknologi Pangan, Fakultas Teknologi Industry, Universitas Pembangunan Nasional “Veteran”, Surabaya.

Departemen Kesehatan RI, 1979, *Farmakope Indonesia*, ed. III, Jakarta.

Departemen Kesehatan RI, 1995, *Farmakope Indonesia*, ed. IV, Jakarta.

Departemen Kesehatan RI, 2000, *Parameter Standart Umum Ekstrak Tumbuhan Obat*, ed IV, Jakarta.

Departemen Kesehatan RI, 2014, *Farmakope Indonesia*, ed. V, Jakarta.

Department of Health, 2005, *European Pharmacopoeia*, 5th ed., EDQM, English.

Department of Health, 2007, United States Pharmacopoeia XXIX-National Formulary XXIV, In: Hadisoewignyo, L., dan A. Fudholi, *Sediaan Solida*, Pustaka Pelajar: Yogyakarta.

Department of Health, Social Service and Public Safety, 2009, *British Pharmacopoeia*. London.

Department of Health, 2011, *British National Formulary*, BMJ Group and the Royal Pharmaceutical Society of Great Britain, Inc: London.

Dibbern, H.W., Muller, R.M., and Wirtbitzki, E. 2002, *UV and IR Spectra*, Editio Cantor Verlag.

Duchene, D., 1983, Tablet Disintegration, In: Topic in Pharmaceutical Science, P.D.Breimer and p.Spesier (Eds), *Proceeding of the 43rd International Congress of Pharmaceutical*, Amsterdam-New York-Oxford.

Forner, D.E., T.W. Rosanske, R.E. Gordon, G.S. Bunker, and N.R. Anderson, 1981, Granulation and Tablet Characteristic, In: *Pharmaceutical Dosage Form*, L. Lachman, H.A. Lieberman,

- and J.B. Schwartz (Eds.), vol. 2, 2nd ed., Marcel Dekker Inc., New York.
- Fu, Y.R., Yang, S.C., Seong, H.J., Kimura, S, and K. Park, 2004, Orally Fast Disintegrating Tablets: Developments, Technologies, Taste-Masking and Clinical Studies, *Critical Reviews in Therapeutic Drug Carrier Systems*, **21(6)**, 433–475.
- Giri, T. K., D. K. Tripathi, and R. Majumdar, 2010, Formulation Aspects In The Development of Orosoluble Tablets: An Overview, *International Journal of Pharmacy and Pharmaceutical Sciences*, **2(3)**, 38-42.
- Gohel, M. C., P.D. Jogani, 2005, A Review of Co-Processed Directly Compressible Excipients, *Journal Pharmaceutical Science*, **8 (1)**, 76-93.
- Gordon, R.E., Rosanske, T.W., Fonner, D.E., Anderson, N.R., and Banker, G.S., 1990, Massa Tabletation Technology and Tablet Characterization, In : Lieberman, H.A., Lachman, L., Schwartz, J.B.(ed): *Pharmaceutical Dosage Form : Tablet*. Volume 2, 2nd edition., Marchel Dekker, inc., New York.
- Green, J. M. 1996, A Practical Guide to Analytical Method Validation, *Analytical Chemistry*, **68**.
- Guleria, R., N.S. Kaith, and R. Singh, 2011, Improved Dissolution of Domperidone in Solid Dispersion with Polymeric Hydrophilic Additive, *Journal of Chemical and Pharmaceutical Research*, **3(6)**. 655-664.
- Gusnimar, A., 2003. Teknik Analisis Kadar Amilosa dalam Beras. *Buletin Teknik Pertanian*. **8 (2)**. 82-84.
- Hadisoewignyo, L., dan A. Fudholi, 2013, *Sediaan Solida*, Pustaka Pelajar, Yogyakarta.

- Hsu, A.f. and C-H Han, 2005, Oral Disintegrating Dosage Form, *US Patent Application Publication* (20050147670A1), 1-3.
- Islam, A., S. S. Haider, and Md. S. Reza, 2011, Formulation and Evaluation of Orodispersible Tablet Domperidone, *Journal of Pharmaceutical*, **10(2)**, 117-118.
- Jadou, A., and V. Preat, 1997, Electrically Enhanced Transdermal Delivery of Domperidone, *International Journal of Pharmaceutics*, 230-232.
- Jeong, S.H., Yuuki, T., Yourong, F., Kinam, P., 2008, Material Properties For Making Fast Dissolving Tablets by a Compression Method, *Journal of Materials Chemistry*, **18**, 3527- 3535.
- Jonwal, N., P.Mane, S. Mokati, A.Meena, 2010, Preparation and In Vitro Evaluation of Mouth Dissolving Tablets of Domperidone, *International Journal of Pharmacy and Pharmaceutical Sciences*, **2 (3)**, 170-172.
- Jufri, M., Effionora, A., Putri, M. 2006, Uji Stabilitas Sediaan Mikroemulsi Menggunakan Hidrolisat Pati (De 35-40) sebagai Stabilizer. *Majalah Ilmu Kefarmasian*. **3 (1)**, 08-21.
- Khan, K.A., 1975, The Concept of Dissolution Efficiency, *Journal of Pharmacy and Pharmacology*, **27(1)**, 48-49.
- Koseki, T., Onishi, H., Takahashi, Y., Uchida, M. and Y. Machida, 2008, Development of Novel Fast-Disintegrating Tablets by Direct Compression Using Sucrose Stearic Acid Esters as A Disintegration-Accelerating Agent, *Chemical Pharmaceutical Bulletin*, **56(10)**, 1384-1388.
- Kundu, S. and P.K. Sahoo, 2008, Recent Trends in The Developments of Orally Disintegrating Tablet Technology. *Pharma Times*, **40(4)**, 11-21.

- Lachman, L., Herbert, A. L., and Joseph, L. K., 1994, *Teori dan Praktek Farmasi Industri II*, Indonesia University Press, Jakarta.
- Langenbucher, F., 1972, Linearization of Dissolution Rate Curve by Weibull Distribution, *Journal of Pharmaceutical Sciences*, **24**, 979-981.
- Lieberman, H. A. Lachman, L. Schwartz, J. B (eds). 1989, *Pharmaceutical Dosage Form: Tablets*, Volume 1, 2nd edition. The United States of American: Marcel Dekker, Inc.
- Mahajan, U., B. Parashar, N. Sharma, Y. Jadhav, S. Musasvad, V. Patil, 2012, Fast Dissolving Tablet- An Overview of Formulation Technology, *Indo Global Journal of Pharmaceutical Sciences*, **2 (2)**, 157-164.
- Manivannan, R., 2009, Oral Disintegrating Tablets: A Future Compaction, *International Journal of Pharmaceutical Research and Development*, **1(10)**, 1-10.
- Miller R.H., 1966, *Husa's Pharmaceutical Dispensing*, E.W. Martin, Mack Publishing Company, Easton Pensylvania.
- Munadjim., 1984, *Teknologi Pengolahan Pisang*. Jakarta: Penerbit Gramedia.
- Nagar, P., K.Singh, I. Chauhan, M. Verma, M. Yasir, A. Khan, R. Sharma, and N. Gupta, 2011, Orally Disintegrating Tablets : Formulation, Preparation Techniques and Evaluation, *Journal of Applied Pharmaceutical Science*, **1 (4)**, 35-45.
- Ohwoavworhua, F. O., Adelakun, T. A., 2005, Some Physical Characteristics of Microcrystalline Cellulose Obtained from Raw Cotton of *Cochlospermum planchonii*, *Tropical Journal Pharmaceutical*, **4 (2)**, 501-507.

- Parrott, E.L., 1971, *Pharmaceutical Technology Fundamental Pharmaceutics*, 3rd ed., Burgess Publishing Company, Minneapolis.
- Patel, P., D., Telange, N. Sharma, 2011, Comparison of different granulation techniques for Lactose Monohydrate, *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(3), 222-224.
- Prahardini, PER., Yuniarti, dan A. Krismawati, 2010. Karakterisasi Varietas Unggul Pisang Mas Kirana dan Agung Semeru di Kabupaten Lumajang. *Buletin Plasma Nutfah*, 16(2), 126-133.
- Rowe, R.C., Sheskey, P.J., dan Owen, S.C. 2005. *Handbook of Pharmaceutical Exipients* Fifth Edition. London : Pharmacetical Press and American Pharmacist Association.
- Rowe, R.C., P.J. Sheskey, and M. E. Quinn. 2009. *Handbook of Pharmaceuticals Excipient*, 6th ed. The Pharmaceutical Press: London.
- Rukmana, R., 1999, *Usaha tani pisang*, Kanisius, Yogyakarta **dalam** Putri, A.R., 2013, ‘Pengaruh Penambahan Tepung Terigu Terhadap Daya Terima, Kadar Karbohidrat dan Kadar Serat Kue Prol Bonggol Pisang (*Musa Paradisiaca*)’, Skripsi, Fakultas Kesehatan Masyarakat, Universitas Jember.
- Satuhu, S. dan A. Supriadi., 1990. *Pisang Budidaya Pengolahan dan Prospek Pasar*. Penebar Swadaya, Jakarta.
- Shargel, L. and A.B.C.Yu. 1999, *Applied Biopharmaceutical and Pharmacokinetics*, 4th ed. McGraw-Hill, New York.
- Shervington, L.A. and A. Shervington. 1998, Guaifenesin, In: *Analytical Profiles of Drug Substances and Exipients*, H.G.Brittain (Ed.), vol.25, Academic Press, London, 152.

- Sheth, B.B., Bandelin, F.J., Shangraw, R.F., 1980. Compressed Tablet, In: Lieberman, H.A., Lachman, L., Kanig, J.L., (Eds), *Pharmaceutical Dosage Forms : Tablets*, Vol. 1. New York: Marcel Dekker Inc.
- Siregar, Ch. J. P., 1992, *Proses Validasi Manufaktur Sediaan Tablet*, Institut Teknologi Bandung: Bandung.
- Siregar,C. J. P., 2010, *Teknologi Farmasi Sediaan Tablet: Dasar-Dasar Praktis*. EGC: Jakarta.
- Soebagio, B., Sriwidodo, dan A.S. Andhika. 2009, *Uji Sifat Fisikokimia Pati Biji Durian (Durio Zibethinus Murr) Alami dan Modifikasi Secara Hidrolisis Asam*. Bandung: Fakultas Farmasi Universitas Padjajaran.
- Suryani, N., Musdja, M.Y., Suhartini, A., 2013, Penggunaan Amilum Umbi Suweg (*Amorphophallus campanulatus Bl. Decne*) sebagai Pengikat Tablet Ibuprofen dengan Metode Granulasi Basah, *Prosiding Seminar Nasional Perkembangan Terkini Sains Farmasi dan Klinik III*, 123.
- Susanti, L., 2006, Perbedaan Penggunaan Jenis Kulit Pisang Terhadap Kualitas Nata. *Skripsi*, Sarjana Universitas Negeri Semarang: Semarang.
- Swarbrick, J., (ed). 2007. *Encyclopedia of Pharmaceutical Technology*. 3rd edition. Informa Healthcare: USA.
- Velmurugan, S., and S. Vinushita, 2010, Oral Disintegrating Tablets: An Overview, *International Journal of Chemical and Pharmaceutical Sciences*, **1(2)**, 7-8.
- Voigt, R., 1995, *Buku Pelajaran Teknologi Farmasi*, Terjemahan S. Noerono dan M. S. Reksohardiprojo, Gadjah Mada University Press: Yogyakarta.

- Wagner, J.G., 1971, *Biopharmaceutics and Relevant Pharmacokinetics*, 1st edition, Drug Intelligence Publication: Illionis.
- Wells, J.T. 1988, *Pharmaceutical Formulation : The Physicochemical Properties of Drug Substance*, Ellis Howard, LTs, Chester.
- Well JI and Aulton ME, 1996, Preformulation. In: Aulton ME (Ed). *Pharmaceutics – The Science of Dosage form Design*. Churchill Livingston.