

## **BAB 5**

### **SIMPULAN**

#### **5.1. Simpulan**

Berdasarkan data penelitian yang telah diinterpretasikan, dapat ditarik kesimpulan sebagai berikut.

Tablet likuisolid ibuprofen dengan menggunakan polimer hidrofilik HPMC K4M dan polietilen glikol 400 (PEG 400) sebagai pelarut *non volatile* dapat meningkatkan disolusi tablet ibuprofen likuisolid dibandingkan dengan tablet ibuprofen konvensional (Formula A).

Penambahan polimer hidrofilik HPMC K4M lebih besar dari 2,5% dapat menurunkan konstanta laju disolusi tablet likuisolid ibuprofen dengan polietilen glikol 400 (PEG 400) sebagai pelarut *non volatile*. Formula B memiliki konstanta laju disolusi yang paling besar dibandingkan formula lainnya. Hal ini disebabkan pada formula C dan D mengandung konsentrasi HPMC K4M yang lebih besar dari pada formula B (2,5%) sehingga akan terbentuk lapisan kental yang dapat menghambat laju pelepasan obat.

#### **5.2. Alur Penelitian Selanjutnya**

Dapat dilakukan penelitian lebih lanjut mengenai tablet likuisolid dengan mencari formula optimum berdasarkan berbagai faktor seperti konsentrasi obat dalam pelarut, konsentrasi polimer, konsentrasi *carrier*, dan perbandingan antara *carrier* dan *coating*.

## DAFTAR PUSTAKA

- Anonim, 1979, **Farmakope Indonesia**, ed. III, Departemen Kesehatan RI, Jakarta, 6-8.
- Anonim, 1995, **Farmakope Indonesia**, ed. IV, Departemen Kesehatan RI, Jakarta, 4, 166, 449-450, 488-489, 515, 683, 783-784, 999-1000.
- Anonim, 1997, **AHFS**, Drug Information AMERICAN Society of Health System Pharmacist, Inc., Bethesda, 1499-1504.
- Anonim, 2007, **US Pharmacopeia XXX**, US Pharmacopeial Convention Inc., Rockville.
- Anonim, 2010. [http://en.wikipedia.org/wiki/PEG\\_400.html](http://en.wikipedia.org/wiki/PEG_400.html).
- Anonim, 2011. [http://wellspringchem.com/html\\_products/Microcrystalline-Cellulose-PH102-126.html](http://wellspringchem.com/html_products/Microcrystalline-Cellulose-PH102-126.html).
- Banker, G.S. and N.R. Anderson, 1986, Tablet, in: **The Theory and Practice of Industrial Pharmacy: Tablet**, L. Lachman, H.A. Lieberman, and J.L. Kanig (Eds.), 3<sup>rd</sup> ed., Lea and Febiger, Philadelphia, 259, 295, 299, 316 – 329.
- Banakar, U.V., 1992, **Pharmaceutical Disolution Testing**, Marcel Dekker Inc., New York, 19-25.
- Cartensen, J.T. and C.C. Ping, 1977, Flow Rate and Repose Angles of Wet Processed Granulation, **Journal of Pharmaceutical Sciences**, 66, 1235 – 1238.
- Duchene, D., 1983, Tablet Disintegration, In: **Topic in Pharmaceutical Science**, P.D. Breimer, and P. Spesier (Eds.), Proceeding of The 43<sup>rd</sup> International Congress of Pharmaceutical, Amsterdam – New York – Oxford, 387 – 399.
- Forner, D.E., N.R. Anderson, G.S. Banker, T.W. Rosanske, and R.E. Gordon, 1981, Granulation and Tablet Characteristic. In: **Pharmaceutical Dosage Form**, Lieberman H.A., Lachman L., and J.B. Schwartz, (Eds.), Volume 2, Marcel Dekker, Inc., New York, 109 – 143, 188 – 190.

Fudholi, A., 1986, Metodologi Formulasi dalam Kompresi Direk, **Medika**, 7(9), 583 – 593.

Gothoskar, A. V., 2005, Extended Release Formulation Using Hydrophilic Matrices. **Modified Release Forum**, 4-5.

Green, J.M., 1996, A Practical Guide to Analytical Method Validation, **Analytical Chemistry**, 68, 305-309.

Gubbi, S. and R. Jarag, 2009, Liquisolid Technique for Enhancement of dissolution Properties of Bromhexine Hydrochloride, **Research J. Pharm. and Tech**, 2 (2), 382-386.

Hartono, 2004, **Statistik untuk Penelitian**, Lembaga Studi Filsafat, Kemasyarakatan, Kependidikan, dan Perempuan (LSFK2P) bekerja sama dengan pustaka pelajar, Yogyakarta, 236.

Javadzadeh, Y., M.R. Siahi-Shabdar, M. Barzegar-Jalali, and A. Nokhodchi, 2005, Enhancement of Dissolution Rate of Piroxicam using Liquisolid Compacts, **II Farmaco**, 60, 361-365.

Javadzadeh Y, Navimipour B, Nokhodchi A., 2007, Liquisolid technique for dissolution rate enhancement of a high dose water insoluble drug (carbamazepine), **Int. J. Pharm.** 341: 26-34.

Karmarkar, A.B., I.D.Gonjari, A.H. Hosmani, P.N. Dhabale, and S.B. Bhise, 2009, Liquisolid Tablets: A Novel Approach for Drug Delivery, **International Journal of Health Research**, 2(1), 45-50.

Khan, K.A., 1975, The Concept of Dissolution Efficiency. **J. Pharm**, 27(1), 48-49.

Kibbe, A.H. , 2000, **Handbook of Pharmaceutical Excipients**, 3<sup>rd</sup> ed., The Pharmaceutical Press, London, 102, 143, 305, 501, 555.

Lachman, L., H.A. Leiberman, and J.L. Kanig, 1986. **The Theory and Practice of Industrial Pharmacy**. 3<sup>rd</sup> Edition. Lea and Febiger, Philadelphia, 564 – 588.

Langenbucher, F., 1972, Linearization of Dissolution Rate Curve by Weibull Distribution, **Journal of Pharmaceutical Sciences**, 24, 979-981.

Lund, W., 1994, **The Pharmaceutical Codex Principles & Practicles of Pharmaceutic**, 12<sup>th</sup> ed., The Pharmaceutical Press, London, 908.

Mahajana, H.S., dhamne, M.R., Gattani, S.G., Rasal. A.D., and Shaikh. H.T, 2011, Enhanced Dissolution Rate of Glipizide by a Liquisolid Technique, **International Journal of Pharmaceutical Scie**, 3(4), 1205-1213.

Martin, A., J. Swarbrick, dan A. Cammarata, 1993, **Farmasi Fisik: Dasar-dasar Kimia Fisika dalam Ilmu Farmasetik**, vol. 2, ed. 3, terjemahan Yoshita, Universitas Indonesia, Jakarta, 1135.

Ohwoavworhua, F.O., T.A.Adelakun, A.O. Okhamafe, 2009, Processing Pharmaceutical Grade Microcrystalline Cellulose from Groundnut Husk: Extraction Methods and Characterization, **International Journal of Green Pharmacy**, 3(2), 97-104.

Williams, R. O., M. A. Sykora, and V. Mahaguna, 2001, Method to Recorver a Lipophilic Drug from Hydroxypropyl Methylcellulose Matrix Tablets, **AAPS PharmSciTech**, 8, 1-9.

Wells, J.T., 1988, **Pharmaceutical Formulation: The Physicochemical Properties of Drug Substance**, Ellis Howard, Ltd., Chester, 209-211.

Parrott, E.L., 1971, **Pharmaceutical Technology Fundamental Pharmaceutics**, 3<sup>rd</sup> ed., Burgess Publishing Company, Minneapolis, 17-19, 82, 160-162.

Rosen, M.J., 1978, *Surfaktan and Interfacial Phenomena*, 83 – 85, 100 – 119, 125 – 130, John Willey and Rowe, R.C., P.J. Sheskey, and M. E. Quinn, 2009, **Handbook of Pharmaceuticals Excipient**, 6<sup>th</sup> ed., The Pharmaceutical Press, London, 283, 581.

Rowe, R., P.J. Shekey, M.E. Quinn, 2009, **Handbook of Pharmaceutical Excipients**, 6<sup>th</sup> ed, The Pharmaceutical Press, London, 592-593.

Scheffler, C.W., 1987, **Statistik untuk Biologi, Farmasi, Kedokteran, dan Ilmu Bertautan**, trjemahan Suroso, Institut Teknologi Bandung, Bandung.

Shargel, L. and A.B.C. Yu, 1999, **Applied Biopharmaceutics and Pharmacokinetics**, 4<sup>th</sup> ed McGraw-Hill. New York, 8, 132, 169-200.

Siepmann J. and N.A. Peppas, 2001, Modeling of Drug Release from Delivery Systems Based on Hydroxypropyl Methylcellulose (HPMC). **Adv. Drug Deliv. Rev.**, 48, 139-157.

Spireas, S., 2002, Liquisolid System and Methods of Preparation Same, **Pharmaceutical Research**, vol 9, 1-6.

Siregar, Ch. J. P., 1992, **Proses Validasi dan Manufaktur Sediaan Tablet**, In : Asyarie S., U. Mar'u, and S. Badruzzaman (Eds), Prosiding Seminar Validasi di Industri Farmasi, Jurusan Farmasi FMIPA ITB, Bandung, 26 – 41.

Soedigdo, S dan P. Soedigdo , 1977, **Pengantar Cara Statistika Kimia**, ITB, Bandung.

Vazques M. J., B. Prez-Marcos, J.L. Gomez-Amoza, R. Matines-Pacheco, C. Souto, and A. Concheiro, 1992, Influence of Technological Variables on Drug Release of Drug from Hydrophilic Matrices, **Drug Development and Industrial Pharmacy**, 18, 1355-1375.

Voigt, R., 1995, **Buku Pelajaran Teknologi Farmasi**, Terjemahan S. Noerono dan M. S. Reksohardiprojo, Gadjah Mada University Press, Yogyakarta, 163-210.

Wagner, J.G., 1971, **Biopharmaceutics and Relevant Pharmacokinetics**, 1<sup>st</sup> ed., Drug Intelligence Publications, Illinois, 64-110.

Wilmana, P. F., 1995, Analgesik – Antipiretik Analgesik Anti-Inflamasi Nonsteroid dan Obat Pirai, dalam: **Farmakologi dan Terapi**, Sulistia G. Ganiswarna (Ed.), edisi 4, Gaya Baru, Jakarta, 207-218.

Yadav, V.B. and A.V. Yadav, 2009, Liquisolid Granulation Technique for Tablet Manufacturing: an Overview, **Journal of Pharmacy Research 2009**, 2(4), 670-674.

Yadav, V.B. and A.V. Yadav, 2010, Improvement of Solubility and Dissolution of Indomethacin by Liquisolid and Compaction Granulation Technique, **Journal of Pharmacy Research 2009**, 2(4), 44-51.

Zainuddin, M., 2000, **Validasi Metode Analisis Kuantitatif Secara Spektrofotometris Ultra Ungu – Sinar Tampak (UV-VIS)**, Universitas Airlangga, Surabaya.

Zhang, Y., Law, Y., and Chakrabarti, S., 2003, Physical Properties and Compact Aanalysis of Commonly Used Direct Compression Binders, **AAPS PharmSciTeeh**, 4 (4), article 62.