

BAB V SIMPULAN

5.1. Simpulan

Dari grafik profil disolusi yang menunjukkan hubungan antara % obat terlepas *versus* waktu , penggunaan matriks *guar gum* dapat mempengaruhi pelepasan tablet lepas lambat nifedipin dengan mekanisme pelepasan difusi dan erosi, serta kinetika orde nol dimana pelepasan obatnya memenuhi persyaratan Banakar (1992).

5.2. Alur Penelitian Selanjutnya

Dapat dilakukan penelitian parameter farmakokinetik sediaan lepas lambat nifedipin dan dicari korelasi *in vivo-in vitro*. Selain itu, dapat juga dilakukan penelitian menggunakan bahan aktif lain yang memenuhi kriteria untuk dibuat sediaan lepas lambat dengan menggunakan matriks *guar gum*.

DAFTAR PUSTAKA

Al-Saidan, S., Krishnaiah, Y., Patro, S., Satyanaryana, V., 2005. In Vitro and In Vivo Evaluation of Guar Gum Matrix Tablets for Oral Controlled Release of Water-Soluble Diltiazem Hydrochloride. **AAPS PharmSciTech**, 6 (1), 14-21.

Ansel, H.C., 1989. **Pengantar Bentuk Sediaan Farmasi**. (Ibrahim, F., penerjemah), 4th ed., UI Press. Jakarta, pp. 118-120, 144, 148, 247-299.

Ashton, P., Hadgraft, J., Brain, K.R., Miller, T.A., Walter, K.A., 1988, Surfactant Effect in Topical Drug Availability. **Int. J. Phar.**, **41**, 189-195.

Aulton, M. E., 2002. **Pharmaceutics the science of dosage form**, 2nd edition. Churchill Livingstone, Edinburgh, pp. 296-305.

Banakar, U.V., 1992. **Pharmaceutical Dissolution Testing**, Marcel Dekker, Inc., New York, pp. 19-26, 322-330.

Banker, G.S. and Anderson, N.R., 1986. Tablet. In: Lachman, L., Lieberman. H.A., Kanig, J.L. (Eds.), **The Theory and Practice of Industrial Pharmacy**, 3rd ed., Lea and Febiger, Philadelphia, pp. 293-317.

Chang, R.K. and Robinson, J.R., 1990. Sustained drug release from tablets and particles through coating. In: Lieberman, H.A, Lachman, L., Schwartz, J.B. (Eds.), **Pharmaceutical Dosage Form: Tablets**, volume 3, 2nd ed., Marcel Dekker, Inc. New York, pp. 205-208.

Collett, J. and Moreton, C., 2002. Modified-release peroral dosage form. In: Aulton, M.E. (Ed.), **Pharmaceutics: The Science of Dosage Form Design**, 2nd ed., Churchill Livingstone, Edinburgh, pp. 289-302.

Colombo, P., Santi, P., Bettini, P., Brazel, C.S., Peppas, N.A., 2000. Drug release from swelling-controlled systems, In: Wise, D.L. (Ed.), **Handbook of Pharmaceutical Controlled Release Technology**, Marcel Dekker, Inc., New York, pp. 185-190.

Farmakope Indonesia III, 1979. Departemen Kesehatan Republik Indonesia, Jakarta, pp. 6-8, 128, 338, 354, 591.

Farmakope Indonesia IV, 1995. Departemen Kesehatan Republik Indonesia, Jakarta, pp. 4, 783, 784, 999-1000.

Ganiswarna, S.G., 1995. **Farmakologi dan Terapi**, edisi 4, Gaya Baru, Jakarta, pp. 340-351-358.

Gordon, R.E., Rosanske, T.W., Fonner, D.E., Anderson, N.R., Banker, G.S., 1990. Granulation technology and tablet characterization. In: Lieberman, H.A., Lachman, L., Schwartz, J.B. (Eds.), **Pharmaceutical Dosage Form: Tablet**, volume 2, 2nd ed., Marcel Dekker, Inc., New York, pp. 283-300, 321-336.

Green, J.H., 1996. A practical guide to analytical method validation. **Analytical Chemistry**, **23**, 305-309.

Higuchi, W.I., 1963. Mechanism of sustained action medication: theoretical analysis of rate of release of solid drugs disperse in solid matrices, **J. Pharm. Sci.**, **52**, 1145-1149.

Khan, K.A., 1975. The concept of dissolution efficiency, **J. Pharmacol.**, **27**, 48-49.

Kibbe, A.H., 2000. **Handbook of Pharmaceutical Excipients**, 3rd ed. The Pharmaceutical Press, London, pp. 73-76, 276-284, 305-307, 433-439, 555, 556.

Langenbuchner, F., 1972. Linearisation of dissolution rate curve by Weibull distribution, **J. Pharm. Pharmacol.**, **24**, 979-981.

Lapidus, H. and Lordi, N.G., 1968. Drug release from compressed hydrophilic matrices, **J. Pharm. Sci.**, **57**, 1292-1301.

Lowman, A.M. and Peppas, N.A., 1999. Hydrogels. In: Mathiowitz, E. (Ed.), **Encyclopedia of Controlled Drug Delivery**, volume 1, John Wiley & Sons, Inc., New York, pp. 405-406.

Lund, W., 1994. **The Pharmaceutical Codex XII**. Pharmaceutical Press, London, pp. 971-973.

Maier, H., Anderson, M., Karl, C., Magneson, K., 1993, Guar, Locust Bean, Tara, and Fenugreek Gums. In: Whistler, R. (Ed.), **Industrial Gums**, Academic Press, San Diego, pp.182-189.

Parrott, E.L., 1971, **Pharmaceutical Technology: Fundamental Pharmaceutics**, Burgess Publishing Company, Minneapolis, pp. 17-30, 80-86.

Purwanto, S. L., Sunadipranoto, G., Sembiing, S. U., Effendic, R., 1994. **Data Obat di Indonesia**. (9), jakarta, hal. 486.

Reynold, J. E. F., 1990. **Martindale The Extra Pharmacopeia XXIX**. The Pharmaceutical Press, London, pp. 1509, 1511.

Shargel, L. and Yu, B.C., 1999. **Applied Biopharmaceutics and Pharmacokinetics**, 4th ed., McGraw-Hill, London, pp. 169-201.

Siregar, Ch.J.T., 1992. Proses validasi dan manufaktur sediaan tablet. In: Asyarie, S., Mar'u, U., Badruzzaman, S. (Eds.), **Prosiding Seminar Validasi di Industri Farmasi**, Jurusan Farmasi FMIPA, Institut Teknologi Bandung, pp. 26-41.

Sweetman, S.C., 2005. **Martindale: The Extra Pharmacopoeia**, 34th ed. The Pharmaceutical Press, London, p. 966-972.

Wagner, J.G., 1971. **Biopharmaceutics and Relevant Pharmacokinetic**, Drug Intelligence Publications, Illinois, pp. 64-110.

Voigt, R., 1995. **Buku Pelajaran Teknologi Farmasi**. (Soewandhi, S.M., penerjemah), 5th ed., Gajah Mada University Press, Yogyakarta, pp. 158, 165-173.

Yong, G., [2008, April 24]. Nifedipine Controlled Release Compositions and Preparation Methods Therefor, [Online]. <http://www.patentstorm.us>. [2008, Juli 18]

